






### **Amplifier Probe**



#### **Tone Generator**

Use the IDEAL tone generator (62-160) to apply a tone signal to a wire pair or single conductor, and trace with an amplifier probe (IDEAL 62-164). When used with the amplifier probe, the tone generator allows technicians to identify a wire within a bundle, at a cross connect or at a remote end. It can be used on twisted pair, coax, and de-energized AC wiring.

#### **Features**

- F-connector port for toning and tracing of coaxial CATV cabling systems
- Three different tones selected from front panel
- Tone can be added in any status allows test sets without monitor feature to pick up tone
- Separate Talk Battery status for increased voltage and power for test sets
- Auto-OFF of tone after three hours to conserve battery life
- Constant tone amplitude over life of battery
- Two tone amplitude normal and half
- No power draw in continuity status with leads open
- RJ jack allows use of modular cable or alligator clips
- Low battery LED indicates when to change battery
- 9 volt battery included



# **Amplifier Probe and Tone Generator**

# **Tone Generator and Amplifier Probe Kit**

#### 33-864 Kit Includes:

Description	Cat. No.
Amplifier Probe	62-164
Tone Generator	62-160
Lead Set	142.014
Cable Assembly	K-7919
Soft Black Pouch	C-700





Replacement Case

Cat No. C-700



Replacement Cable

Cat. No. 142.014



Cat. No. K-7919

# OmniSEAL™ Pro XL Compression Tool

- Factory preset to work with all IDEAL compression connectors and most major manufacturer's RG-59, RG-6, RG-6 Quad and RG-11 F-connectors
- Adjustable to fit multiple cables and other manufacturer's connectors
- High-strength aluminum body for durability and long life

Description	Cat. No.	
OmniSEAL™ Pro XL Compression Tool - F-Type (RG-6, 59, 11), Mini F-type, RCA Mini RCA and BNC Connectors	30-793	
OmniSEAL™ Pro Compression Tool - F-Type (RG-6, 59, 11), Mini F-type, RCA Mini Connectors	30-603	

### OmniCONN™ F Connectors

- Free spinning hex nut for ease of installation (7/16")
- Delrin/Nylon adapter sleeve and inner 'O' ring provide double protection for a watertight seal
- Nut body and mandrel made of all brass construction, nickel plated for superior corrosion resistance

Cat.	Cat. No Description	
4 pack	Jar of 50	Description
89-017	89-044	OmniCONN™ RG-6 Compression F Connectors
89-018	89-045	OmniCONN™ RG-6 Quad Compression F Connectors


# TraceTone™ Tone Generator & Amplifier Probe

- Test continuity and locate signal of installed wire and cable
- Two selectable tone styles
- Tone Generator & Amplifier Probe fit together for easy storage
- Extra-deep serrations grip wire better
- RJ-11 Alligator Clip, RJ-11 Cable Assembly included

Description	Cat. No.
TraceTone™ Tone Generator & Amplifier Probe	62-140

#### OmniCONN™ RCA Connectors

- Easily installs onto RG-6 and RG-59 cable
- HDPE adapter sleeve and inner '0' ring provide double protection for a watertight seal
- All brass nickel-plated body construction and gold plated head







# Additional DataComm Products

**LinkMaster™ PRO XL Tester** 

- Back-lighted LCD screen
- Blinks the hub
- Increased voice testing capabilities
- Display length measurement with test results
- Remotes have RJ-11 to RJ-45 jacks
- Tests and identifies on all eight twisted pair and coax remotes
- Shows wiring errors
- Measures length
- Sends tone with four different signals



Description	Cat. No.
LinkMaster™ PRO XL Tester w/eight remotes	33-880

#### **LinkMaster**™ **Tester**

- Checks continuity and configuration of twisted pair wiring terminated w/ modular plugs
- Main unti transmits and receives signals to and from the remote, translating the results into LED indications of the status of the cable tested
- All test functions may be performed as a one person operation
- All common data wiring configurations may be tested with the LinkMaster™, including T568A, T568B, 10Base-T and Token Ring
- Automatically tests for the following faults: OPEN, SHORT, MISWIRE, REVERSAL, SPLIT PAIR
- DEBUG mode identifies which cable pairs have a wiring fault

Description	Cat. No.
LinkMaster™ Tester and Remote	62-200

### **VDV Multimedia Cable Tester**

- Comprehensive testing for Voice, Data and Video (VDV) applications
- Designed for testing in residential and commercial environments
- Supports RJ-11/12, RJ-45 and coax F-Connector cabling and interfaces
- Easy-to-read LCD display with PASS/Miswire indicators, wiremap display and troubleshooting modes
- Multi-tone support for cable tracing and fault isloation
- Convenient internal storage for remote
- Capacity to support additional remotes



Description	Cat. No.
VDV MultiMedia Cable Tester	33-856

#### Technician's Service Kit

This handy kit with belt clip provides all the tools necessary to terminate voice and data connections.

#### 33-505 Kit Includes:

or one in morause.	
Description	Cat. No.
Punchmaster™ II Punchdown Tool w/110 Blade	35-485
Punchmaster™ II 66 Blade only	35-497
Electrician's Scissors w/Stripping Notch	35-088
UTP/STP Stripper	45-165
Electrician's Cabinet Tip Screwdriver	35-183
Probe Pick and Spudger	35-473
Nylon Case	62-205

#### **IDEAL INDUSTRIES, INC.**

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for ideal manufacturer:

Other Similar products are found below:

45-292 45-171 45-098 L-5361 45-093 45-1987-1 41-990 25HK-AY-090A266-DH 15DYS602-120500W 45-415 45-418 30-503 35-020 35-060 35-516 45-1633-1 45-170 45-1773-1 45-1774 45-1939-1 45-2133-1 45-298 45-372 K-6336 K-8906R L-4866 L-5210 L-5562 L-9038 LB-1091 35-522 61-775 KB-0276R 30-429 33-856 45-672 LB1001 34-015 33-864 25HK-AP-060A100-CP-3A 15DYS6150-4800312P 33-704 45-092 45-121 45-1513 45-2020-1 45-2565 45-260 45-2825-9 45-2835