

C.A 745N

Digital voltage tester with LCD screen




Essential!

- Automatic recognition of AC and DC voltage
- No risk of tripping the high-sensitivity RCDs when testing phase/earth
- Phase test with a single test probe
- Resistance and continuity testing
- Removable test probes



600 V CAT III

IEC 61010-2-033



Measure up



Safe and simple to use

Electricians, heating engineers, mechanics, maintenance technicians... **the C.A 745N tester** is designed specially for you. The C.A 745N is a simple, effective instrument equipped with automatic DC/AC recognition. The test probes are easy to remove and replace. They are stowed in a compartment built into the instrument.

To protect users, **the C.A 745N offers a high level of safety.**

TECHNICAL SPECIFICATIONS	C.A 745N
Voltage test	12 V to 690 V AC/DC (7 segments)
Impedance	400 kΩ
Phase/neutral identification	Flashing "Ph" diode and intermittent beep for U > 100 V _{AC}
Operating frequency	DC and 50/60 Hz
Polarity test	"+" and "-" symbols
Voltage protection	Up to 1,100 V
Audible continuity test	R < 2 kΩ
Resistance test	2 kΩ to 300 kΩ (3 segments)
Safety for resistance	Audible and visual indication if a voltage is present (>12 V _{DC} , 50 V _{AC})

GENERAL SPECIFICATION	
Power supply	2 x 1.5 V batteries (LR03 or AAA)
Battery life	150 hours with alkaline batteries
Climatic conditions	Temperature: -10 °C to +55 °C / Relative humidity: 10 to 80 % RH
Dimensions / weight	180 x 52 x 45 mm / approx. 200 g
Ingress protection	IP54
Use	600 V CAT III installations as per IEC 61010-1, IEC 61010-031, IEC 61010-2-033

References to order

C.A 745N **P01191743Z**

STATE AT DELIVERY

C.A 745N delivered in blister pack with:

- 1 set of RD/BK extra-fine CAT III/CAT IV test probes
- 2 x 1.5 V AAA / LR3 alkaline batteries
- 1 user manual in 5 languages



ACCESSORIES & REPLACEMENT PARTS

- Set of red/black CAT III/IV test probes **P01102152Z**
- Set of red/black test probes - Ø 2 mm, CAT II **P01102153Z**
- Set of red/black test probes - Ø 4 mm, CAT II **P01102154Z**
- C.A 753 adapter for 2P+E sockets..... **P01191748Z**
- Velcro strap x 5 **P01102113**
- 1.5 V LR3 / AAA alkaline battery (x 1)..... **P01296032**
- Bag compatible with MultiFix accessory, 120 x 200 x 60 **P01298074**
- MultiFix mounting accessory **P01102100Z**

MultiFix mounting accessory ▶



◀ Bag compatible with MultiFix accessory

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Digital Multimeters](#) category:

Click to view products by [Chauvin Arnoux](#) manufacturer:

Other Similar products are found below :

[8009](#) [6111-517](#) [FS881](#) [40705X](#) [USB390A](#) [780417A](#) [GPT-9904](#) [382099](#) [589250](#) [780418](#) [C.A 6131](#) [C.A 6133](#) [30XR](#) [34XR](#) [35XP](#) [TESTO](#)
[745](#) [0590 7450](#) [TESTO 760-3](#) [0590 7603](#) [440012](#) [AX-155](#) [AX-174](#) [AX-178](#) [AX-18B](#) [AX-190A](#) [AX-503](#) [AX-507B](#) [AX-572](#) [AX-594](#) [AX-](#)
[LCR41A](#) [AX-MS8221A](#) [AX-MS8250](#) [AX-PDM01](#) [AX-T520](#) [AX-T901](#) [AX-T903](#) [BAT-250-EUR](#) [BM233](#) [BM805S](#) [BM807S](#) [BM817S](#)
[BM827S](#) [BM829S](#) [BM857S](#) [BM859S](#) [BM867S](#) [BM905S](#) [BM906S](#) [33XR](#) [UNITEST TESTFIX 9023](#) [37XR](#) [UT56](#)