


Pressfit Indicator Lights for 1/2 Dia. Mounting Hole

32/35 SERIES

- PRESSFIT INDICATOR LIGHTS
- NEON, LED & INCANDESCENT
- 2 TO 600 DESIGN VOLTS
- 3/16" TAB TERMINALS
- VARIETY OF LENS COLORS
- UL LISTED • UL FILE E20356

Overview

The 32/35 Series Indicators feature a wide variety of lenses, colors, voltage & bezel variations. Indicators quickly pressfit into a 0.500" to 0.510" mounting hole with recommended panel thickness range of 0.020" min. to 0.090" max. A speednut, part number **8700071674**, and Adapters for 0.514" to 0.519" are available.



Specifications

Housing: white nylon. A black housing is available.

Bezel: nickel plated brass. A black anodized bezel is available.

Lens: polycarbonate.

Incandescent AC or DC voltage options: 6, 14 and 28 volts.

Neon AC or DC voltage options: 125, 250 and 600 volts. **Note:** high brightness green and blue neon lamps supplied in green and blue neon applications.




LED DC voltage options: 2, 6, 12, 24 volts.

LED AC voltage options: 125 volts.

Note: 125 volts AC units contain a bi-polar LED.


Terminals:

3/16" tabs: brass, (0.187" length x 0.020" thick). For LED units, a tin plated terminal denotes the anode (+). 1/4" or 1/8" brass tab terminals are available.



Pressfit Indicator Lights for 1/2 Dia. Mounting Hole

32/35 SERIES
Flat Cylindrical Lens
Without Bezel
Neon or
Incandescent




3/16" Tab Terminals
White Housing
6 to 250 Design Volts
PressFit Mounting

| Part Number 3/16" Tab Terminals | Lens Color | Lamp Type | Design Volts | Design Watts or Amps | Life (hrs) |
|------------------------------------|------------|--------------|--------------|-------------------------|------------|
| 32-2111T | Red | Neon | 125 | 1/3W | 25,000 |
| 35-2111T | Red | Neon | 250 | 1/3W | 25,000 |
| 32G1-2111T | Red | Incandescent | 6 | .20A | 5,000 |
| 32G3-2111T | Red | Incandescent | 14 | .10A | 10,000 |
| 32G18-2111T | Red | Incandescent | 28 | .04A | 7,000 |
| 32-2112T | Green | Neon | 125 | 1/3W | 25,000 |
| 35-2112T | Green | Neon | 250 | 1/3W | 25,000 |
| 32G1-2112T | Green | Incandescent | 6 | .20A | 5,000 |
| 32G3-2112T | Green | Incandescent | 14 | .10A | 10,000 |
| 32G18-2112T | Green | Incandescent | 28 | .04A | 7,000 |
| 32-2113T | Amber | Neon | 125 | 1/3W | 25,000 |
| 35-2113T | Amber | Neon | 250 | 1/3W | 25,000 |
| 32G1-2113T | Amber | Incandescent | 6 | .20A | 5,000 |
| 32G3-2113T | Amber | Incandescent | 14 | .10A | 10,000 |
| 32G18-2113T | Amber | Incandescent | 28 | .04A | 7,000 |
| 32-2114T | Blue | Neon | 125 | 1/3W | 25,000 |
| 35-2114T | Blue | Neon | 250 | 1/3W | 25,000 |
| 32G1-2114T | Blue | Incandescent | 6 | .20A | 5,000 |
| 32G3-2114T | Blue | Incandescent | 14 | .10A | 10,000 |
| 32G18-2114T | Blue | Incandescent | 28 | .04A | 7,000 |
| 32-2115T | White | Neon | 125 | 1/3W | 25,000 |
| 35-2115T | White | Neon | 250 | 1/3W | 25,000 |
| 32G1-2115T | White | Incandescent | 6 | .20A | 5,000 |
| 32G3-2115T | White | Incandescent | 14 | .10A | 10,000 |
| 32G18-2115T | White | Incandescent | 28 | .04A | 7,000 |
| 32-2117T | Clear | Neon | 125 | 1/3W | 25,000 |
| 35-2117T | Clear | Neon | 250 | 1/3W | 25,000 |
| 32G1-2117T | Clear | Incandescent | 6 | .20A | 5,000 |
| 32G3-2117T | Clear | Incandescent | 14 | .10A | 10,000 |
| 32G18-2117T | Clear | Incandescent | 28 | .04A | 7,000 |

Pressfit Indicator Lights for 1/2 Dia. Mounting Hole

32/35 SERIES
Flat Cylindrical Lens
Nickel Plated Bezel
Neon or
Incandescent




3/16" Tab Terminals
White Housing
6 to 250 Design Volts
PressFit Mounting

| Part Number 3/16" Tab Terminals | Lens Color | Lamp Type | Design Volts | Design Watts or Amps | Life (hrs) |
|------------------------------------|------------|--------------|--------------|-------------------------|------------|
| 32R-2111T | Red | Neon | 125 | 1/3W | 25,000 |
| 35R-2111T | Red | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2111T | Red | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2111T | Red | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2111T | Red | Incandescent | 28 | .04A | 7,000 |
| 32R-2112T | Green | Neon | 125 | 1/3W | 25,000 |
| 35R-2112T | Green | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2112T | Green | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2112T | Green | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2112T | Green | Incandescent | 28 | .04A | 7,000 |
| 32R-2113T | Amber | Neon | 125 | 1/3W | 25,000 |
| 35R-2113T | Amber | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2113T | Amber | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2113T | Amber | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2113T | Amber | Incandescent | 28 | .04A | 7,000 |
| 32R-2114T | Blue | Neon | 125 | 1/3W | 25,000 |
| 35R-2114T | Blue | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2114T | Blue | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2114T | Blue | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2114T | Blue | Incandescent | 28 | .04A | 7,000 |
| 32R-2115T | White | Neon | 125 | 1/3W | 25,000 |
| 35R-2115T | White | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2115T | White | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2115T | White | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2115T | White | Incandescent | 28 | .04A | 7,000 |
| 32R-2117T | Clear | Neon | 125 | 1/3W | 25,000 |
| 35R-2117T | Clear | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2117T | Clear | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2117T | Clear | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2117T | Clear | Incandescent | 28 | .04A | 7,000 |

Pressfit Indicator Lights for 1/2 Dia. Mounting Hole

32/35 SERIES

Flush Lens
Without Bezel
Neon or
Incandescent




3/16" Tab Terminals
White Housing
6 to 250 Design Volts
PressFit Mounting

| Part Number 3/16" Tab Terminals | Lens Color | Lamp Type | Design Volts | Design Watts or Volts | Life (hrs) |
|------------------------------------|------------|--------------|--------------|--------------------------|------------|
| 32-2311T | Red | Neon | 125 | 1/3W | 25,000 |
| 35-2311T | Red | Neon | 250 | 1/3W | 25,000 |
| 32G1-2311T | Red | Incandescent | 6 | .20A | 5,000 |
| 32G3-2311T | Red | Incandescent | 14 | .10A | 10,000 |
| 32G18-2311T | Red | Incandescent | 28 | .04A | 7,000 |
| 32-2312T | Green | Neon | 125 | 1/3W | 25,000 |
| 35-2312T | Green | Neon | 250 | 1/3W | 25,000 |
| 32G1-2312T | Green | Incandescent | 6 | .20A | 5,000 |
| 32G3-2312T | Green | Incandescent | 14 | .10A | 10,000 |
| 32G18-2312T | Green | Incandescent | 28 | .04A | 7,000 |
| 32-2313T | Amber | Neon | 125 | 1/3W | 25,000 |
| 35-2313T | Amber | Neon | 250 | 1/3W | 25,000 |
| 32G1-2313T | Amber | Incandescent | 6 | .20A | 5,000 |
| 32G3-2313T | Amber | Incandescent | 14 | .10A | 10,000 |
| 32G18-2313T | Amber | Incandescent | 28 | .04A | 7,000 |
| 32-2314T | Blue | Neon | 125 | 1/3W | 25,000 |
| 35-2314T | Blue | Neon | 250 | 1/3W | 25,000 |
| 32G1-2314T | Blue | Incandescent | 6 | .20A | 5,000 |
| 32G3-2314T | Blue | Incandescent | 14 | .10A | 10,000 |
| 32G18-2314T | Blue | Incandescent | 28 | .04A | 7,000 |
| 32-2315T | White | Neon | 125 | 1/3W | 25,000 |
| 35-2315T | White | Neon | 250 | 1/3W | 25,000 |
| 32G1-2315T | White | Incandescent | 6 | .20A | 5,000 |
| 32G3-2315T | White | Incandescent | 14 | .10A | 10,000 |
| 32G18-2315T | White | Incandescent | 28 | .04A | 7,000 |
| 32-2317T | Clear | Neon | 125 | 1/3W | 25,000 |
| 35-2317T | Clear | Neon | 250 | 1/3W | 25,000 |
| 32G1-2317T | Clear | Incandescent | 6 | .20A | 5,000 |
| 32G3-2317T | Clear | Incandescent | 14 | .10A | 10,000 |
| 32G18-2317T | Clear | Incandescent | 28 | .04A | 7,000 |

Pressfit Indicator Lights for 1/2 Dia. Mounting Hole

32/35 SERIES

Flush Lens
Nickel Plated Bezel
Neon or
Incandescent




3/16" Tab Terminals
White Housing
6 to 250 Design Volts
PressFit Mounting

| Part Number 3/16" Tab Terminals | Lens Color | Lamp Type | Design Volts | Design Watts or Amps | Life (hrs) |
|------------------------------------|------------|--------------|--------------|-------------------------|------------|
| 32R-2311T | Red | Neon | 125 | 1/3W | 25,000 |
| 35R-2311T | Red | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2311T | Red | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2311T | Red | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2311T | Red | Incandescent | 28 | .04A | 7,000 |
| 32R-2312T | Green | Neon | 125 | 1/3W | 25,000 |
| 35R-2312T | Green | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2312T | Green | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2312T | Green | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2312T | Green | Incandescent | 28 | .04A | 7,000 |
| 32R-2313T | Amber | Neon | 125 | 1/3W | 25,000 |
| 35R-2313T | Amber | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2313T | Amber | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2313T | Amber | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2313T | Amber | Incandescent | 28 | .04A | 7,000 |
| 32R-2314T | Blue | Neon | 125 | 1/3W | 25,000 |
| 35R-2314T | Blue | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2314T | Blue | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2314T | Blue | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2314T | Blue | Incandescent | 28 | .04A | 7,000 |
| 32R-2315T | White | Neon | 125 | 1/3W | 25,000 |
| 35R-2315T | White | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2315T | White | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2315T | White | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2315T | White | Incandescent | 28 | .04A | 7,000 |
| 32R-2317T | Clear | Neon | 125 | 1/3W | 25,000 |
| 35R-2317T | Clear | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2317T | Clear | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2317T | Clear | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2317T | Clear | Incandescent | 28 | .04A | 7,000 |

Pressfit Indicator Lights for 1/2 Dia. Mounting Hole

32/35 SERIES

Hi-Hat Lens
Without Bezel
Neon or
Incandescent




3/16" Tab Terminals
White Housing
6 to 250 Design Volts
PressFit Mounting

| Part Number 3/16" Tab Terminals | Lens Color | Lamp Type | Design Volts | Design Watts or Amps | Life (hrs) |
|------------------------------------|------------|--------------|--------------|-------------------------|------------|
| 32-2511T | Red | Neon | 125 | 1/3W | 25,000 |
| 35-2511T | Red | Neon | 250 | 1/3W | 25,000 |
| 32G1-2511T | Red | Incandescent | 6 | .20A | 5,000 |
| 32G3-2511T | Red | Incandescent | 14 | .10A | 10,000 |
| 32G18-2511T | Red | Incandescent | 28 | .04A | 7,000 |
| 32-2512T | Green | Neon | 125 | 1/3W | 25,000 |
| 35-2512T | Green | Neon | 250 | 1/3W | 25,000 |
| 32G1-2512T | Green | Incandescent | 6 | .20A | 5,000 |
| 32G3-2512T | Green | Incandescent | 14 | .10A | 10,000 |
| 32G18-2512T | Green | Incandescent | 28 | .04A | 7,000 |
| 32-2513T | Amber | Neon | 125 | 1/3W | 25,000 |
| 35-2513T | Amber | Neon | 250 | 1/3W | 25,000 |
| 32G1-2513T | Amber | Incandescent | 6 | .20A | 5,000 |
| 32G3-2513T | Amber | Incandescent | 14 | .10A | 10,000 |
| 32G18-2513T | Amber | Incandescent | 28 | .04A | 7,000 |
| 32-2514T | Blue | Neon | 125 | 1/3W | 25,000 |
| 35-2514T | Blue | Neon | 250 | 1/3W | 25,000 |
| 32G1-2514T | Blue | Incandescent | 6 | .20A | 5,000 |
| 32G3-2514T | Blue | Incandescent | 14 | .10A | 10,000 |
| 32G18-2514T | Blue | Incandescent | 28 | .04A | 7,000 |
| 32-2515T | White | Neon | 125 | 1/3W | 25,000 |
| 35-2515T | White | Neon | 250 | 1/3W | 25,000 |
| 32G1-2515T | White | Incandescent | 6 | .20A | 5,000 |
| 32G3-2515T | White | Incandescent | 14 | .10A | 10,000 |
| 32G18-2515T | White | Incandescent | 28 | .04A | 7,000 |
| 32-2517T | Clear | Neon | 125 | 1/3W | 25,000 |
| 35-2517T | Clear | Neon | 250 | 1/3W | 25,000 |
| 32G1-2517T | Clear | Incandescent | 6 | .20A | 5,000 |
| 32G3-2517T | Clear | Incandescent | 14 | .10A | 10,000 |
| 32G18-2517T | Clear | Incandescent | 28 | .04A | 7,000 |

Pressfit Indicator Lights for 1/2 Dia. Mounting Hole

32/35 SERIES

Hi-Hat Lens
Nickel Plated Bezel
Neon or
Incandescent




3/16" Tab Terminals
White Housing
6 to 250 Design Volts
PressFit Mounting

| Part Number 3/16" Tab Terminals | Lens Color | Lamp Type | Design Volts | Design Watts or Amps | Life (hrs) |
|------------------------------------|------------|--------------|--------------|-------------------------|------------|
| 32R-2511T | Red | Neon | 125 | 1/3W | 25,000 |
| 35R-2511T | Red | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2511T | Red | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2511T | Red | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2511T | Red | Incandescent | 28 | .04A | 7,000 |
| 32R-2512T | Green | Neon | 125 | 1/3W | 25,000 |
| 35R-2512T | Green | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2512T | Green | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2512T | Green | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2512T | Green | Incandescent | 28 | .04A | 7,000 |
| 32R-2513T | Amber | Neon | 125 | 1/3W | 25,000 |
| 35R-2513T | Amber | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2513T | Amber | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2513T | Amber | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2513T | Amber | Incandescent | 28 | .04A | 7,000 |
| 32R-2514T | Blue | Neon | 125 | 1/3W | 25,000 |
| 35R-2514T | Blue | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2514T | Blue | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2514T | Blue | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2514T | Blue | Incandescent | 28 | .04A | 7,000 |
| 32R-2515T | White | Neon | 125 | 1/3W | 25,000 |
| 35R-2515T | White | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2515T | White | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2515T | White | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2515T | White | Incandescent | 28 | .04A | 7,000 |
| 32R-2517T | Clear | Neon | 125 | 1/3W | 25,000 |
| 35R-2517T | Clear | Neon | 250 | 1/3W | 25,000 |
| 32RG1-2517T | Clear | Incandescent | 6 | .20A | 5,000 |
| 32RG3-2517T | Clear | Incandescent | 14 | .10A | 10,000 |
| 32RG18-2517T | Clear | Incandescent | 28 | .04A | 7,000 |

Pressfit Indicator Lights for 1/2 Dia. Mounting Hole


L32/35 SERIES
LED Indicator Lights
White Housing
2 to 24 Design Volts



3/16" Tab Terminals
Nickel Plated Bezel
Variety of Lenses
and Colors

| Part Number With Flat Cylindrical Lens | Part Number with Flush Lens | Part Number With Hi-Hat Lens | Lens Color | DC Design Volts |
|--|-----------------------------|------------------------------|------------|-----------------|
| L32R-A2-2113T | L32R-A2-2313T | L32R-A2-2513T | Amber | 2 |
| L32R-A6-2113T | L32R-A6-2313T | L32R-A6-2513T | Amber | 6 |
| L32R-A12-2113T | L32R-A12-2313T | L32R-A12-2513T | Amber | 12 |
| L32R-A24-2113T | L32R-A24-2313T | L32R-A24-2513T | Amber | 24 |
| L32R-G2-2112T | L32R-G2-2312T | L32R-G2-2512T | Green | 2 |
| L32R-G6-2112T | L32R-G6-2312T | L32R-G6-2512T | Green | 6 |
| L32R-G12-2112T | L32R-G12-2312T | L32R-G12-2512T | Green | 12 |
| L32R-G24-2112T | L32R-G24-2312T | L32R-G24-2512T | Green | 24 |
| L32R-R2-2111T | L32R-R2-2311T | L32R-R2-2511T | Red | 2 |
| L32R-R6-2111T | L32R-R6-2311T | L32R-R6-2511T | Red | 6 |
| L32R-R12-2111T | L32R-R12-2311T | L32R-R12-2511T | Red | 12 |
| L32R-R24-2111T | L32R-R24-2311T | L32R-R24-2511T | Red | 24 |
| L32R-Y2-2116T | L32R-Y2-2316T | L32R-Y2-2516T | Yellow | 2 |
| L32R-Y6-2116T | L32R-Y6-2316T | L32R-Y6-2516T | Yellow | 6 |
| L32R-Y12-2116T | L32R-Y12-2316T | L32R-Y12-2516T | Yellow | 12 |
| L32R-Y24-2116T | L32R-Y24-2316T | L32R-Y24-2516T | Yellow | 24 |

Polarity Determination - Wire Leads: Red wire lead denotes anode (+); black wire lead denotes cathode (-).
Terminals: One terminal is tin-plated to denote anode (+); unplated terminal refers to cathode (-).



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Leecraft](#) manufacturer:

Other Similar products are found below :

[L59UD-G24-W](#) [36EN-2312](#) [32R-2111](#) [L75R-G24-2212T](#) [75R-2211](#) [31G18-2112T](#) [L79D-G125-W](#) [L79D-G24-W](#) [L59UD-R24-W](#) [75R-2212](#)
[32-2111](#) [32-2113](#) [L58D-G24-W](#) [L58D-R24-W](#) [32R-2113T](#) [L79D-R24-W](#) [36EN-2313](#) [32R-2211](#) [L79D-R12-W](#) [L79D-R125-W](#) [L59D-Y24-](#)
[W](#) [32R-2112T](#) [32-2111T](#) [36EN-2311](#) [L59D-G12-W](#) [L75R-R24-2211](#) [32R-2111T](#) [32R-2311](#) [L32R-ACL24-1113](#) [31-2111T](#) [L59D-G24-W](#)
[75R-2213](#) [45RN-2112T3](#)