

## chiliboard M2M (4G) Sandwich




# 1. Features

## 1.1. Key features

- Suitable for both: chiliboard and liteboard
- Based on 4G Telit module LE910-EUG
  - Region: Europe & Australia
  - Bands: UMTS 850/900/2100 (EU), LTE FDD (3, 7, 20) (EU)
- MicroSIM holder
- SMA Female connectors for antennas
- Operating temperature range (C): -40 to 85

## 2. Functional Description

### 2.1. Block Diagram



More informations about audio 4G Telit module is available on the Telit webpage:  
<http://www.telit.com/cellular/4g-modules/xe910-family/>

### 2.2. Connectors description

Signal name	Connector	Pin	Description
GSM ONn	J5	21	GSM modem power switch
USB P	J5	7	USB input
USB N	J5	9	USB inupt
TOP USB P	J6	8	USB output
TOP USB N	J6	10	USB output
USB RESET	J6	21	USB HUB reset

**Grinn sp. z o.o.**

POLAND

ul. Wagonowa 2

53-609 Wrocław

t. +48 71 716 40 99

m. office@grinn-global.com

www.grinn-global.com

© Copyright 2017 Grinn

All rights reserved. No part of this document may be photocopied or recorded on any electronic media without written permission of Grinn. The information contained in this documentation is subject to change without prior notice. We assume no liability for erroneous information or its consequences. Grinn reserves the right to change details in this publication without notice. Grinn makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and products descriptions at any time without notice. Grinn does not make any commitment to update the information contained herein. Trademarks used from other companies refer exclusively to the products of those companies. Product and company names herein may be the trademarks of their respective owners.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Single Board Computers](#) category:*

*Click to view products by [GRINN](#) manufacturer:*

Other Similar products are found below :

[MANO882VPGGA-H81](#) [SSD3200W-S-SLC-INN](#) [AmITX-SL-G-Q170](#) [IB100](#) [MVME61006E-2173R](#) [DBS2600CWT](#) [HNS2600JF](#) [20-101-0738](#) [PCE-4128G2-00A1E](#) [RSB-4220CS-MCA1E](#) [SHB230DGGA-RC](#) [IB909AF-5650](#) [AmITX-BT-I-E3815](#) [PICO841VGA-E3827](#) [IMB210VGGA](#) [MI981AF](#) [RSB-4221CS-MCA1E](#) [PCE-9228G2I-00A1E](#) [AIMB-275G2-00A1E](#) [IB915F-3955](#) [IB909F-5010](#) [MI958F-16C](#) [Nitrogen7](#) [UPS-P-8G-64GB-PACK](#) [S2600WFT](#) [IB915AF-6300](#) [S2600STB](#) [BBS2600BPS](#) [IB915F-6100](#) [Nit6QP\\_MAX](#) [MI990VF-X28-E](#) [MI990VF-6820](#) [MI991AF-C236](#) [94AC6636](#) [BANANA PI BPI-M4](#) [BLKNUC7I3DNHNC1978015](#) [BLKNUC7I5DNK1E 960791](#) [IOT-LS1012A-OXALIS](#) [NITX-300-ET-DVI](#) [94AC6633](#) [CS-OMEGA-08](#) [RX0210](#) [RX0213](#) [RX0216](#) [CASE SLIDE WHITE](#) [CASE SLIDE CLEAR](#) [MICROSOM I2 + WIFI/BT](#) [HUMMINGBOARD-I1 PRO + WIFI/BT](#) [HUMMINGBOARD-I2EX BASE + WIFI/BT](#) [HUMMINGBOARD-I2 PRO](#)