







[Back](#)

Selected Cable: 17425				
End View	Plug	Cord	Connector	End View
				
5-15P	290B	SJ	3"STRIP	NONE

Part Number	17425
Category	2 and 3 conductor rubber original equipment cords
Shielding	unshielded
Jacket Color	black
Length Feet	15'
Length Meters	4.57
Temperature Rating	60 C°C
Packaging Units Per Carton	S-15
Color Coding	North America
AWG Stranding	16 (26x30)
Nominal OD Inch	0.34
Nominal OD millimeter	8.64
Rating	1625 Watts 13A-125V
Notes	See 17422 for 12' version. See 17419 for 9' version.

Cord View



Approvals




Qty:

Back

Volex Power Cord Products Division, 5350 Lakeview Parkway S. Drive #D Indianapolis, IN 46268
800-246-CORD. info@volexpowercords.com

Proposition 65 warning for California residents: This product contains chemicals, including lead, known to the State of California to cause (cancer, and) birth defects or other reproductive harm. Wash hands after handling.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Volex manufacturer](#):

Other Similar products are found below :

[17237 8 B1](#) [VQSFPQ30YP100](#) [17635 10 S2](#) [2145H 10 H50](#) [8490-10](#) [17000A 10 B1](#) [17461](#) [2111H](#) [17503 10 B1](#) [17251](#) [17616 10 B1](#)
[17612-BLK-B1](#) [17743-BLK-B1](#) [17962 10 C3](#) [9415-10-15](#) [17272A 10 B1](#) [17666-BLK-C3](#) [17447-10-S2](#) [17606 10 B1](#) [2116H 10 C3](#) [2158H](#)
[VL-0836-14-300](#) [17614 10 B1](#) [17600 10 C3](#) [17030 8 S2](#) [2115H 10 C3](#) [17463 10 S2](#) [40230 8](#) [17651 10 C3](#) [17602-BLK-B1](#) [17001A 10 B1](#)
[17509 10 B1](#) [17513A 10 B1](#) [17615-10-C3](#) [6491](#) [17270A 10 B1](#) [17020A 8 S2](#) [17425-BLK-S2](#) [17745 10 B1](#) [17507 10 B1](#) [17031 8 S2](#) [6482](#)
[17625 10 B1](#) [17419](#) [40414 10](#) [17600 10 B1](#) [6479](#) [6483](#) [17523](#) [17462](#)