# 6491X 4mm

## Conduit Cable





#### Features:

PVC Insulated.

Rated Voltage: 450/750V.BS 6004, 6491X, H07V-R1.

### **Specifications:**

#### **Conductor:**

4mm<sup>2</sup> (7/0.85mm) Plain Annealed Copper Wire Meeting the Requirements of BS 6360, Class 2.

Maximum Conductor Resistance at  $20^{\circ}$ C :  $4.61\Omega$ /km.

Insulation:

Type TI 1 PVC Compound Meeting the Requirements of BS EN 50363.

#### **Part Number Table**

Description	Part Number
Wire, 6491X 4.00mm Brown 100M	6491X4.0
Wire, 6491X 4.00mm Green/Yellow	6491X 4MM GREEN/YELL
Wire, 6491X 4.00mm Yellow	6491X 4MM YELLOW
Wire, 6491X 4.00mm Blue	6491X 4MM BLUE
Wire, 6491X 4.00mm Black	6491X 4MM BLACK
Wire, 6491X 4.00mm Red	6491X 4MM RD



## 6491X 4mm

### Conduit Cable



Notes:

#### **International Sales Offices:**



AUSTRALIA - Farnell InOne
Tel No: ++ 61 2 9645 8888





FINLAND - Farnell InOne
Tel No: ++ 358 9 560 7780

Fax No: ++ 358 9 345 5411







AUSTRIA - Farnell InOne











BELGIUM - Farnell InOne Tel No: ++ 32 3 475 2810

Fax No: ++ 32 3 475 2810



GERMANY - Farnell InOne

Tel No: ++ 49 89 61 39 39 39 Fax No: ++ 49 89 613 59 01







BRAZIL - Farnell-Newark InOne

Tel No: ++ 55 11 4066 9400 Fax No: ++ 55 11 4066 9410



HONG KONG -

Tel No: ++ 852 2268 9888 Fax No: ++ 852 2268 9899







CHINA – Farnell-Newark InOne


Tel No: ++86 10 6238 5152 Fax No: ++86 10 6238 5022



IRELAND - Farnell InOne

Tel No: ++ 353 1 830 9277 Fax No: ++ 353 1 830 9016







DENMARK – Farnell InOne

Tel No: ++ 45 44 53 66 44 Fax No: ++ 45 44 53 66 06










ESTONIA - Farnell InOne

Tel No: ++ 358 9 560 7780 Fax No: ++ 358 9 345 5411





http://www.buckhickmaninone.com

http://www.cpc.co.uk

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Pro-Power is the registered trademark of the Group. © Premier Farnell plc 2004.



Page 2 14/04/07 V1.0

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pro Power manufacturer:

Other Similar products are found below:

PP001939 SHS-700-4005-BLK JY-1066 GREY JY-6135 50M ACC-2 PPCY5C0.50 50M PPCY4C0.50 50M PP001260 PP001181
PP14791 PP001059 PP000945 PP000934 PP001329 PP001320 PP000817 PP000816 PP001147 PP000627 PP001085 PP001082
PP000481 PP001054 PP000442 PP000880 PP000329 PP000283 PP000180 PP000630 PP000124 PP000489 PP000046 PP000437
PP000017 PP000416 CTFCS100-18U PP000112 PP000016 LHS3-1TW/+ RG6UTWINBLK CF0082 BLACK 100M 2075098
PETGY20BG5 CBT-7274 8408-0418 MLCM12 SST-048-6010-CLR 53112010 + 52103010 SPTW32 SPC35209