Cables

pro-**Power**

RoHS

Compliant



Specifications:

Primary Screen Type	: Aluminium polyester foil
Primary Insulation Material	: PVC
Secondary Insulation Material	: PVC
Secondary Insulation Colour	: Grey
Standard	: CSA SR PVC
Conductor Material	: Tinned copper
Wire Size	: 24 AWG
Negative Conductor Material	: Tinned copper
Drain Wire Type	: 24 AWG

Specification Table

Conductor CSA (mm ²)	Voltage Rating (V ac)	Core-Core Capacitance (pF / m)	Number of Cores	Maximum Optimum Temperature (°C)	External Diameter	Conductor Make-up (AWG)	Part Number
0.2	300	108	3	80	4.3	7 / 32	MCOS3C24 RI-GREY
			4		4.8		MCOS4C24 RI-GREY
			5		5		MCOS5C24 RI-GREY
			6		5.5		MCOS6C24 RI-GREY
			8		5.8		MCOS8C24 RI-GREY
		98	10		6.4		MC092616A
			15		7.4		MC092618H

Dimensions : Millimetres

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Famell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the Group. © Premier Farnell plc 2012.



www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

X-ON Electronics

Authorized Distributor

Click to view similar products for Pro Power manufacturer.

Other Similar products are found below :

0301CV100W 04JSBLACK 06JSBLACK 08450046010 08450056010 08450066010 08450166010 08450236010 08450256010 08JSBLACK 10026B 10026BK 10026G 10026R 10026TB 10026TBK 10026TG 10026TR 10026TW 10026W 10030B 10030BK 10030G 10030O 10030R