

DIGITUS RS-232 to TTL Adapter

DA-70162
EAN 4016032358497



RS232 to TTL Adapter, Transmission rate: 300-115.2 Kbps, 18x34x63 mm

The serial RS-232 to TTL converter supports standard signals of the RS-232C interface (sending of TXD and receiving RXD signals) and converts them to TTL / CMOS level. TTL side of the converter supports voltages of 0-5 V. An external power source is not needed. By the use of a patented RS-232 chipset the initialization of the RS-232 interface is not required. This allows the machine to be used without delay. The adapter supports the automatic detection of data transfer direction of the I/O ports. The detecting does not require handshaking signals (RTS, DTR) and ensures for RS-232 duplex mode applications in adaptation to TTL level full compatibility, without changing the software. Thus, no modifications need to be performed to software and hardware before using the adapter.

Convert RS-232 signals into TTL.

- Conforming to EIA/TIA RS-232 and TTL/CMOS
- DB9 connectors for both sides
- Transmission via twisted pair cable or STP
- Transmission mode: full duplex, asynchronous
- Transmission rate: 300 - 115200 bps
- Transmission distance: 5 m
- Working environments: -40 - 85 °C
- Humidity: 5 - 95 %
- Dimensions: 63 x 34 x 18 mm
- Compatible with Windows (2000, 2003, 2008, XP, Vista, 7, 8), Mac & Linux

Lieferumfang

- RS-232 to TTL Adapter
- Manual

Logistische Daten						
	Anzahl (Stück)	Gewicht (kg)	Tiefe (cm)	Breite (cm)	Höhe (cm)	cm³
Karton-VPE	50	1,50	46,00	31,00	26,00	37.076,00
Innen-VPE	1	0,03	11,00	19,50	3,00	643,50
Einzel-VPE	1	0,03	11,00	19,50	3,00	643,50
Netto einzeln ohne VP	1	0,03	6,30	3,30	1,70	35,34



Weitere Anwendungsbilder:



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Computer Cables](#) category:

Click to view products by [Digitus](#) manufacturer:

Other Similar products are found below :

[68809-0004](#) [8F36-AAA105-1.00](#) [IB63](#) [IB68](#) [CBK-11-290K-00](#) [ACL-10568-5](#) [426090200-3](#) [427522400-3](#) [IB76](#) [CB-3PSATA-RS](#)
[426091300-3](#) [48000023](#) [10114976-P015002LF](#) [88761-6101](#) [NT631C-CN321-EU](#) [1700009397](#) [MIKROE-2092](#) [PCL-10488-2E](#) [1700009405](#)
[PS/2 Cable](#) [AXXSTFPCBLKIT](#) [NT31C-CN323-EU](#) [FWAX-PK1-51](#) [68801-1905](#) [2404774](#) [SATA Power to B4P cable](#) [68801-0630](#) [68801-](#)
[3612](#) [68801-3618](#) [0685610020](#) [0745063002](#) [0745460813](#) [0745461605](#) [0745470304](#) [0887505318](#) [0887511310](#) [0DT60002](#) [C-PS2WG/5](#) [C-](#)
[PS2WW/2](#) [C-PS2WW/3](#) [73220861](#) [CV0002](#) [CV0005](#) [CV0006](#) [CV0016](#) [CV0018](#) [74546-0402](#) [74546-1601](#) [74546-1603](#) [AU0002E](#)