

## LP-LED LP-LED MV and LP-LED 110/230V



CE – certified to EMC directive 2004/108/EC.  
 Complies with low voltage directive 2006/95/EC.  
 High voltage transient and polarity reversal protected.  
 Operating temperature: -20°C to + 55°C.



<b>Mains 110/230V</b>	amber > 17cd red > 33cd (flashing mode)	65 flashes/min 6 bursts/flash	85–265 Vac	IP67	100gms
<b>Multivoltage MV</b>			10–100Vdc		

### Features:

A low profile LED beacon with low power consumption.

- Multivoltage 10–100Vdc, and mains 110Vac and 230Vac versions
- Flashing and continuously lit modes
- Clear lens with coloured LEDs
- Low power consumption
- 3 year guarantee
- Weatherproof to IP67

### Materials:

Polycarbonate lens and base. ROHS compliant.

### Accessories:

FX1 mounting box




FX2 mounting base



FX40 mounting bracket



Product	<i>i</i> flashing	<i>i</i> constant	Amber	Red
<b>Mains 110/230V</b>	15mA @ 110Vac 10mA @ 230Vac		447002	447003
<b>Multivoltage MV</b>	110mA @ 12Vdc 55mA @ 24Vdc 35mA @ 50Vac 25mA @ 100Vac	80mA @ 12Vdc 40mA @ 24Vdc 25mA @ 50Vac 20mA @ 100Vac	445002	445003



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Delta manufacturer](#):*

Other Similar products are found below :

[MKEL-DRB](#) [1316038K66E000](#) [DOP-EXI014RAE](#) [DRP048V240W1BN](#) [DTB4824LV](#) [DTB4848LV](#) [DTB4896CR](#) [DTB4896VRE](#)  
[DTB9696CVE](#) [DTB9696LVE](#) [DVP01PU-S](#) [DVP06XA-S](#) [DVP08SN11T](#) [DVP08SP11R](#) [DVDPNET-SL](#) [DVPDT01-S](#) [EFB0405VHD](#)  
[EFB0412HHA](#) [BUE-20015](#) [IFD8520](#) [20114-80](#) [20240-82](#) [20310-80](#) [21022-82](#) [S24SP15003PDFA](#) [LNE-12V185WAAA](#) [LNE-](#)  
[24V100WDAA](#) [LNE-36V185WAAA](#) [LNE-54V185WDAA](#) [ADP485-01](#) [FFB1212VHE-F00](#) [20243-81](#) [23595-73](#) [PMH-24V150WCBA](#)  
[CME-COP01](#) [31000-82](#) [32003-81](#) [32007-82](#) [32007-84](#) [TP05G-BT2](#) [TP-PCC](#) [53682-83](#) [53761-81](#) [31003-82](#) [31004-84](#) [31007-84](#)  
[BR200W250](#) [32003-82](#) [VFD015EL23A](#) [DOP-EXI028RAE](#)