

# DIGITUS Professional VGA UTP Extender Set

DS-53400  
EAN 4016032356721



**VGA Extender over UTP, Set max. resolution 1920x1200, signal extended by 300m operating temperature 0-70°C**

Extends the max. length of a VGA signal up to 300 m by using a simple UTP cable between the transmitter and receiver unit.

**Easy and convenient distribution for VGA signals up to 300 m - Place your displays wherever you want without VGA cable limitations.**

- Cat 5 VGA extender consisting of transmitter and receiver unit
- High resolution possible up to 1920 x 1200 pixels
- Supports stereo audio extension

- Dimensions (L x W x H): 110 mm x 75 mm x 25 mm
- Weight: 213 g (transmitter), 208 g (receiver)
- Operating temperature: 0 °C ~ 70 °C
- Operating humidity: 10 % ~ 85 % (non-condensing)
- Power input: 5 V @ 1 A, max 5 W

**Lieferumfang**

- 1x DIGITUS® VGA UTP Extender
- 2 x Power adapter (5 V/1 A)
- 1x User manual

Logistische Daten						
	Anzahl (Stück)	Gewicht (kg)	Tiefe (cm)	Breite (cm)	Höhe (cm)	cm³
Karton-VPE	20	15,20	60,00	36,50	25,50	55.845,00
Innen-VPE	1	0,76	27,30	17,50	5,50	2.627,62
Einzel-VPE	1	0,76	27,30	17,50	5,50	2.627,62
Netto einzeln ohne VP	1	0,21	11,00	7,50	2,50	206,25



**Weitere Anwendungsbilder:**



**VIDEO VERLÄNGERUNGEN**  
**VIDEO EXTENSIONS**

M = Meter / meters

Model	Resolution	Distance
<b>HDMI</b>		
DS-55001	up to 1080p/60Hz	20 M
DS-55001	up to 1080p/60Hz	30 M
DS-55100	up to 1080p/60Hz	50 M
DS-55400	up to 1080p/60Hz	100 M
DS-55200	up to 1080p/60Hz	100 M
DS-55100	up to 1080p/60Hz	100 M
<b>VGA</b>		
DS-53001	up to 1080p	20 M
DS-53200	up to 1080p	30 M
DS-53400	up to 1080p	50 M
DS-53400	up to 1080p	100 M
DS-53400	up to 1080p	100 M
<b>DVI</b>		
DS-54001	up to 1080p	20 M
DS-54101	up to 1080p	30 M

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Computer Cables](#) category:*

*Click to view products by [Digitus](#) manufacturer:*

Other Similar products are found below :

[68809-0004](#) [8F36-AAA105-1.00](#) [IB63](#) [IB68](#) [CBK-11-290K-00](#) [ACL-10568-5](#) [426090200-3](#) [427522400-3](#) [IB76](#) [CB-3PSATA-RS](#)  
[426091300-3](#) [48000023](#) [10114976-P015002LF](#) [88761-6101](#) [NT631C-CN321-EU](#) [1700009397](#) [MIKROE-2092](#) [PCL-10488-2E](#) [1700009405](#)  
[PS/2 Cable](#) [AXXSTFPCBLKIT](#) [NT31C-CN323-EU](#) [FWAX-PK1-51](#) [68801-1905](#) [2404774](#) [SATA Power to B4P cable](#) [68801-0630](#) [68801-](#)  
[3612](#) [68801-3618](#) [0685610020](#) [0745063002](#) [0745460813](#) [0745461605](#) [0745470304](#) [0887505318](#) [0887511310](#) [0DT60002](#) [C-PS2WG/5](#) [C-](#)  
[PS2WW/2](#) [C-PS2WW/3](#) [73220861](#) [CV0002](#) [CV0005](#) [CV0006](#) [CV0016](#) [CV0018](#) [74546-0402](#) [74546-1601](#) [74546-1603](#) [AU0002E](#)