

**Cover Control**

**Non-reversing**

**Flange Control Kits**

For on-the-job conversion of Type 1, 3R, 4X and 12 enclosed starters. Knockouts are provided on the Type 1 flange. Type 3R, 4X and 12 have prepunched holes with removable hole plugs.



Figure 33-50.

Figure 33-51.

**Factory Installed Pilot Devices**

To order factory installed pilot devices, change the 9th character of the Catalog Number to the alpha shown in the table below. Example: to order an **ECN0514CAA** with START/STOP pushbuttons and a red pilot light, change the **A** to a **C**, i.e. **ECN0514CCA**.

**Table 33-185. Non-reversing Pilot Devices**

Description	Factory Installed Flange Control			Field Installation Kits			
	Position 9 Alpha	Non-combination ① See Figure 33-50	Combination (NEMA only) ②③ See Figure 33-51	Non-combination ① See Figure 33-50		Combination (NEMA only) ②③ See Figure 33-51	
	Code	Adder U.S. \$	Adder U.S. \$	Catalog Number	Price U.S. \$	Catalog Number	Price U.S. \$
No Cover Mounted Pilot Devices	<b>A</b>			<b>C400GK0</b>		—	
START/STOP Pushbuttons	<b>B</b>			<b>C400GK1</b>		<b>C400T1</b>	
with Red RUN Pilot Light	<b>C</b>			<b>C400GK12</b> ④		—	
with Red RUN/Green OFF Lights	<b>D</b>			<b>C400GK16</b> ④		—	
ON/OFF Pushbuttons	<b>E</b>			—		<b>C400T2</b>	
with Red RUN Pilot Light	<b>F</b>			—		—	
with Red RUN/Green OFF Lights	<b>G</b>			—		—	
HAND/OFF/AUTO Selector Switch	<b>H</b>			<b>C400GK3</b>		<b>C400T12</b>	
with Red RUN Pilot Light	<b>J</b>			<b>C400GK32</b> ④		—	
with Red RUN/Green OFF Lights	<b>K</b>			<b>C400GK36</b> ④		—	
START Pushbutton	<b>L</b>			—		<b>C400T3</b>	
ON Pushbutton	<b>M</b>			—		<b>C400T4</b>	
OFF Pushbutton	<b>N</b>			—		<b>C400T5</b>	
Red RUN Pilot Light	<b>P</b>			<b>C400GK42</b> ④		<b>C400T9</b> ④	
Green OFF	<b>Q</b>			<b>C400GK41</b> ④		<b>C400T10</b> ④	
Red RUN/Green OFF Pilot Lights	<b>R</b>			<b>C400GK46</b> ④		<b>C400T11</b> ④	
START/STOP Selector Switch	<b>S</b>			—		<b>C400T13</b>	
with Red RUN Pilot Light	<b>T</b>			—		—	
with Red RUN/Green OFF Lights	<b>U</b>			—		—	
ON/OFF Selector Switch	<b>V</b>			—		<b>C400T14</b>	
with Red RUN Pilot Light	<b>W</b>			—		—	
with Red RUN/Green OFF Lights	<b>X</b>			—		—	

- ① Type 1, NEMA Sizes 00 – 4/IEC Frames A – M Non-combination ONLY.
- ② Type 1, NEMA Sizes 5 – 9/IEC Frames N – V Non-combination PLUS all Type 3R, 4X, 12 Non-combination PLUS all Combination — NEMA Sizes only.
- ③ For IEC Combination Cover Control, see **Page 33-152**.
- ④ Add Code Letter from the table below to Catalog Number for voltage — Kits only. Example: **C400T9B**.

Rating	Code Letter	Rating	Code Letter	Rating	Code Letter
120V 60 Hz	<b>A</b>	240V 60 Hz	<b>B</b>	480V 60 Hz	<b>C</b>
208V 60 Hz	<b>E</b>	380V 50 Hz	<b>L</b>	600V 60 Hz	<b>D</b>

**Product Family Overview**

**33**

**Reversing**

**Flange Control Kits**

For on-the-job conversion of Type 1, 3R, 4X and 12 enclosed starters. Knockouts are provided on the Type 1 flange. Type 3R, 4X and 12 have prepunched holes with removable hole plugs.



Figure 33-52.



Figure 33-53.

**Factory Installed Pilot Devices**

To order factory installed pilot devices, change the 9th character of the Catalog Number to the alpha shown in the table below. Example: to order an **ECN0614CAA** with FOR/REV/STOP pushbuttons and 2 red pilot lights, change the **A** to a **C**, i.e. ECN0614CCA.

**Table 33-186. Reversing Pilot Devices**

Description	Factory Installed Flange Control			Field Installation Kits			
	Position 9 Alpha	Non-combination <sup>①</sup> See Figure 33-52	Combination (NEMA only) <sup>②③</sup> See Figure 33-53	Non-combination <sup>①</sup> See Figure 33-52		Combination (NEMA only) <sup>②③</sup> See Figure 33-53	
	Code	Adder U.S. \$	Adder U.S. \$	Catalog Number	Price U.S. \$	Catalog Number	Price U.S. \$
No Cover Mounted Pilot Devices FOR/REV/STOP Pushbuttons with 2 Red Pilot Lights with 2 Red/1 Green Pilot Lights	A B C D			C400GK0 C400GR1 C400GR14 <sup>④</sup> —		— C400T6 — —	
UP/STOP/DOWN Pushbuttons with 2 Red Pilot Lights	E F			C400GR2 C400GR24 <sup>④</sup>		— —	
FOR/OFF/REV Selector Switch with 2 Red Pilot Lights with 2 Red/1 Green Pilot Lights	H J K			— — —		C400T15 — —	
Two Red Pilot Lights One Green Pilot Light Two Red/One Green Pilot Lights OPEN/OFF/CLOSE Selector Switch with 2 Red Pilot Lights with 2 Red/1 Green Pilot Lights	P Q R V W X			C400GK44 <sup>④</sup> C400GK41 <sup>④</sup> — — — —		<sup>⑤</sup> C400T10 <sup>④</sup> — C400T16 — —	

- ① Type 1, NEMA Sizes 00 – 4/IEC Frames A – M Non-combination ONLY.
- ② Type 1, NEMA Sizes 5 – 9/IEC Frames N – V Non-combination PLUS all Type 3R, 4X, 12 Non-combination PLUS all Combination — NEMA Sizes only.
- ③ For IEC Combination Cover Control, see **Page 33-152**.
- ④ Add Code Letter from the table below to Catalog Number for voltage — Kits only. Example: C400T10B.

Rating	Code Letter	Rating	Code Letter	Rating	Code Letter
120V 60 Hz	A	240V 60 Hz	B	480V 60 Hz	C
208V 60 Hz	E	380V 50 Hz	L	600V 60 Hz	D

⑤ Order Quantity (2) of **C400T10**.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Eaton](#) manufacturer:*

Other Similar products are found below :

[BK1-S506-2-R](#) [FHN31G1](#) [CH222B](#) [SAMI-2I](#) [SAMI-6I](#) [LPN-RK-25SP](#) [ZE6](#) [ZE9](#) [LPN-RK-15SP](#) [LPN-RK-3SP](#) [SAMI-1I](#) [2499](#) [GMC-500MA](#) [AT-20](#) [BK/SC-45](#) [AGC-1-2](#) [BK/MDA-15](#) [BK/MDA-1](#) [BK/C519-1A](#) [BK/MDL-3-2/10](#) [89096-015](#) [8943K28](#) [8946K153](#) [8961K155](#) [M22-DH-Y](#) [M22-DLH-Y](#) [M22-D-R-GB0/K11](#) [M22-LCH-R](#) [M22-L-R/R](#) [M22-WLK3-B](#) [63ET](#) [6422](#) [6580](#) [CTX20-16-52LP-R](#) [CWL530FI](#) [CXM/CO/GP/R/BB](#) [6HD36](#) [714125](#) [MBO-2](#) [7314K36](#) [7321K2](#) [ETF-200MA](#) [F02A-1-1/2A](#) [F02A-1-1/2AS](#) [F02A-1AS](#) [F02A-3/4A](#) [F03A250V10A](#) [F03A250V12A](#) [MDA-2-8/10-R](#) [MDA-30A](#)