







## SILVYN® FPAG-M

SILVYN® FPAG-M - conduit fitting for SILVYN® FPAS



-  Variety of approval certifications
-  Temperature-resistant
-  Optimum strain relief
-  Assembly time
-  Maximum vibration protection
-  Halogen-free

### Benefits

Fast assembly  
High-tensile  
Sealing  
Vibration protection

### Application range

In combination with protective conduit:  
SILVYN® FPAS  
Applications with strong vibrations

## SILVYN® FPAG-M

### Product features

In black colour UV-resistant and weather-proofed  
Removeable with a screwdriver

### Norm references / Approvals

UL FILENUMBER E308201

### Product Make-up

Metric connection thread  
Upper part with integrated all-round tothing

### Technical Data

|                        |   |
|------------------------|---|
| Classification ETIM 5: | ETIM 5.0 Class-ID: EC001176<br>ETIM 5.0 Class-Description: Screw connection for corrugated plastic hose |
| Classification ETIM 6: | ETIM 6.0 Class-ID: EC001176<br>ETIM 6.0 Class-Description: Screw connection for corrugated plastic hose |
| Certifications:        | IEC EN 61386-23   |
| Colour delivered:      | Grey (RAL 7031)<br>Black (RAL 9005), UV-resistant   |
| Material:              | PA66<br>Halogen-free  |
| Protection rating:     | IP 66   |
| Temperature range:     | -50°C to +135°C   |

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.

| Article number       | Metric size | For conduit with outer Ø (mm) | Suitable |
|----------------------|-------------|-------------------------------|----------|
| SILVYN® FPAG-M black |             |                               |          |
| 55506305             | 12 x 1.5    | 10                            | 10       |
| 55506315             | 16 x 1.5    | 13                            | 13       |
| 55506325             | 16 x 1.5    | 15.8                          | 16       |
| 55506335             | 20 x 1.5    | 15.8                          | 16       |
| 55507055             | 20 x 1.5    | 18.5                          | 18       |
| 55506345             | 20 x 1.5    | 21.2                          | 21       |
| 55506355             | 25 x 1.5    | 28.5                          | 28       |
| 55506365             | 32 x 1.5    | 34.5                          | 34       |
| 55506375             | 40 x 1.5    | 42.5                          | 42       |
| 55506385             | 50 x 1.5    | 42.5                          | 42       |
| 55506395             | 50 x 1.5    | 54.5                          | 54       |
| 55506405             | 63 x 1.5    | 54.5                          | 54       |
| 55506475             | 63 x 1.5    | 67.2                          | 67       |
| SILVYN® FPAG-M grey  |             |                               |          |
| 55506300             | 12 x 1.5    | 10                            | 10       |
| 55506310             | 16 x 1.5    | 13                            | 13       |
| 55506320             | 16 x 1.5    | 15.8                          | 16       |
| 55506330             | 20 x 1.5    | 15.8                          | 16       |
| 55507050             | 20 x 1.5    | 18.5                          | 18       |
| 55506340             | 20 x 1.5    | 21.2                          | 21       |
| 55506350             | 25 x 1.5    | 28.5                          | 28       |
| 55506360             | 32 x 1.5    | 34.5                          | 34       |
| 55506370             | 40 x 1.5    | 42.5                          | 42       |
| 55506380             | 50 x 1.5    | 42.5                          | 42       |
| 55506390             | 50 x 1.5    | 54.5                          | 54       |
| 55506400             | 63 x 1.5    | 54.5                          | 54       |
| 55506470             | 63 x 1.5    | 67.2                          | 67       |

Last Update (01.01.2018)  
 ©2018 Lapp Group - Technical changes reserved  
 Product Management [www.lappkabel.de](http://www.lappkabel.de)  
 You can find the current technical data in the corresponding data sheet.  
 PN 0456 / 02\_03.16

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Conduit Fittings & Accessories](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[S53.35A](#) [260-416](#) [DM0240-1/2A](#) [817.612.0](#) [55506625](#) [1.511.2001.50](#) [1.533.1601.50](#) [1.533.2001.50](#) [52005810](#) [817.716.0](#) [712.015.0](#) [216-420](#) [2276](#) [2663-P](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [90480](#) [2404-P](#) [1047561](#) [2723-P](#) [55506355](#) [1.513.1101.14](#) [55502461](#) [55502462](#) [55502463](#) [55502464](#) [55502473](#) [166-22214](#) [166-22215](#) [166-24800](#) [166-25801](#) [166-30318](#) [SHR-C1](#) [2037 12-20 LGR](#) [2037 16-24 LGR](#) [HP50SS](#) [55502470](#) [SH PA6 BL ND10](#) [5308 946](#) [295.012.0](#) [2955 M16](#) [2955 M25](#) [2955 M32](#) [2955 M40](#) [297.212.0](#) [297.240.0](#) [298.012.0](#)