

article number **IN991197**
 design **M32 x 1.5**
 sensing range non-flush **13mm**




- ✓ housing made of stainless steel
- ✓ front cap made of vectra®
- ✓ external amplifier
- ✓ short-circuit and reverse polarity protection
- ✓ lemo-connector

usable up to 230 °C



technical data

sensing range S_n	13mm
mounting	non-flush
operating voltage U_B	via amplifier IV991196
output signal	NPN
output current (max. load)	2.1mA
real sensing range S_r	$s_n \pm 20\%$
hysteresis	3% ... 20% of S_n
status display	no
ambient temperature	-25 °C... +230 °C
system of protection (EN 60529)	IP50 (with mounted cable socket)
housing material	stainless steel
front cap material	vectra®
connection	lemo-connector
correction factors	stainless steel approx.. 0.7 / Ms, Al approx.. 0.4 / Cu approx.. 0.3
connection accessories	VK991198 (Teflon, 2-wire, 30m cable length)




Warning: Never use these devices in applications where the safety of a person depends on their functionality!

article number **IV991196**
 design **22.5 x 75 x 99**




technical data

operating voltage U_B	10 ... 35V DC
output current	300mA
ambient temperature	-25°C... +70°C
system of protection (EN 60529)	housing IP40, terminals IP20
housing material	plastic
mounting	DIN-rail
connection	terminals
design	22.5 x 75 x 99



connection with cable socket to amplifier
 screw terminal 4: brown (sensor supply +3V)
 screw terminal 5: shielding
 screw terminal 6: blue (sensor supply GND)

connection of operating voltage to amplifier
 screw terminal 9: + U_B
 screw terminal 8: switching output pnp, no,400mA
 screw terminal 7: 0V (GND)



connection accessories: **VK991198**

length 30m, 2x0.25²mm, shielded, straight, teflon cable, lemo connector



Warning: Never use these devices in applications where the safety of a person depends on their functionality!

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Proximity Sensors](#) category:

Click to view products by [IPF ELECTRONIC](#) manufacturer:

Other Similar products are found below :

[01.001.5653.1](#) [70.340.1028.0](#) [70.360.2428.0](#) [70.364.4828.0](#) [70.810.1053.0](#) [72.360.1628.0](#) [73.363.6428.0](#) [980659-1](#) [QT-12](#)
[E2ECQC2D1M1GJT03M](#) [E2EX10D1NN](#) [E2E-X14MD1-G](#) [E2E-X2D1-G](#) [E2EX2ME2N](#) [E2E-X3D1-N](#) [10M](#) [E2E-X4MD1-G](#)
[E2FMX1R5D12M](#) [E2K-F10MC1](#) [5M](#) [EC3016PPASL-1](#) [EI1204TBOSL-6](#) [EI5515NPAP](#) [BSA-08-25-08](#) [IC08ANC15PO-K](#) [25.161.3253.0](#)
[25.332.0653.1](#) [25.352.0653.0](#) [25.352.0753.0](#) [25.523.3253.0](#) [922FS1.5C-A4P-Z774](#) [SC606ABV0S30](#) [SM552A100](#) [SM952A126100LE](#)
[SM956A132600](#) [A1220EUA-T](#) [F3S-A162-U](#) [CL18](#) [QT-08L](#) [34.110.0010.0](#) [TL-C2MF1-M3-E4](#) [IA08BLF15NOM5](#) [IA08BSF15NOM5](#)
[IA12ASF04DOM1](#) [IS2](#) [IS31SE5000-UTLS2-TR](#) [34.110.0021.0](#) [34.110.0022.0](#) [CA150-120VACDC](#) [VM18VA3000Q](#) [XS508BSCBL2](#)
[XS512BLNAM12](#)