



Micro Tweezers

Ref. PA120-B

Packing List

The following items should be included:

Features






Changing cartridges

1. Removing



Unlock the manual fixing and remove the cartridge. If is necessary, you can use a flat pliers (Ref. PLR-195).

2. Inserting



Insert the cartridge as far as the mark for a proper connection. Before inserting, make sure the cartridges are clean to ensure the proper function of the rotational aligning.

3. Rotational and Vertical aligning



For a rotational alignment, turn the cartridges in any direction through the wheels.


(!) Don't forget to lock the manual fixing.



The tail wheel guarantees that the cartridges are equally aligned with vertical symmetry.

Compatible cartridges

The PA120-B Micro Tweezers works with C120 cartridge range. Find the model that best suits your soldering needs in www.jbctools.com



Specifications

- Weight: 100 g (0.22 lb)

- Max. power per cartridge: 40W

Complies with CE standards. ESD protected.



Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour. Warranty does not cover product wear or misuse. In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased. Please register your product warranty within 30 days of purchase in www.jbctools.com/productregistration.



This product should not be thrown in the garbage. In accordance with the European directive 2002/96/EC, electronic equipment at the end of their life must be collected and returned to an authorized recycling facility.







Manual in other languages available on our website

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Soldering Workstation Equipment category:

Click to view products by JBC Tools manufacturer:

Other Similar products are found below:

FP-BVX GS1116 2072 BH-010 AC-TX001-4 CA0202 CA0201 AC-TX002-2 WXD2N Q-7100-9000 35456 T0051514699N

T0051517699N 35457 35450 WS2-NS T0051512299N ALFA T0058757898 T0058768762 T0058744845N T0051515699N

T0051512199N FT91000037N BL12 145-2000-ESDN T0058758721N T0058768727N WXD2020N T0058768725N BP0027 CLMU-A8

RMSE-2QE RMVE-2QE QUICK 860DA 0016344 0.SA.0 0T56 CL-SFE/1 FILTERS PX0410/03P/5055 RA150 36A.SA 3C.SA 3.TA

AT850D/P TMT-HA300 TMT-PH200 TMT-PH300 5-048 5-050