

Fiber Patch Cord OM4 50/125 μ

Technical Features

Duplex jumper 50/125 μ singlemode.

I-VH 2G 50/125 μ OM4 fiber, high-quality and better compatibility with barebone or indoor-coming components.

Ø3mm orange double-layer LSZH Jacket according to IEC standard, meeting all European countries' legal requirement.

First-class CCTC Class A Ferrule.

Up to 40 Gbit/s/125m.

All components in aspect of material and measurement are compliant with IEC standard.

DIN EN 50173-1 and IEC/ISO 11801.

Pulling force of Connector is compliant with IEC standard.

Test method of Insertion Loss and return Loss is compliant with IEC standard.

Test method of surface hygiene is compliant with IEC Standard.

100% IL and RL Test for patch cords and pigtails.

100% IL for each port of Adapter.

100% End face Control.

20% 3D Random Test to guarantee 90% the 3D Pass Quote.


Cable length with positive tolerance.

Each cable includes a measure protocol.


Quality Management according to ISO 90001.

Technical Drawings


FP4LC01



FP4LS01



FP4LT01



Length	LC-LC	EAN Code	SC-SC	EAN Code
0.50 m	FP4LC00	4052792017281	FP4SC00	4052792017373
1.00 m	FP4LC01	4052792017298	FP4SC01	4052792017380
2.00 m	FP4LC02	4052792017304	FP4SC02	4052792017397
3.00 m	FP4LC03	4052792017311	FP4SC03	4052792017403
5.00 m	FP4LC05	4052792017328	FP4SC05	4052792017410
7.50 m	FP4LC07	4052792017335	FP4SC07	4052792017427
10.00 m	FP4LC10	4052792017342	FP4SC10	4052792017434
15.00 m	FP4LC15	4052792017359	FP4SC15	4052792017441
20.00 m	FP4LC20	4052792017366	FP4SC20	4052792017458

Length	LC-SC	EAN Code	LC-ST	EAN Code
0.50 m	FP4LS00	4052792017465	FP4LT00	4052792017557
1.00 m	FP4LS01	4052792017472	FP4LT01	4052792017564
2.00 m	FP4LS02	4052792017489	FP4LT02	4052792017571
3.00 m	FP4LS03	4052792017496	FP4LT03	4052792017588
5.00 m	FP4LS05	4052792017502	FP4LT05	4052792017595
7.50 m	FP4LS07	4052792017519	FP4LT07	4052792017601
10.00 m	FP4LS10	4052792017526	FP4LT10	4052792017618
15.00 m	FP4LS15	4052792017533	FP4LT15	4052792017625
20.00 m	FP4LS20	4052792017540	FP4LT20	4052792017632

Package Contents

1 x Fiber Patch Cord OM4 50/125 μ

Packaging Informations

Packing Dimension	180 x 180mm (0.50m - 2.0m items) / 220 x 220mm (3.00m - 20.00m items)
Packing Weight	0.01kg (0.50m items) / 0.02kg (1.00m items) / 0.04kg (2.00m items) / 0.06kg (3.00m items) / 0.09kg (5.00m items) / 0.14kg (7.50m items) / 0.17kg (10.00m items) / 0.26kg (15.00m items) / 0.37kg (20.00m items)
Carton Dimension	217 x 217 x 220mm
Carton Q'ty	pcs
Carton Weight	0.96kg (0.50m items) / 1.38kg (1.00m items) / 1.60kg (2.00m items) / 2.25kg (3.00m & 5.00m items) / 2.63kg (10.00m - 20.00m items) / 2.83kg (7.50m items)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fibre Optic Connectors](#) category:

Click to view products by [Logilink](#) manufacturer:

Other Similar products are found below :

[F718092216](#) [AX104024](#) [AX100068](#) [AX103256](#) [501048-1](#) [E39R37](#) [181-048-16](#) [60926](#) [98039-003LF](#) [A0407006](#) [60923](#) [60921](#) [906-122-5047](#) [2102321-1](#) [F81ELBNNNSNM003](#) [F81ELBNNNSNM005](#) [F81ELBNNNSNM010](#) [FAP6WWDLCZ](#) [FHMPW-6-ABL](#) [FHMPW-6-BCG](#) [FQMAP65W](#) [FHC39N-08-10A](#) [FHC3XO-08-10A](#) [FHC3XO-08-10B](#) [FHC3ZO-08-10A](#) [FHC3ZO-08-10B](#) [FHC3ZA-08-10A](#) [FHC3ZA-08-10B](#) [FC2WA-12-10AS](#) [FHCXO-20F-10A](#) [FHCXO-24F-10A](#) [FC39N-16-10A](#) [FLCS2/9SOCA9AG](#) [FLCS2/9SOCPXAQ](#) [FLCS2/9SOCU9BU](#) [FSCS2/9SOCA9AG](#) [FSCS2/9SOCPXAQ](#) [FSCS2/9SOCU9BU](#) [FC29N-12-10U](#) [LXCRN1C1CL1N](#) [9446W14S-6S](#) [9442W14S-5S](#) [F780904000](#) [944-1023](#) [1534631-1](#) [181-035-1000](#) [20100014231](#) [F718111220](#) [F718190204](#) [17-300940](#)