## **AMBER**



# MATERIAL SAFETY DATA SHEET

## PRODUCT NAME LECTRA CLEAN (AEROSOL) (POST FEBRUARY 2001)

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name CRC INDUSTRIES (AUST) PTY LIMITED

Address 9 Gladstone Road, Castle Hill, NSW, AUSTRALIA, 2154

**Telephone** (02) 9849 6700 **Fax** (02) 9680 4914

Emergency 131 126

Emailinfo@crcind.com.auWeb Sitehttp://www.crcind.com.au

Synonym(s) CRC LECTRA CLEAN • LECTRA CLEAN • 2018 - MANUFACTURER'S CODE

Use(s) CLEANING AGENT • DEGREASER • DEGREASING AGENT

MSDS Date 29 August 2007

#### 2. HAZARDS IDENTIFICATION

#### CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

#### **RISK PHRASES**

R20 Harmful by inhalation.

#### **SAFETY PHRASES**

S2 Keep out of reach of children. S24 Avoid contact with skin.

S9 Keep container in a well ventilated place.

#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. 1950 DG Class 2.2 Subsidiary Risk(s) None Allocated

Pkg GroupNone AllocatedHazchem Code2YEPG2D1

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
1-BROMOPROPANE	C3-H7-Br	106-94-5	>60%
CARBON DIOXIDE	CO2	124-38-9	<10%



#### 4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to

stop by the PIC or a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed,

do not induce vomiting. Ingestion is considered unlikely due to product form.

Advice to Doctor Treat symptomatically

#### 5. FIRE FIGHTING MEASURES

Flammability Non flammable. Aerosol containers may explode when heated. May evolve toxic gases (hydrocarbons, carbon

oxides) when heated to decomposition.

Fire and

Non flammable-aerosol containers may explode when heated. Evacuate area and contact emergency services.

Toxic gases may be evolved when heated. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to

cool intact containers and nearby storage areas.

Extinguishing Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways. Absorb runoff with sand or

similar.

Hazchem Code 2Y

#### 6. ACCIDENTAL RELEASE MEASURES

Spillage If can is puncture

If can is punctured, clear area of all unprotected personnel and ventilate area. Wear splash-proof goggles, neoprene/nitrile gloves, a Type A (Organic vapour) respirator (where an inhalation risk exists) and coveralls. Collect and allow to discharge outdoors. Absorb residues with sand or similar and place in clean containers for disposal.

#### 7. STORAGE AND HANDLING

Storage Store in cool, dry, well ventilated area, out of direct sunlight and out of reach of children, removed from oxidising agents, acids and alkalis, direct sunlight, heat and ignition sources and foodstuffs. Ensure containers are

adequately labelled, protected from physical damage and sealed when not in use.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin

contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating,

drinking and smoking in contaminated areas.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Stds**

Ingradient	Deference	T\	TWA		STEL	
Ingredient	Reference	ppm	mg/m3	ppm	mg/m3	
Carbon dioxide	NOHSC (AUS)	5000.0	9000.0	30000.0	54000.0	
Carbon dioxide in coal mines	NOHSC (AUS)	12500.0	22500.0	30000.0	54000.0	
1-Bromopropane	ACGIH TLV (US)	10				

Biological Limits No biological limit allocated.

**Engineering Controls** 

Do not inhale vapours. Use in well ventilated areas. In poorly ventilated areas, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE Wear splash-proof goggles and neoprene or nitrile gloves. When using large quantities or where heavy contamination is likely, wear coveralls. Where an inhalation risk exists, wear a Type A-Class P1 (Organic

gases/vapours and Particulate) Respirator. At high vapour levels, wear an Air-line respirator.

Page 2 of 5

Reviewed: 29 Aug 2007 Printed: 21 Apr 2008







#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance CLEAR COLOURLESS LIQUID Solubility (water) SLIGHTLY SOLUBLE

(AEROSOL DISPENSED)

OdourSLIGHT ODOURSpecific Gravity1.33pHNOT AVAILABLE% Volatiles100 %

Vapour Pressure112 mm Hg @ 20°CFlammabilityNON FLAMMABLEVapour Density4.3 (Air = 1)Flash PointNOT RELEVANTBoiling Point71°C (Initial)Upper Explosion LimitNOT RELEVANTMelting Point< 0°C</th>Lower Explosion LimitNOT RELEVANT

Evaporation Rate NOT AVAILABLE Autoignition Temperature 490°C

#### 10. STABILITY AND REACTIVITY

Material to Avoid Incompatible with oxidising agents (eg. hypochlorites, peroxides), acids (eg. sulphuric acid), strong alkalis (eg.

hydroxides), heat and ignition sources.

**Decomposition** May evolve toxic gases (hydrocarbons, carbon oxides) when heated to decomposition.

#### 11. TOXICOLOGICAL INFORMATION

**Health Hazard**Moderate toxicity - irritant. This product has the potential to cause adverse health effects with over exposure. Use **Summary**Summary
Moderate toxicity - irritant. This product has the potential to cause adverse health effects with over exposure. Use safe work practices (ie. do not overspray in poorly ventilated areas) to avoid prolonged eye-skin contact and

vapour inhalation at high levels.

Eye Irritant. Contact may result in irritation, lacrimation, pain, redness, conjunctivitis. May result in burns with

prolonged contact.

**Inhalation** Low to moderate irritant. Over exposure may result in mucous membrane irritation of the nose and throat,

coughing, dizziness and headache. Due to the low vapour pressure of this product, a hazard is not anticipated

unless used in large amounts in confined or poorly ventilated areas.

**Skin** Irritant. Contact may result in irritation, redness, rash and dermatitis.

**Ingestion** Moderate toxicity. Ingestion may result in nausea, vomiting, abdominal pain and drowsiness with large quantities.

Aspiration may result in chemical pneumonitis and pulmonary oedema. Ingestion is considered unlikely due to

product form.

**Toxicity Data** 1-BROMOPROPANE (106-94-5)

LC50 (Inhalation): 253 g/m3 (rat)

#### 12. ECOLOGICAL INFORMATION

**Environment** Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate

measures are taken to prevent this product from entering the environment.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb contents with sand or similar and dispose of to an approved landfill site. Do not

puncture or incinerate aerosol cans. Contact the manufacturer for additional information.

**Legislation** Dispose of in accordance with relevant local legislation.

Page 3 of 5 RMT

Reviewed: 29 Aug 2007 Printed: 21 Apr 2008



#### 14. TRANSPORT INFORMATION



#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name AEROSOLS

UN No. 1950 DG Class 2.2 Subsidiary Risk(s) None Allocated

Pkg Group None Allocated Hazchem Code 2Y EPG 2D1

#### 15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

#### 16. OTHER INFORMATION

# Additional Information

The manufacturer reports that as of February 2001 Trichloroethylene has been removed from all Lectra Clean products. This Chem Alert Report is relevant only to Lectra Clean produced post February 2001.

SYNERGISM - ANTAGONISM: Ingredients in this product may act together to aggravate or reduce adverse effects. Accordingly the Exposure Standard provided for single ingredients should be considered as a guide only and all due care exercised when handling.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

#### ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European Inventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Page 4 of 5

Reviewed: 29 Aug 2007 Printed: 21 Apr 2008



#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

COLOUR RATING SYSTEM: RMT has assigned all Chem Alert reports a colour rating of Green, Amber or Red for the sole purpose of providing users with a quick and easy means of determining the hazardous nature of a product. Safe handling recommendations are provided in all Chem Alert reports so as to clearly identify how users can control the hazards and thereby reduce the risk (or likelihood) of adverse effects. As a general guideline, a Green colour rating indicates a low hazard, an Amber colour rating indicates a moderate hazard and a Red colour rating indicates a high hazard.

While all due care has been taken by RMT in the preparation of the Colour Rating System, it is intended as a guide only and RMT does not provide any warranty in relation to the accuracy of the Colour Rating System. As far as is lawfully possible, RMT accepts no liability or responsibility whatsoever for the actions or omissions of any person in reliance on the Colour Rating System.

#### **Report Status**

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

#### **Prepared By**

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmt.com.au Web: www.rmt.com.au

> MSDS Date: 29 August 2007 **End of Report**

> > Page 5 of 5 **RMT**

Reviewed: 29 Aug 2007

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for CRC manufacturer:

Other Similar products are found below:

32613 12006-002 32722 FS7110 20581 102553161231 20584 30463 100364081242 100364071242 30589-001 HS5005 33164

101513161231 30344-003 100043911231 100364051242 100364011242 GX3045 30585-006 AC6028 32168 FC6069 100364041242

10690-009 RS5025 YX4314 GY4004 GX4218C GX4097C HX4002C AC5019 GX4115 GX4115C GX4125C GX4128J GX4212C

GX4228 GX5051J GX5064C GY4007 YX4411C YX5011J YX5075C GX4223C HA4037 HS5044 GY3005 AC5030 GX4100C