


SILICON CARBIDE (SiC) SCHOTTKY DIODE

SML10SiC06SMD

- Hermetic Ceramic Surface Mount Package.
- Semelab's Silicon Carbide (SiC) Schottky diodes exhibit low forward voltage and superb high temperature performance.
- Suitable for high-frequency hard switching applications, where system efficiency and reliability are paramount.
- No reverse recovery time due to absence of minority carrier injection.
- Screening Options Available.



ABSOLUTE MAXIMUM RATINGS ($T_C = 25^\circ\text{C}$ unless otherwise stated)

V_R	DC Reverse Voltage	600V
V_{RRM}	Repetitive Peak Reverse Voltage	600V
I_F	DC Forward Current ($T_J = 175^\circ\text{C}$)	10A
I_{FRM}	Repetitive Peak Forward Current ⁽¹⁾	67A
I_{FSM}	Surge Peak Forward Current ⁽²⁾	250A
P_D	Total Power Dissipation at Derate Above 25°C	100W 0.5W/ $^\circ\text{C}$
T_J	Junction Temperature Range	-55 to $+225^\circ\text{C}$
T_{stg}	Storage Temperature Range	-55 to $+225^\circ\text{C}$

THERMAL PROPERTIES

Symbols	Parameters	Max.	Units
$R_{\theta JC}$	Thermal Resistance, Junction To Case	2.0	$^\circ\text{C/W}$

Notes

(1) $T_c = 25^\circ\text{C}$, $T_p = 10\text{ms}$, Half Sine Wave, $D = 0.3$

(2) $T_c = 25^\circ\text{C}$, $T_p = 10\mu\text{s}$

SILICON CARBIDE (SiC) SCHOTTKY DIODE SML10SiC06SMD

ELECTRICAL CHARACTERISTICS (T_C = 25°C unless otherwise stated)

Static Characteristics


Symbols	Parameters	Test Conditions	Min.	Typ.	Max.	Units
V _F	Forward Voltage	I _F = 10A		1.5	1.8	V
		T _J = 175°C		2.0	2.4	
I _R	Reverse Current	V _R = 600V		10	50	μA
		T _J = 175°C		20	200	

Dynamic Characteristics

Q _C	Total Capacitive Charge	V _R = 600V, I _F = 10A di/dt = 500A/μs		25		nC
C	Total Capacitance	V _R = 1.0V, f = 1.0MHz		480		pF
		V _R = 200V, f = 1.0MHz		50		
		V _R = 400V, f = 1.0MHz		42		

MECHANICAL DATA


Dimensions in mm (inches)



SMD1 (TO-276AB)

Underside View

Pad 1 – Anode Pad 2 – Cathode Pad 3 – Anode



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [TT ELECTRONICS](#) manufacturer:

Other Similar products are found below :

[OPB482N11Z](#) [DST-1K098-003U-001REVJ](#) [CHP1501R00FLF](#) [898-3-R150K](#) [66XR10](#) [66XR200K](#) [66XR2K](#) [66XR50](#) [67WR1MEG](#)
[67ZR200](#) [68WR5K](#) [68XR2MEG](#) [7216R500L.25](#) [72PXR10K](#) [72XR2.5K](#) [8109](#) [82PR25K](#) [84WR10KTR](#) [OP131](#) [OPB660N](#) [OPF430](#)
[89XHR10K](#) [L083S222LF](#) [91XR5K](#) [SML100M12MSF](#) [PFC-W0805LF-03-2870-B](#) [2627](#) [RC55LF-D-196R-B-B](#) [3371R5KL.5](#) [HM00-01800](#)
[3371R5KL.25](#) [L083C122](#) [040585XM](#) [6679-420-0](#) [OP133W](#) [OPB471T11](#) [OPB741WZ](#) [OPB743WZ](#) [OPB817Z](#) [OPB972T51](#) [7486R10KL.25](#)
[WMHP100-50RF](#) [W23-15RJI](#) [RC55Y-11K3BI](#) [WH50-5R6JB006](#) [WH200-R10JI](#) [W31-560RJI](#) [HR0805F-1G55I](#) [LOB3R015FLF](#) [HM41-11510LF](#)