

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0857190101](#)
Status: **Active**
Overview: [Magnetic Modular Jacks](#)
Description: Gigabit Magnetic Jack, Integrated PSE PoE+ 2x6, with LEDs

Documents:

[3D Model](#) [Packaging Specification PK-85719-135 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Application Specification AS-85719-001-001 \(PDF\)](#)

General


Product Family	Modular Jacks/Plugs
Series	85719
Component Type	PCB Jack
Magnetic	Yes
More Detailed Tech Information	*For product specifications please contact your Molex sales representative
Overview	Magnetic Modular Jacks
Performance Category	5, 5e
Power over Ethernet (PoE)	PoE+
Product Name	Magnetic Jack
UPC	883906849290

Physical

Boot Color	N/A
Color - Resin	Black
Durability (mating cycles max)	750
Inverted / Top Latch	Yes
Jack Height	25.43mm
Lightpipes/LEDs	LEDs
Material - Metal	Brass, Phosphor Bronze
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Thermoplastic Polyurethane
Net Weight	110.080/g
Orientation	Right Angle (Side Entry)
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness - Recommended	3.20mm
Packaging Type	Tray
Pitch - Mating Interface	1.02mm
Pitch - Termination Interface	1.02mm
Plating min - Mating	0.381µm
Plating min - Termination	1.270µm
Ports	12
Positions / Loaded Contacts	8/8
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	0°C to +70°C
Termination Interface: Style	Through Hole
Waterproof / Dustproof	No
Wire/Cable Type	N/A

Electrical

Current - Maximum per Contact	1.0A
Grounding to PCB	Yes
Grounding to Panel	Yes
Shielded	Yes



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant with Exemption 7(c)-I,7(a)*

REACH SVHC

Contained Per - ED/108/2014 (17 Dec 2014)

Halogen-Free

Status

Not Low-Halogen*

Need more information on product environmental compliance?

Email productcompliance@molex.com
Please visit the [Contact Us](#) section for any non-product compliance questions.

CUST_NOTE	*Product contains part(s) with customer managed
CUST_NOTE1	EHS data. These part(s) are excluded from product compliance status evaluation.
CUST_NOTE2	50 Image
China ROHS	Not Relevant
ELV	Not Contained*
RoHS Phthalates	

Search Parts in this Series

[85719 Series](#)

Mates With

Plugs according to IEC 60603-7

Voltage - Maximum

57V

Material Info

Reference - Drawing Numbers

Application Specification

AS-85719-001-001

Packaging Specification

PK-85719-135

Sales Drawing

SD-85719-101

This document was generated on 04/12/2017

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Lighting Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[21061-9](#) [293300-7](#) [2106117-2](#) [293660-5](#) [293700-2](#) [CNX_H03_NTP](#) [30-9767-BU](#) [3-21000-2](#) [3-21002-5](#) [3-21030-1](#) [ZCH-110-RGB-I](#) [503471-0290](#)
[ES5P09K4F2](#) [CNXH02NTP](#) [ZCH-110-RGB-J](#) [192992-0057](#) [1954563-1](#) [217-3030-000](#) [217-3032-000](#) [DTS24W25-20PN-LC](#) [Y6426-201V-1927300](#)
[2834049-3](#) [ES9S002SZZ](#) [2834049-2](#) [2-2834067-3](#) [1-293657-2](#) [2834049-1](#) [293699-2](#) [293701-3](#) [1-2213614-3](#) [2834036-1](#) [2834037-1](#) [2213614-3](#)
[2307526-2](#) [2-2834068-3](#) [FLSC80354000](#) [FLSC80353000](#) [FLSC80502000](#) [FLSC80501000](#) [X3700WM-02HF-LPSN](#) [CNXV04NTP](#) [104128-0610](#) [1-](#)
[2834074-2](#) [1-2834074-3](#) [1357-AC PLUG W2C \(CHINA\)](#) [1357-AC PLUG W2 \(USA\)](#) [104505-8003 \(Loose Piece\)](#) [104539-8002 \(Loose Piece\)](#)
[104539-8102 \(Loose Piece\)](#) [104266-0110](#)