


NSYDPLA4

set of 4 step slides with brackets for adjustment of mount. plate in PLA D420mm



Price* : 63.44 GBP



Main

Category	Mounting accessory
Product or component type	Step slide
Range compatibility	Thalassa PHD Thalassa PLA
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting location	Sides of enclosure
Device composition	Fixing elements 4 sliding rails 4 sliding support with M8 stud
Quantity per set	Set of 1
Material	Steel for sliding support Aluminium for sliding rail

Complementary

Fixing mode	By fixing element
Adjustment	In depth of the plate or other accessories in steps of 12.5 mm
Depth	Minimum depth adjustment : 35 mm Maximum depth adjustment : 350 mm
ISO thread	M8

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0940 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product environmental profile	Available

 Product Environmental Profile

Product end of life instructions	Need no specific recycling operations
----------------------------------	---------------------------------------

Contractual warranty

Warranty period	18 months
-----------------	-----------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Electrical Enclosures](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[120-902](#) [120-905](#) [120-403](#) [120-475](#) [120-901](#) [127-410](#) [130-504](#) [130-506](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [MR-25LW+](#) [110-407](#) [111-004](#) [111-008](#) [110-402](#) [110-901](#) [110-907](#) [111-002](#) [110-406](#) [110-910](#) [110-404](#) [110-409](#) [110-410](#) [120-405](#) [106-009](#) [106-505](#) [105-401](#) [106-006](#) [104-406](#) [137-002](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-401](#) [106-010](#) [127-455](#) [127-475](#) [110-903](#) [R260-180-300](#) [9511020](#) [9822029](#) [9820014](#) [P61603000P](#) [9823009](#) [R103-164-000](#)