



Price* : 14.48 GBP



Main

Range	Spacial
Accessory / separate part category	Fixing accessory
Product or component type	Wall fixing support
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting location	Rear of enclosure
Fixing mode	Horizontal or vertical position
Range compatibility	Spacial CRN Spacial S3X
Device composition	4 x lug 4 x pre-mounted sealing gasket Fixing screws
Quantity per set	Set of 1

Complementary

Material	Stainless steel 316L
Fixing mode	Screwed - screw type M8 Screwed - screw type M6
Permanent permissible load	250 kg 551 lb(US)
Height	Real : 74 mm
Width	42 mm
Depth	Wall-enclosure separation : 0.47 in Wall-enclosure separation : 12 mm
Product weight	0.292 kg

Offer Sustainability

Sustainable offer status	Green Premium product
--------------------------	-----------------------

RoHS (date code: YYWW)	Compliant - since 0810 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product environmental profile	Available Product Environmental Profile
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Electrical Enclosures](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[120-902](#) [120-905](#) [120-403](#) [120-475](#) [120-901](#) [127-410](#) [130-504](#) [130-506](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [MR-25LW+](#) [110-407](#) [111-004](#) [111-008](#) [110-402](#) [110-901](#) [110-907](#) [111-002](#) [110-406](#) [110-910](#) [110-404](#) [110-409](#) [110-410](#) [120-405](#) [106-009](#) [106-505](#) [105-401](#) [106-006](#) [104-406](#) [137-002](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-401](#) [106-010](#) [127-455](#) [127-475](#) [110-903](#) [R260-180-300](#) [9511020](#) [9822029](#) [9820014](#) [P61603000P](#) [9823009](#) [R103-164-000](#)