



Price* : 127.14 GBP



Main

Range	Spacial
Product or component type	Folding support tray
Application	Multi-purpose
For enclosure nominal dimensions	W: 500 mm
Mounting location	On door reinforcement frame On door cross rails for 1000 mm wide enclosures
Mounting support	Cross rails
Range compatibility	Spacial SF, SM, SFX, SMX, S3D, CRN enclosures
Device composition	1 x tray Fixing elements
Quantity per set	Set of 1

Complementary

Material	Steel
Colour	Grey RAL 7035
Surface finish	Epoxy-polyester powder
Fixing mode	By fixing element
Adjustment	Adjustable in height, steps of 25 mm
Operating angle	45 ° 60 ° 75 ° 90 °
Maximum load	30 kg/m ²
Height	50 mm
Width	Nominal : 500 mm
Depth	350 mm
Thickness	1.5 mm

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0940 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product environmental profile	Available Product Environmental Profile
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months 18 months
-----------------	---------------------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Electrical Enclosures](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[120-902](#) [120-905](#) [120-403](#) [120-475](#) [120-901](#) [127-410](#) [130-504](#) [130-506](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [MR-25LW+](#) [110-407](#) [111-004](#) [111-008](#) [110-402](#) [110-901](#) [110-907](#) [111-002](#) [110-406](#) [110-910](#) [110-404](#) [110-409](#) [110-410](#) [120-405](#) [106-009](#) [106-505](#) [105-401](#) [106-006](#) [104-406](#) [137-002](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-401](#) [106-010](#) [127-455](#) [127-475](#) [110-903](#) [R260-180-300](#) [9511020](#) [9822029](#) [9820014](#) [P61603000P](#) [9823009](#) [R103-164-000](#)