



Price* : 15.42 GBP



Main

Range	Spacial
Accessory / separate part category	Mounting accessory
Product or component type	Light cross rail
Application	Multi-purpose
For enclosure nominal dimensions	D: 400 mm

Complementary

Range compatibility	Spacial Spacial SFX Spacial Spacial SM Spacial Spacial SF
Mounting location	On structure of enclosure Between cross rails
Mounting support	Adaptation profile on SM enclosures
Device composition	2 cross rails Fixing elements
Quantity per set	Set of 1
Material	Steel
Surface finish	Zinc coated
Fixing mode	By screws - screw type M6 self tapping
Adjustment	Adjustable with a pitch of 25 mm
Number of horizontal rows	1
Height	30 mm
Width	Nominal : 400 mm Fixing centers : 350 mm Useful : 310 mm
Depth	18.6 mm

Offer Sustainability

Sustainable offer status	Green Premium product
--------------------------	-----------------------

RoHS (date code: YYWW)	Compliant - since 0940 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product environmental profile	Available Product Environmental Profile
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months 18 months
-----------------	---------------------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Electrical Enclosures](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[120-902](#) [120-905](#) [120-403](#) [120-475](#) [120-901](#) [127-410](#) [130-504](#) [130-506](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [MR-25LW+](#) [110-407](#) [111-004](#) [111-008](#) [110-402](#) [110-901](#) [110-907](#) [111-002](#) [110-406](#) [110-910](#) [110-404](#) [110-409](#) [110-410](#) [120-405](#) [106-009](#) [106-505](#) [105-401](#) [106-006](#) [104-406](#) [137-002](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-401](#) [106-010](#) [127-455](#) [127-475](#) [110-903](#) [R260-180-300](#) [9511020](#) [9822029](#) [9820014](#) [P61603000P](#) [9823009](#) [R103-164-000](#)