


PV-YC 4/ 1-0,12-SO2 (-/++)

Order No.: 1795019

<http://eshop.phoenixcontact.co.uk/phoenix/treeViewClick.do?UID=1795019>

Photovoltaic Y distributor, Nominal current: 40 A, Color: black,
Assembled with SUNCLIX - 1 x male (minus) - 2 x female (plus);
length of single cable 0.12 m, varying number of nodes and customer-
specific cable lengths are available on request.

Commercial data

| | |
|-------------------|---|
| EAN | 4  046356 632263 |
| Pack | 10 |
| Customs tariff | 85446010 |
| Country of Origin | DE |

Product notesWEEE/RoHS-compliant since:
03/11/2010

Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.


Technical data**Technical data**

| | |
|-----------------------------|-----------------------------------|
| Standards/regulations | DIN EN 50521 (in accordance with) |
| Rated voltage (III/2) | 1100 V |
| Rated surge voltage (III/2) | 12 kV |
| Rated current | 40 A (observe derating) |

| | |
|---|-------------------|
| Nominal cross section | 4 mm ² |
| Protection class | II |
| Degree of protection | IP65/IP68 |
| Inflammability class according to UL 94 | V0 |
| Ambient temperature (operation) | -40 °C ... 90 °C |

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Ltd
Halesfield 13
Telford / Shropshire / TF7 4PG,England
Phone 01952 681 700
Fax 01952 681 799
<http://www.phoenixcontact.co.uk>



Phoenix Contact Ltd.
Technical modifications reserved;

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Phoenix Contact](#) manufacturer:

Other Similar products are found below :

[1212619](#) [3240366](#) [1893300](#) [1401029](#) [1773093](#) [2814045](#) [2989433](#) [2963886](#) [2966537](#) [2313944](#) [2834546](#) [2834407](#) [1687312](#) [3056145](#)
[1775619](#) [1618261](#) [1674998](#) [2858894](#) [443023](#) [2905235](#) [2833547](#) [3240098](#) [2905234](#) [FFKDS/V-2.54](#) [0201391](#) [0201595](#) [7001438](#)
[MICROFOX-R](#) [PLC-RSP- 24DC/21-21](#) [PR1-RSC3-LDP-24DC/21](#) [PR1-RSC3-LV-120AC/2X21](#) [PSI-MOS-DNET CAN/FO 660/BM](#) [PSM-](#)
[SET-FSMA/4-KT](#) [PSR-SCF-120UC/URM/2X21](#) [PT 4-DIO 1N 5408/L-R](#) [PT 4-FSI/F-LED 12](#) [1202580](#) [1203534](#) [1205985](#) [1206308](#) [1201798](#)
[1207420](#) [1207886](#) [1208461](#) [1208843](#) [1206188](#) [1212066](#) [1212096](#) [1212171](#) [1212250](#)