

EMERGENCY POWER SUPPLY | UPS_https://www.qoltec.com/product/emergency-power-supply-ups/uninterruptible-power-supply-ups-line-interactive/uninterruptible-power-supply-monolith-400va-240w-lcd-ust-



Uninterruptible Power Supply | Monolith | 400VA | 240W | LCD | USB

Product code: 53950

UPS line interactive UPS Qoltec is a modern and economical device that ensures stable operation of connected electronic devices even in the event of a power failure. The duration of a power supply with a 100W load is 8 minutes. The UPS protects connected devices against loss and voltage drop in the network and excludes the possibility of damage in the event of overvoltages in the electricity network, also protects against overloads and short circuits. The Qoltec offline UPS will meet the requirements of anyone who wants to have control over the stable operation of their devices regardless of fluctuations in the mains supply. Thanks to the highest quality and wide range of operation, it is an ideal solution for powering desktops and other peripheral devices at home or in the enterprise, as well as in educational institutions and offices.

TECHNICAL DATA

WAVE FORM	Modified sinusoidal wave
RUNTIME (100W)	8 min
USABLE POWER	240 W
LOAD TYPE	Personal computer and other PC peripheral devices
AC VOLTAGE RANGE	140Vac ~ 290Vac
AC FREQUENCY	50Hz 10%
OUTPUT RANGE (LINE)	220Vac 10%
OUTPUT FREQUENCY (LINE)	50Hz 10%
OUTPUT VOLTAGE (BATTERY)	220Vac ~ 230Vac 5%
OUTPUT FREQUENCY (BATTERY)	50Hz - 60Hz 1Hz
TRANSFER TIME	2-6 ms
OUTPUT SOCKETS	1 x FRENCH 1 x SCHUKO 1 x USB type B
BACKUP TIME	16 min
BUILT-IN BATTERY	1 x 12V/4Ah
SCREEN	LED
CHARGING TIME	6 hrs to reach 90% capacity
STORAGE TEMPERATURES	-15°C to 45°C

WWW.QOLTEC.COM 1 / 2

OPERATING TEMPERATURE	0°C to +40°C
ENVIRONMENT HUMIDITY	0% - 95%
RELATIVE HUMIDITY	O% - 90%
SAFETY	Overload protection Short Circuit Protection Overheat Protection Under/Overvoltage Protection Input Fuses Protection
USAGE	Home offices
ADDITIONAL INFORMATION	LED display Line-Interactive model USB ports (communication with PC) Intelligent automatic AVR function Automatic mute
PACKAGE CONTENTS	UPS with built-in power cable (1xSchuko) 1.2m User manual
NOISE	Less than 40dB
NETWORK PROTECTION	RJ45
COMMUNICATION INTERFACE	USB
DIMENSIONS	90 X 265 X 142 mm
WEIGHT	3.5 kg
WARRANTY	24 months
EAN CODE	5901878539508

WWW.QOLTEC.COM 2 / 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DC Fans category:

Click to view products by **QOLTEC** manufacturer:

Other Similar products are found below:

614R 6424/2HP-210 8312R DV4118/2NP-183 AFB0948HH-S687 PFB0824DHE-8B72 G2E085-AA05-10 RD20S-4/210660 4318/12T 4418HH AUB0912H-F00 3412N/2ME K2E225-RA92-09 4184N/2XR 5214N2HH 614J2HHPR-010 8412NGL-12 4114N/12HHR-297 4656 ZWR-903 4112N12GL-175 KD2406PKB2.(2).GN AFB1248HHE AFB1212LE-F00 FAN-SCH-1 MF60151V1-1000U-G99 PF80252V1-1000U-G99 PF92252V1-1000U-G99 4112N/2H6P 4114N/17-251 6212NH 622/2N 712F-011 8218J/2NP-181 W1G180-AB47-15 FAA1-12038NBKW31-A 6318N/2TDP 6318N/2H3PU 6318HU 424JMU PMD1206PTVX-A.U.GN PF80251B2-000U-F99 EF40101BX-1000U-G99 AD1224LB-A71GL 9GA0924L4021 9GA0924M4021 9GA0924M4011 9GA0824B20011 9GA0812A2D0011 9GA0912M4D011 9GA0924W4D01