



## Overvoltage power strip for RACK 19" | 1U | 10A | PDU | 8xIEC C13 | 2m

Product code: 53998

PDU power strip provides reliable server power supply.

### TECHNICAL DATA

COLOUR	Black
CABLE LENGTH	2 m
DIMENSIONS	482.6 x 44.4 x 62 mm (19")
OUTPUT VOLTAGE	250 VAC
INPUT VOLTAGE	220V - 250V
PLUG TYPE	IEC320 C14
ADDITIONAL INFORMATION	Backlit switch
MATERIAL	Aluminum
USAGE	Power supply in RACK 19" cabinet
CABLE THICKNESS	3 x 1.5 mm <sup>2</sup>
INPUT FREQUENCY RANGE	50Hz / 60Hz
OUTPUT FREQUENCY	50Hz / 60Hz
SOCKET STANDARD	IEC320 C13
MAXIMUM LOAD	3500 W
SOCKETS	8 x IEC
MAX. INPUT CURRENT	10 A
WORKING HEIGHT	1U
MOUNTING LENGTH	465 mm

**FIRE RESISTANCE RATING**

UL 94V-0

**CERTIFICATIONS**

CE, RoHS

**MOUNTING METHOD**

Horizontal or vertical installation

**SPACE REQUIRED FOR INSTALLATION**

1U

**TESTS**

Hi-pot test, grounding test, IR test

**EAN CODE**

5901878539980

# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [QOLTEC](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [48050-002LF](#) [DF62W-EP2022PC](#) [2203348](#)  
[DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#)  
[0009524054](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#)  
[0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#)  
[61082-181009](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)