



RBMTX

router for fast mobile internet connections





The **RBMTX** is a small router made for wireless m2m applications. It is a compact device with all the standard interfaces powered by Telit embedded engine. Supporting UMTS/HSPA+/LTE it is dedicated for users seeking for easy and fast mobile Internet access. Internet connection is easily available and configurable via internet browser without any need of installing software or drivers for the device.

RBMTX is a universal solution for all low-volume M2M and mobile data applications including metering, traffic systems, transportation and logistics, security, vending machines and facility management.

Key benefits	Features
Best pricing level	Ethernet 100 Mbps
Fast Time-To-Market	RS232/RS485 interfaces
Compact size	Optional WiFi
Extended power supply range	Dual SIM option
Simple configuration	GPIO, GPS/Glonass, SD card
	Embedded Linux platform
	Ports forwarding, IPsec, OpenVPN
	m2mL0CATE, m2mAIR, m2mCL0UD























RBMTX

router for fast mobile internet connections

Specification:

- Small, robust and very cost-effective router
- Easy to use configuration via web interface
- Ethernet 10/100 Mbit/s | RS232 | RS485
- OpenVPN, IPSec, etc.
- Dual SIM for roaming scenarios
- Optional Wi-Fi
- TCP/IP, UDP, E-mail protocols, SMS, MMS
- Python, "C" or Java programmable
- Modbus RTU to Modbus TCP protocol converter
- Optional CAN bus interface
- Extremely compact (only 83 x 60 x 34 mm with connectors)
- Rugged metal housing
- DIN rail etc. are available as accessories

- Remote antennas possible (e.g. in control panels)
- Also available as a programmable Linux platform
- Optional backup battery
- Optional I2C interface
- Internal microSD memory card
- Control and alerting via E-mail and SMS

Network	Name Speed	Interface	GPIO		Dual				
		Speed	RS232/ RS485	In / Out	Analog in / out	SIM	GPS	Audio	Wi-Fi
UMTS	RBMTX-Ux1	7.2 Mbit/s	•	-	-	-	-	0	0
	RBMTX-Ux1IO	7.2 Mbit/s	•	4	2/1	-	-	0	0
	RBMTX-Ux2	7.2 Mbit/s	•	-	-	•	-	0	0
	RBMTX-Ux2IO	7.2 Mbit/s	•	4	2/1	•	-	0	0
HSPA+	RBMTX-Hx1	21 Mbit/s	•	-	-	-	0	0	0
	RBMTX-Hx1IO	21 Mbit/s	•	4	2/1	-	0	0	0
	RBMTX-Hx2	21 Mbit/s	•	-	-	•	0	0	0
	RBMTX-Hx2IO	21 Mbit/s	•	4	2/1	•	0	ं	0
LTE	RBMTX-Lx1	100 Mbit/s	•	-	-	-	0	0	0
	RBMTX-Lx1IO	100 Mbit/s	•	4	2/1	-	0	٥	0
	RBMTX-Lx2	100 Mbit/s	•	-	-	•	0	0	0
	RBMTX-Lx2IO	100 Mbit/s	•	4	2/1	•	0	0	0

• support option - not support

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Controllers category:

Click to view products by TELEORIGIN manufacturer:

Other Similar products are found below:

CS1WCN223 CS1WCN713 CS1WKS001E 61F-11NH 61FGPN8DAC120 61F-GP-NT AC110 61F-GPN-V50-AC110 70177-1011 F03-03

HAS B F03-03 HAS C F03-31 81513201 81513535 81550401 FT1A-C12RA-W 88981106 H2CAC24A R88A-CAGA005S R88A
CRGB003CR-E R88ARR080100S R88A-TK01K DCN1-1 DTB4896VRE DTB9696CVE DTB9696LVE MR-50LF+ E53-AZ01 E53E8C

E5CWLQ1TCAC100240 B300LKL21 NE1ASCPU02EIPVER11 NE1SCPU01 NE1SDRM21U NSCXDC1V3 NSH5-232CW-3M

NT20SST122BV1 NV3Q-SW41 NV4W-ATT01 NV-CN001 OAS-160-N K31S6 K33-L1B K3TX-AD31A L595020 SRS2-1 G32X-V2K

26546803 26546805 26546831 CJ1W-OD204