

Metallic conduits with metallic overbraid

- SCSB Galvanised Steel Conduit, Galvanised Steel Overbraid

Industrial environments and high temperatures.

Features and Benefits


- High compression, tensile and impact strength
- Highly resistant to abrasion
- Very flexible
- Provides EMC screening
- Highly resistant to hot metal swarf and splashes




HelaGuard SCSB galvanised steel conduit with galvanised steel overbraid is highly resistant to hot metal swarf and splashes.

Stainless steel and tinned copper braiding is also available.

MATERIAL	Galvanised Steel (GS)
Operating Temperature	-100 °C to +300 °C



HelaGuard metallic conduit, metallic braid



TYPE	Nominal Ø	Outside Ø (OD)	Inside Ø (ID)	Min. Bending Radius (R)	Weight (g/m)	Reel Length	Colour	Article-No.
SCSB12	12	14.0	10.2	30	232	25 m	Metal (ML)	166-34400
SCSB16	16	17.5	13.0	40	298	25 m	Metal (ML)	166-34401
SCSB20	20	21.5	16.9	45	446	25 m	Metal (ML)	166-34402
SCSB25	25	26.0	21.1	55	503	25 m	Metal (ML)	166-34403
SCSB32	32	34.0	28.1	70	702	25 m	Metal (ML)	166-34404
SCSB40	40	43.5	37.6	80	1,086	10 m	Metal (ML)	166-34405
SCSB50	50	55.0	48.4	90	1,270	10 m	Metal (ML)	166-34406

All dimensions in mm. Subject to technical changes.
Other reel lengths available on request. Minimum Order Quantity (MOQ) may differ from package content.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Non-Heat Shrink Tubing and Sleeves](#) category:

Click to view products by [Hellermann](#) manufacturer:

Other Similar products are found below :

[CTA-0053](#) [8429-9](#) [8445-7.5](#) [8450](#) [120-116-1-1-09BE](#) [120-116-1-1-09BF](#) [120-116-1-1-09BP](#) [120-116-1-1-12BE](#) [120-116-1-1-12BP](#) [120-123-06](#) [120-123-10](#) [120-125-12BL](#) [120-125-12R](#) [120-125-20R](#) [120-126-09](#) [120-126-09BL](#) [120-126-12](#) [120-126-12BL](#) [120-126-52](#) [120-126-52BL](#) [120-104-12](#) [120-105-1-1-06BE](#) [120-105-1-1-06CE](#) [120-116-1-1-06BP](#) [120-116-1-1-10BP](#) [120-116-1-1-12BF](#) [120-123-12](#) [120-125-09](#) [120-125-12](#) [120-125-12Y](#) [120-125-52BL](#) [120-S002-12](#) [HC1B-7008-0375-0](#) [120-S001-09](#) [120-S002-09](#) [121-101-1-1-56BFC](#) [121-101-1-1-64BFC](#) [RAY-90-3.0\(100\)](#) [20675-2](#) [8S42-100FR-CS8184](#) [SAS-115-1-1048-1X](#) [SAS-160-1-1048-1X](#) [25T-GB](#) [RAY-103-10.0\(100\)](#) [RAY-103-4.0\(100\)](#) [4627-S](#) [3-1991136-0](#) [561-SL1000NYGY](#) [561-SL1000PP](#) [561-SL250FRPP](#)