


Cable Multicore

pro-POWER

RoHS
Compliant



Product Description:

Application	For communication and signal control systems
Reference Standard	Customer's sample spec. and the general standard
Multi- construction	A (Coaxial) + B (3 Cores)


Cable Construction:

Conductor	A (Coaxial)	B (3 Cores)
AWG	-	22
Material	Bare Copper	Tinned Copper
Construction	1 ±0.015	T0.254 ±0.008 × 7
Standard Dia. (mm)	1	0.77
Insulation Layer	Foam PE	PVC
Thickness(mm)	1.78	0.54
Insulation Dia. (mm)	4.57 ±0.15	1.86 ±0.1 × 3C
Insulation Color	Natural	Red ; White; Blue
Cu-Foil (40u)	≥115%	-
Braiding	Bare Copper	-
Construction(mm)	0.15 ±0.003 × 16 × 6	-
Braid coverage(%)	65%	-
Jacket	PVC	
Thickness(mm)	0.8	
Dia.(mm)	6.75 ±0.2	5.7 ±0.2
Jacket Colour	Black	
Marking (white ink, On the coaxial cable)	SAT1003 cable ww/yy +Meter marking	
Packaging	100m/Reel	

Electrical Characteristics

Max.Conductor DC Resistance at 20°C (Ω/Km)	
A	23.7
B	52.5
Insulation DC Resistance at 20°C (MΩ*KM)	
	>500
Rated Temperature(°C)	
	80
Rated Voltage(V)	
	300
Capacitance(pF/m) (Coaxial)	
	56
Velocity ratio (Coaxial)	
	80%
Impedance(Ω) (Coaxial)	
	75±3
Attenuation at 20°C (dB/100m)(+/-15%)	
100 MHz	6.1
400 MHz	12.5
800 MHz	18.2

Design:



Part Number Table

Description	Part Number
Multicore, 4 Core, 100m, 300V, Black	PP000660

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.

X-ON Electronics

Authorized Distributor

Click to view similar products for [Pro Power manufacturer](#).

Other Similar products are found below :

[0301CV100W](#) [04JSBLACK](#) [06JSBLACK](#) [08450046010](#) [08450056010](#) [08450066010](#)
[08450166010](#) [08450236010](#) [08450256010](#) [08JSBLACK](#) [10026B](#) [10026BK](#) [10026G](#)
[10026R](#) [10026TB](#) [10026TBK](#) [10026TG](#) [10026TR](#) [10026TW](#) [10026W](#) [10030B](#)
[10030BK](#) [10030G](#) [10030O](#) [10030R](#)