

SKINTOP® ST

SKINTOP® ST, increased oil-resistant polyamide cable gland with variable clamping ranges, permanent vibration protection and strain relief



Variety of approval certifications



Temperature-resistant



Optimum strain relief



Mechanical resistance



Wide clamping range



Good chemical resistance

Benefits

- Various accessories (e.g. multiple sealing inserts)
- High oil-resistance for maximum reliability
- Permanent vibration protection
- Optimum strain relief
- Wide, variable clamping ranges

Application range

- Used in areas where a lot of cables and wires need to be inserted into housings with minimum space requirements
- Machine and equipment manufacturing
- Photovoltaic
- Automation technology

Last Update (03.01.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

SKINTOP® ST

Norm references / Approvals

UL File Nr. E79903

Product Make-up

PG connection thread

Note

Refer to SKINTOP® PG accessories for suitable accessories

Counter nut to be used: SKINTOP® GMP-GL

Technical Data

Classification:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: Cable screw gland
Caution:	Refer to Appendix T21 for the installation dimensions and torques
Colour delivered:	Silver grey (RAL 7001) Light grey (RAL 7035) Black (RAL 9005), UV-resistant
Material:	Body: Polyamide Seal: CR
Tests:	GGVS: TÜ.EGG.020-95
Protection rating:	IP 68 - 5 bar
Temperature range:	Dynamic: -20°C up to +80°C Fixed: -40°C to +100°C

Note


Photographs are not to scale and do not represent detailed images of the respective products.

* Prices are net prices without VAT and surcharges. Sale to business customers.

Article number	Article designation / size	Clamping range ØF (mm)	SW wrench size mm	Overall length, C (mm)
SKINTOP® ST silver grey				
53015000	PG 7	2.5 - 6.5	15	32
53015010	PG 9	3.5 - 8	19	36
53015020	PG 11	4 - 10	22	38
53015030	PG 13,5	6 - 12	24	41
53015040	PG 16	9 - 14	27	44
53015050	PG 21	13 - 18	33	49
53015060	PG 29	14 - 25	42	56
53015070	PG 36	24 - 32	53	66
53015080	PG 42	35 - 38	60	68
53015090	PG 48	39 - 44	65	69
SKINTOP® ST black				
53015200	PG 7	2.5 - 6.5	15	32
53015210	PG 9	3.5 - 8	19	36
53015220	PG 11	4 - 10	22	38
53015230	PG 13,5	6 - 12	24	41
53015240	PG 16	9 - 14	27	44
53015250	PG 21	13 - 18	33	49
53015260	PG 29	14 - 25	42	56
53015270	PG 36	24 - 32	53	66
53015280	PG 42	35 - 38	60	68
53015290	PG 48	39 - 44	65	69
SKINTOP® ST light grey				
53018000	PG 7	2.5 - 6.5	15	32
53018010	PG 9	3.5 - 8	19	36
53018020	PG 11	4 - 10	22	38
53018030	PG 13,5	6 - 12	24	41
53018040	PG 16	9 - 14	27	44
53018050	PG 21	13 - 18	33	49
53018060	PG 29	14 - 25	42	56
53018070	PG 36	24 - 32	53	66
53018080	PG 42	35 - 38	60	68
53018090	PG 48	39 - 44	65	69

Last Update (03.01.2017)
 ©2017 Lapp Group - Technical changes reserved
 Product Management www.lappkabel.de
 You can find the current technical data in the corresponding data sheet.
 PN 0456 / 02_03_16

SKINTOP® ST



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Glands, Strain Reliefs & Cord Grips](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-14](#) [120-123-16](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-14](#) [120-126-16](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-116-1-1-06BP-509](#) [120-116-1-1-06CP](#) [120-116-1-1-16BE](#) [120-116-1-1-28BP](#) [120-123-20](#) [120-123-24](#) [120-123-32](#) [120-125-20](#) [120-125-20Y](#) [120-125-24](#) [120-125-24R](#) [120-125-28Y](#) [120-126-14BL](#) [120-126-16R](#) [120-126-16Y](#) [120-126-24BL](#) [120-126-28BL](#) [120-126-32BL](#) [120-126-40](#) [120-126-48](#) [120-126-48BL](#) [1300980012](#) [1300980105](#) [DBZM-6828](#) [1498](#) [15190-103 R2](#)