# LogiLink®

**Best Connectivity**

**Art No. UA0173**

# USB3.0 3-Port Hub with Ethernet Adapter

The LogiLink USB3.0 3-Port Hub with Ethernet Adapter provides users to launch Internet with easy installation and lower power consumption via the USB interface.  Now you can enjoy fast access up to 3 x USB 3.0 devices or LAN devices via RJ-45 port.  It is a good idea for USB port expansion to your computer such as USB thumb drives, media readers, USB lights, fans, and other USB accessories.
The device is compliant with USB 3.0, 2.0 and 1.1 Specification.  Along with complying 802.3 and 802.3u, 802.3ab and 802.3az standards, users are allowed to add the networking compatibility to the computer in any environment that encountered.

**Features:**
- Hot swappable plug and play
- Compliant with Universal Serial Bus Specification Ver. 3.0 (Data Rate 5Gbps)
- Easily connect up to 3 x USB3.0 devices
- IEEE 802.3, 802.3u, 802.3ab and 802.3az (10BASE-T/100BASE-TX/1000BASE-T) compatible
- Supports both Full-duplex with flow control and Half-duplex with backpressure operation
- Supports twisted pair crossover detection and auto-correction (HP Auto-MDIX)
- Supports Wake-on-LAN
- Supports Windows XP, Vista, 7, 8
- Supports MAC OS 10.6/10.7/10.8 for x86 and Power PC

RoHS compliant  CE

UA0173

4 052792 012323

Made in China

# LogiLink®

**Art No. UA0173**

# USB3.0 3-Port Hub with Ethernet Adapter

**Specifications:**

| Port | 1 x 10/100/1000Mbps RJ-45 port<br>3 x USB3.0 Type A(F)<br>1 x USB3.0 Type A Male Cable |
|---|---|
| Operating System Support | Windows XP/Vista/7/8<br>MAC OS 10.6/10.7/10.8 for x86 and Power PC |
| Standards | USB 1.1/2.0/3.0<br>IEEE802.3 for 10BASE-T<br>IEEE802.3u for 100BASE-TX<br>IEEE802.3ab for 1000BASE-T |
| LED Indicated | Link: Green<br>Activity: Yellow<br>Off: No valid link |
| Input Power | Bus powered, Self-powered |
| Power Consumption | 5V/300mA (Max.) |
| Operating temperature | 0℃～ 40℃ |
| Storage temperature | -20℃～ 60℃ |
| Operating humidity | < 80% R.H. |
| Storage humidity | < 60% R.H. |
| Weight | TBA |
| Dimension (L x W x H) | 78mm x 51mm x 15mm |

**Packaging Information:**
Packing Dimension: 136x201x20mm
Packing Weight: 0.140kg
Carton Dimension: 292x260x228mm
Carton Q'ty: 40pcs
Carton Weight: 6.9kg

UA0173

RoHS compliant    CE

4 052792 012323

Made in China

# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for* Specialised Cables *category:*

*Click to view products by* Logilink *manufacturer:*

Other Similar products are found below :

GP-IE515546DS-002　96CB-L2020PIB2　1200740161　R7ACAB003S　R88ACAKA0015SRE　R88ACAWL005SDE　R88ACRGB010C　R88ACRGD0R3C　R88ACRGD0R3CBS　R88ACRKA020CRE　1300660201　1971465-2　22733-8　2R7004A20F060　SSL009PC2DC012N　FC2A-KC6C　FZVS415M　CCSFCBF2　R7ACAB005S　R88ACAGD003SRE　R88ACAGE005BRE　R88ACAKE003SRE　R88ACAKE005SRE　R88ACAKE010SRE　R88ACRKM010SRE　R88AFIK222RE　XS2WM12PUR4SA10M　XS2WM12PVC4SA10M　05AU05　UCABLE　10114734-2010LF　R88ACRKC015NRE　XW2Z010H3　XW2Z010H1　5-1589827-8　861084-1　XW2Z200JB24　CR4000A76M020　1300140039　CR4000A76M005　CR4006A76M005　10077488-N0550FDLF　XW2ZRY150C　I4JPBJLUXX100　I4JPBJLUXX50　CM06W　CM08　POE004　0243 009 05　0243 009 20