LogiLink®

www.LogiLink.com

Art No. UA0210

DAC 96/24 | RCA | Windows Support | MAC OS Support

EQ | S/PDIF | Coaxial Digital Audio

HiFi USB Audio Amplifier

This UA0210 allows you to bypass your computer's soundcard or headphone output and send digital audio signal through the USB interface. With this perfect digital interface between your computer and the music system, the sound quality is pushed to another higher level in your overall music environment. And its built-in hardware equalizer can let you enhance the enjoyment of listening to music.

Features:
• High Quality Headphone Amplifier
• 96KHz/24bit Hi-Fi USB Audio
• Hardware EQ on bass and treble boost
• Stereo Analog RCA Line Output
• Coaxial & Toslink S/PDIF Digital output
• 6.3mm & 3.5mm headphone outputs
• Supports AC3, Dolby and DTS pass-through
• Integrated de-pop function for suppress pop noise during PC power-up and shutdown
• Supports Windows XP 32/64-bit/Vista/7/8/8.1 and MAC OS

Specification:

|	
Interface	USB interface(1.1/2.0 compatible)
Analog Output	RCA, Stereo Headphone, Stereo Mini
Analog Input	3.5mm Stereo Line-in x1
SNR	Around 91dB(A-weighting)
Max. Headphone Output power (Single Channel)	100mW @ 32ohm, 1.6 Vrms, 0.02% THD+N
	62mW @ 100ohm, 2.5Vrms, 0.015% THD+N

UA0210

4 052792 029277

Made in China

RoHS compliant CE

LogiLink®

www.LogiLink.com

| DAC 96/24 | RCA | Windows Support | MAC OS Support |
| EQ | S/PDIF | Coaxial Digital Audio |

Art No. UA0210

HiFi USB Audio Amplifier

Headphone Drive Ability	16 – 150ohm
Power	USB Bus-Powered
Cable length	Mini USB cable : 0.9m
	RCA to RCA cable : 1.4m
The type of Connector	USB & RCA
Product Dimension	89 x 103 x 28mm
Products Weight	200g

USB In

Coaxial Digital Out

S/PDIF Digital Out

L/R Speaker Out

Bass/Treble boost selection

Line-In

Microphone Input

3.5mm Stereo Headphone

6.3mm Stereo Headphone

UA0210

4 052792 029277

Made in China

RoHS compliant CE

Best Connectivity

LogiLink®

www.LogiLink.com

Art No. UA0210

DAC 96/24 | RCA | Windows Support | MAC OS Support

EQ | S/PDIF | Coaxial Digital Audio

HiFi USB Audio Amplifier

System Requirements:
- Windows XP 32/64-bit/Vista/7/8/8.1 and MAC OS
- PC with one free USB port (USB 2.0 High Speed is preferred)

Package Contents:
- HiFi USB Audio Amplifier x 1
- Mini USB cable x 1
- RCA to RCA cable x 1
- CD driver x 1
- User Manual x 1

Packaging Information:
- Packing Dimension: 133 x 196 x 57mm
- Packing Weight: 0.45kg
- Carton Dimension: 730 x 400 x 300mm
- Carton Q'ty: 40pcs
- Carton Weight: 18.7kg

UA0210

4 052792 029277

Made in China

RoHS compliant | CE

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Mounting Fixings *category:*

Click to view products by Logilink *manufacturer:*

Other Similar products are found below :

5912235-2 007310 007541 6-141-P 620HA038NF09 620HA038NF11 CTJ420E028-513 M81714/60-12-01 M81714/60-22-01 L/C MA1EAF1200 70-584649-01P 71-074914-006 71-215091-8S 712HA170B23128-N 71-344699-4S 71-441549-19S 71-441864-5S 71-490451-4H EX-13-3-B-16-325PN 75-69116-8S 75-69211-3P 75-69220-27S 75-69224-5S 75-69614-2S 770-006A109 770-006A109R 770-006A207 770-006A208W1 770-006A209 770-006A306 770-006A703W1 770-006A704 770-006A704W1 770-006A705 770-006A706 770-006A706W1 770-006A707 770-006A709 770-007A203 770-007A203W1 770-007A204W1 770-007A207W1 770-007A703 770-007A704W1 770-007A706 770-007A707W1 770-010Y208 770-010Y308 770-010Y705 770-010Y706