PROKIT'S INDUSTRIES CO., LTD



5F, No.7, Lane 130, Ming-Chung Rd., Hsin-Tien Dist, New Taipei City, Taiwan, R.O.C TEL: 886 2 2218 3233 FAX: +886 2 2218 2722 E-mail: pk@mail.prokits.com.tw http://www.prokits.com.tw

PRODUCT SPECIFICATION

EN#: 4711552151527

17 in 1 Tool Kit for Apple Products **SD-9314**







Safety and environmental protection:

• RoHS & Pb free: RoHS

Handle:

• Material of handle: TPR, Nylon

Bits:

• Torx

The first type symbol	Head Specifications	六角對邊尺 寸	Surface Finish	Bit Length (mm)	Material
Torx	Т4	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660
Torx	Т5	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660
Torx	Т6	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI

					8660
Torx	Т8	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660
Torx	T10	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660
Torx	T15	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660
Torx	T20	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660

• specification contents

The first type	Head	六角對邊尺	Surface	Bit Length	Material	
symbol	Specifications	寸	Finish	(mm)	Materiai	
Phillips	PH000	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660	
Slotted	SL1.5mm	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660	

• content

The first type symbol	Head Specifications	Hexagonal edge	Surface Finish	Bit Length (mm)	Material
5-Lobe star tip	tip P2	4mm	Sand blasting	28	Nickel-chromium-molybdenum alloy steel AISI 8660

• content

The first type symbol	Head Specifications	Hexagonal edge size	Surface Finish	Bit Length (mm)	Material
Hex	Н 1.5	4mm	Sand blasting		Nickel-chromium-molybdenum alloy steel AISI 8660
Hex	Н 2.0	4mm	Sand blasting		Nickel-chromium-molybdenum alloy steel AISI 8660

• content

The first type symbol	Head Specifications	Hexagonal edge	Surface Finish	Bit Length (mm)	Material
• Needle type bits	Needle	4mm	Sand blasting		Nickel-chromium-molybdenum alloy steel AISI

	,					8660
--	---	--	--	--	--	------

Product Weight (w/o package):

Weight(g)	Measurement						
142.8	L(mm)	W(mm)	H(mm)				
	151	103	30				

Individual Packing

• Packing: Color Sleeve Shrink

Master Packing:

	Pieces	N.W.	G.W.	Measurement			CUFT
	rieces	(Kg)	(Kg)	L(cm)	W(cm)	H(cm)	COFI
Individual Packing	1	-	0.162	15.3	10.3	3	-
Inner Box	12	1.73	2.04	31	16.3	13.5	0.24
CTN	72	12.5	13.5	51	33	29	1.72

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Proskit manufacturer:

Other Similar products are found below:

1PK-940KN-F 22-21720 22-11075 PK-2628 DK-2032 1PK-639 1PK-301-WDM 22-17385 MS-525 PK-2629 1PK-202B 8PK-CT150 SR-330 DP-033C 1PK-940-WDM 22-11065 SD-081G 1FB-SC 1PK-125T 3PK-NT007 22-21715 1PK-690 608-391E 1PK-932-WDM 1PK-3616 TC-311 PD-372 ECC90872EU PM-755 PK-9110 9SN-310G PK-4013 72-8740 22-14670 PK-2087B MT-7029 8PK-371 PM-909 5SS-331-H SD-2320M 908-366A 808-080 22-10810 203-132E DP-033E SS-553H 1PK-940KN PK-652 HW-609A MT-3102