



Art No. WL0084E

Wireless N 150Mbps USB Adapter Ultra-Nano Size

Feature:

- Complies with IEEE802.11n/g/b standards
- High transfer data rate – up to 150Mbps
- Supports 64/128-bit WEP, WPA, WPA2, WPA-PSK and WPA2-PSK Encryption
- Supports WiFi Protection Setup (WPS)
- Supports USB 2.0/1.1 interface
- Supports Windows XP/Vista/7/8/10, Linux and MAC OS

Specifications:

Chipset Solution	Realtek RTL8188EUS
Standard	IEEE 802.11b/g/n, 1T1R mode
Interface Type	USB 2.0 /1.1
Frequency Band	2.4000~2.4835GHz (Industrial Scientific Medical Band)
Data Rate	For 802.11b/g: Peak rate 54Mbps, Peak throughput: 27Mbps For 802.11n: Peak rate: 150Mbps, Peak throughput: 90Mbps
Transmit Power	802.11b: 18dBm; 802.11g: 15dBm; 802.11n: 13dBm
Power Consumption	5V DC input, 130mA
Transmission Distance	Indoor up to 100m, outdoor up to 300m (Standard transmission distance, it is affected depending on different environment)
Security	64/128-bit WEP, WPA, WPA2, WPA-PSK and WPA2-PSK Encryption WiFi Protection Setup (WPS)
Supported OS	Windows 2000/XP/Vista/7/8/10, Linux 2.6.x and MAC OS
Dimension	6(H) x 13.5(W) x 23(D) mm
Temperature	Operating Temperature: 0°C~40°C Storage Temperature: -20~60°C
Humidity	Operating Humidity: 10%~85% non-condensing Storage Humidity: 5%~95% non-condensing

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered network of their respective owners.



Made in China



Art No. WL0084E

Wireless N 150Mbps USB Adapter Ultra-Nano Size

Package Contents:

- 1 x Wireless N 150Mbps USB Adapter
- 1 x Quick Installation Guide
- 1 x CD
- 1 x Protector Cap

Packaging Information:

- Package Dimension: 100 x 164 x 25mm
- Package Weight: 0.05kg
- Carton Q'ty: 240pcs
- Carton Dimension: 427 x 337 x 362mm
- Carton Weight: 12.1kg

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialised Cables category](#):

Click to view products by [Logilink manufacturer](#):

Other Similar products are found below :

[GP-IE515546DS-002](#) [96CB-L2020PIB2](#) [1200740161](#) [R7ACAB003S](#) [R88ACAKA0015SRE](#) [R88ACAWL005SDE](#) [R88ACRGB010C](#)
[R88ACRGD0R3C](#) [R88ACRGD0R3CBS](#) [R88ACRKA020CRE](#) [1300660201](#) [1971465-2](#) [22733-8](#) [2R7004A20F060](#) [SSL009PC2DC012N](#)
[FC2A-KC6C](#) [FZVS415M](#) [CCSFCBF2](#) [R7ACAB005S](#) [R88ACAGD003SRE](#) [R88ACAGE005BRE](#) [R88ACAKE003SRE](#) [R88ACAKE005SRE](#)
[R88ACAKE010SRE](#) [R88ACRKM010SRE](#) [R88AFIK222RE](#) [XS2WM12PUR4SA10M](#) [XS2WM12PVC4SA10M](#) [05AU05](#) [UCABLE](#)
[10114734-2010LF](#) [R88ACRKC015NRE](#) [XW2Z010H3](#) [XW2Z010H1](#) [5-1589827-8](#) [861084-1](#) [XW2Z200JB24](#) [CR4000A76M020](#)
[1300140039](#) [CR4000A76M005](#) [CR4006A76M005](#) [10077488-N0550FDLF](#) [XW2ZRY150C](#) [I4JPBJLUXX100](#) [I4JPBJLUXX50](#) [CM06W](#)
[CM08](#) [POE004](#) [0243 009 05](#) [0243 009 20](#)