

Delta 2A

Quad Band GSM, 3G & ISM 'Stubby' Antenna



Key Features

- Small size
- · Right angle SMA male connector
- Quad band GSM and 3G
- ISM: 868 and 915MHz
- Groundplane independent
- · RoHS compliant

General Description

The Delta 2A Multiband antenna combines good performance in a small size, enabling its use with many of today's GSM / GPRS, 3G and ISM products.

Terminated with an SMA male or SMA RP right angle connector, it is ideally suited to applications requiring a simple, cable free set up, such as Point of Sale, metering or alarm panel equipment; as well as being a popular addition to radio manufacturers evaluation kits.

The omni directional, radiating element is over moulded in black high-grade rubber which allows flexibility and provides a rugged stylish finish, ensuring years of reliable use.

The Delta 2A is a popular antenna for customers requiring a straightforward to fit, versatile product, that is qualified and used with many of today's GSM / GPRS and 3G terminals and manufacturers of wireless communication equipment.

Additional Considerations

- Ensures antenna can be discretely mounted
- Fits to many popular GSM / GPRS and 3G terminal equipment
- Does not rely on mounting on metallic surface
- Meets all EU compliance criteria for electronic goods



Delta 2A

Quad Band GSM, 3G & ISM 'Stubby' Antenna

Key Specifications - Electrical

Operating temperature range:	-20 to +60°C
Storage temperature range:	-30 to +75°C
Impedance:	50 ohm
VSWR:	2.0 Max
Operating frequencies:	800, 900, 1800, 1900, 2100MHz
Radiation:	Omni

Key Specifications - Mechanical

Dimensions:	53.5mm
Connector:	Right angle SMA male, SMA RP
Mounting method:	Direct connect
Connector plating:	Gold/Nickel

Gain

ISM	
868MHz:	-1.65dBi
915MHz:	-1.1dBi
GSM	
850MHz:	-2.15dBi
900MHz:	-1.14dBi
1800MHz:	2.54dBi
1900MHz:	3.5dBi
3G	
2100MHz:	2.98dBi

sales

email

web

fax




Delta 2A

Quad Band GSM, 3G & ISM 'Stubby' Antenna

Test Results

Peak Gain (dBi)




UL Tested (Basingstoke, UK)

Part: DELTA2A/x/SMAM/S/RA/11

Ref No: 10215162JD02 Date: 13/02/2014

Efficiency %



UL Tested (Basingstoke, UK)

Part: DELTA2A/x/SMAM/S/RA/11

Ref No: 10215162JD02 Date: 13/02/2014

sales

email

web

fax

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for SIRETTA manufacturer:

Other Similar products are found below:

ALPHA4A/5M/SMAM/S/S/26 DELTA5A/X/SMAM/S/S/17 OSCAR17/X/TNC/S/S/19 DELTA5A/X/BNCM/S/S/17 SNYPER-LTE-SPECTRUM ASMA2000F058L13 ASMA2000C058L13 TANGO14/5M/LL/SMAM/S/S/24 TANGO1/1M/FMEF/S/S/4 ASME500F058L13 TANGO3/0.5M/SMAM/S/S/31 TANGO40/X/NTYPEF/S/S/32 QUARTZ-W22-LTE(EU)+ACC ASMA500B174L13 31557 ECHO40/0.1M/UFL/S/S/32 MIKE1A/5M/FMEF/S/S/20 QUARTZ-W22-UMTS(EU)+ACC TANGO11A/2.5M/SMAM/S/S/19 ASMA500F058L13 ZETA-N-UMTS ECHO11/0.2M/IPEX/S/S/12 ASMA300E174L13 ASMA1000F058L13 DELTA19/X/SMAM/S/S/35 ASMA2000E058L13 ASMZG300F058L13 MIKE3A/5M/SMAM/S/S/17 TANGO15/3M/SMAM/SMAM/S/S/24 TANGO20/3M/SMAM/S/S/26 ASMZG500A058L13 ASMZG1500F058L13 ALPHA1A/2.5M/SMAM/S/S/11 OSCAR40/10M/LL/SMAM/S/S/33 TANGO11A/5M/LL/SMAM/S/S/19 TANGO29/1M/SMAM/RP/S/35 ASME2000F058L13 ASMK015X174S11 LC300-N2-GPRS DELTA6A/X/SMAM/S/S/11 MIKE1A/2.5M/FMEF/S/S/20 ASMZG1000F058L13 OSCAR41/X/NTYPEF/S/S/29 TANGO22/3M/SMAM/SMAM/SMAM/SMAM/SAMAM/SAMAM/SAMAM/S/S/24 TANGO12/3M/SMAM/RP OSCAR18/X/NF/S/S/22 TANGO14/3M/SMAM/S/S/24