

**Key Features**

- Overmoulded, flexible whip
- Various connector options
- Tuned to specific frequency
- Helically wound
- RoHs compliant
- Solid performer at competitive price

**General Description**

The Delta 5A is a  $\frac{1}{4}$  wave helically wound UHF omnidirectional antenna with a centre frequency of 868MHz.

The Delta 5A has a gain of 3dBi and is intended for volume use where a good performer with robust features is required but at a competitive price point in volume.

**Additional Considerations**

- Rugged construction for portable equipment
- Ideal for many popular radio modules and equipment
- Optimised for use on 868MHz equipment, with 869MHz also supported
- Maximises space for mobile environments
- Meets all EU compliance criteria for electronic goods

Rev 1.0



# Delta 5A

868MHz Helical Whip Antenna

## Key Specifications - Electrical

Operating temperature range:	-30 to +75°C
Impedance:	50 ohm
Gain:	3dBi
VSWR:	≤2:1
Polarization:	Vertical
Centre frequency:	868MHz
Radiating element:	¼ wave whip
Max input power:	50W

## Key Specifications - Mechanical

Dimensions:	100mm
Connector:	SMA, SMA RP, BNC or TNC
Mounting method:	Direct connect
Housing:	Black rubber overmould

## Ordering Details

Part Number	Description
DELTA5A/X/SMAM/S/S/17	Helical Whip 868MHz ¼ wave helical whip flexy antenna SMA male
DELTA5A/X/BNCM/S/S/17	868MHz ¼ wave helical whip flexy antenna BNC male
DETLA5A/X/TNCM/S/S/17	868MHz ¼ wave helical whip flexy antenna TNC male

Siretta is a division of Sequoia Technology Group Ltd

Registered in England No. 4004881  
VAT Registration No. GB614 5653 45

Siretta  
Basingstoke Road  
Spencers Wood  
Reading  
Berkshire RG7 1PW

sales +44(0)118 976 9014  
fax +44(0)118 976 9020  
email info@siretta.co.uk  
web www.siretta.co.uk

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [SIRETTA](#) manufacturer:*

Other Similar products are found below :

[ALPHA4A/5M/SMAM/S/S/26](#) [DELTA5A/X/SMAM/S/S/17](#) [OSCAR17/X/TNC/S/S/19](#) [DELTA5A/X/BNCM/S/S/17](#) [SNYPER-LTE-SPECTRUM](#) [ASMA2000F058L13](#) [ASMA2000C058L13](#) [TANGO14/5M/LL/SMAM/S/S/24](#) [TANGO1/1M/FMEF/S/S/4](#) [ASME500F058L13](#) [TANGO3/0.5M/SMAM/S/S/31](#) [TANGO40/X/NTYPEF/S/S/32](#) [QUARTZ-W22-LTE\(EU\)+ACC](#) [ASMA500B174L13](#) [31557](#) [ECHO40/0.1M/UFL/S/S/32](#) [MIKE1A/5M/FMEF/S/S/20](#) [QUARTZ-W22-UMTS\(EU\)+ACC](#) [TANGO11A/2.5M/SMAM/S/S/19](#) [ASMA500F058L13](#) [ZETA-N-UMTS](#) [ECHO11/0.2M/IPEX/S/S/12](#) [ASMA300E174L13](#) [ASMA1000F058L13](#) [DELTA19/X/SMAM/S/S/35](#) [ASMA2000E058L13](#) [ASMZG300F058L13](#) [MIKE3A/5M/SMAM/S/S/17](#) [TANGO15/3M/SMAM/SMAM/S/S/24](#) [TANGO20/3M/SMAM/S/S/26](#) [ASMZG500A058L13](#) [ASMZG1500F058L13](#) [ALPHA1A/2.5M/SMAM/S/S/11](#) [OSCAR40/10M/LL/SMAM/S/S/33](#) [TANGO11A/5M/LL/SMAM/S/S/19](#) [TANGO29/1M/SMAM/RP/S/35](#) [ASME2000F058L13](#) [ASMK015X174S11](#) [LC300-N2-GPRS](#) [DELTA6A/X/SMAM/S/S/11](#) [MIKE1A/2.5M/FMEF/S/S/20](#) [ASMZG1000F058L13](#) [OSCAR41/X/NTYPEF/S/S/29](#) [TANGO22/3M/SMAM/SMAM/SMAM/26](#) [OSCAR420/0.4M/NTYPEF/S/S/19](#) [ASMK010X174S11](#) [ZETA-N2-GPRS](#) [ADAPT/SMAM/RP](#) [OSCAR18/X/NF/S/S/22](#) [TANGO14/3M/SMAM/S/S/24](#)