
HDMI Type A to Type A Plug Cable






Electrical Specification

Withstanding Voltage : 500V DC 1 minute Insulation Resistance : 50MΩ 500V DC



Item	Descriptions	ns Specifications	
1	HDMI Type A Plug	Gold Plated	2 pcs
2	Type A(P) In Mold	PE	2 pcs
3	Type A(P) Out Mold 1	PVC Black	2 Pcs
4	Type A (P) Out Mold 2	PVC Grey	2 Pcs
5	HDMI Cale	Jacket PVC Black	L


30AWG HDMI cable



Conductor: 5C×[30AWG(1/0.25CU)×1 pair] Insulation: 5C*[5UAWG(1/U.25CU)*1 pair]
Insulation: 5 pairs, foamed-PE, OD: 0.75
Drain wire: 5C*1/0.25CU, HDPE, OD: 0.55
5*8/0.022AL Al foil
Conductor: 4C*1/0.25CU
Insulation: 4 core, OD: 0.55, HDPE
17/0.022AL Al foil
Drain wire: 1/0.25Cu
17/0.022AL Al foil

17/0.022AL AI foil Jacket: 6mm PVC, Black


28AWG HDMI cable



Conductor: 5C×[30AWG(1/0.32CU)×1 pair] Insulation: 5 pairs, foamed-PE, OD: 0.93 Drain wire: 5C×1/0.32CU, HDPE, OD: 0.7 5*10/0.022AL AI foil

Conductor: 4C×1/0.25CU Insulation: 4 core, OD: 0.55, HDPE 20/0.022AL Al foil Drain wire: 1/0.25Cu Braiding: 16/6/0.12 AL Mg Jacket: 7.3mm PVC, Black

26AWG HDMI cable



Conductor: 5C×[30AWG(1/0.41CU)×1 pair] Insulation: 5 pairs, foamed-PE, OD: 1.18 Drain wire: 5C×1/0.32CU, HDPE, OD: 0.7 5*10/0.022AL AI foil Conductor: 4C×1/0.32CU Insulation: 4 core, OD: 0.7, HDPE 25/0.022AL AI foil Drain wire: 1/0.32CU Drain wire: 1/0.32CU

Braiding: 16/6/0.12 AL Mg Jacket: 8mm PVC, Black

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

pro-signal

Page <1> 02/06/17 V1.0

HDMI Type A to Type A Plug Cable Pro-SIGNAL



Type A PIN		Type A PIN
1 —	$\Lambda \wedge \Lambda$	1
2 ——	$\{ \times \times \}$	2
3 ——	$A \wedge A$	з
4	$\Lambda \wedge \Lambda$	4
5 —	$+ \times \times +$	5
6	$A \wedge A$	6
7 —	$\Lambda \wedge \Lambda$	
8 ——	$\{ \times \times \} \}$	8
9 ——	$A \wedge A$	9
10 —	$\Lambda \wedge \Lambda$	10
11	$+ \times \times +$	11
12	$A \wedge A$	12
14	$\Lambda \wedge \Lambda$	14
17	$\{ \times \times \}$	17
19	$A \wedge A$	19
13		13
15		15
16		16
18		18

Wire method

Part Number Table

Description	Length	Cable	Part Number
	1,000mm ±30mm	30AWG	PS000021
	1,500mm ±30mm		PS000022
	2,000mm ±30mm		PS000023
	3,000mm ±30mm		PS000024
HDMI Type A to Type A Plug Cable	5,000mm ±50mm		PS000025
	7,000mm ±50mm	28AWG	PS000026
	10,000mm ±50mm		PS000027
	15,000mm ±50mm	26AWG	PS000028
	20,000mm ±50mm		PS000029

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk



X-ON Electronics

Authorized Distributor

Click to view similar products for Pro Signal manufacturer.

Other Similar products are found below:

<u>11998795</u> <u>11998870</u> <u>11998871</u> <u>11W3S61106IN</u> <u>1260B</u> <u>2413485</u> <u>2413486</u> <u>2415620</u> <u>2415621</u> <u>2415622</u> <u>2415623</u> <u>2415624</u> <u>2415625</u> <u>2415626</u> <u>2415627</u> <u>2415628</u> <u>271450</u> 275915 277942 278076 278155 278159 278160 278162 278174