

Precision Tweezers - ESD Rubber Grip Tweezers

Soft ESD safe ergonomic cushion grips (resistivity 10^9 Ohm) provide enhanced operator comfort and reduced finger stress when handling ESD sensitive components or small static items.

Anti-Acid/Anti-Magnetic SS (SA) - ESD RUBBER (DR)
Carbon Steel (C) - ESD RUBBER (DR)



00.SA.DR
 Tips: straight, strong, thick. OAL: 120mm



2A.SA.DR
 Tips: straight, flat, round. OAL: 125mm



2AB.SA.DR
 Tips: flat, round, curved. OAL: 120mm



3.SA.DR
 Tips: straight, very sharp, fine. OAL: 125mm



3C.SA.DR
 Tips: straight, sharp, fine. OAL: 110mm



4.SA.DR
 Tips: straight, extra fine. OAL: 110mm



5.SA.DR
 Tips: straight, extra fine. OAL: 110mm



5A.SA.DR
 Tips: straight, extra fine. OAL: 115mm

ESD Rubber Grip Tweezers



5C.SA.DR
 Tips: curved, bent, ultra fine. OAL: 115mm



51S.SA.DR
 Tips: bent, extra fine. OAL: 115mm



7.SA.DR
 Tips: very fine, curved. OAL: 120mm



14A.C.DR
 Tips: cutting, predominantly angled blades. OAL: 115mm



14AGW.C.DR
 Tips: cutting, predominantly angled blades. OAL: 115mm



15A.C.DR
 Tips: cutting, angled blades. OAL: 120mm



15AGW.C.DR
 Tips: cutting, predominantly angled blades. OAL: 115mm



AA.SA.DR
 Tips: sharp, fine. OAL: 130mm

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ideal-Tek](#) manufacturer:

Other Similar products are found below :

[812.01](#) [E5152](#) [BON-102A](#) [4313 SM](#) [5340](#) [35A SA](#) [ST-LED](#) [A242CF](#) [NLP-1](#) [E5234](#) [00.SA.DR](#) [14A.C.DR](#) [15AFW.C](#) [2A.NC](#)
[2AXCPR.SA](#) [3XCF.SA](#) [4.SA.DR](#) [5C.SA.DR](#) [8507](#) [8WNY.SA](#) [AA.SA.DR](#) [ST5-IT-TB](#) [K6PICF](#) [0.SA.0](#) [3C.SA.NE.6](#) [3CPR.SA.1](#)
[AA.SA.DN.6](#) [AM2111](#) [KCFR](#) [56A.SA](#) [PCSA-4](#) [ALCRON](#) [MPTSP5](#) [K5SMD.SA](#) [246CFR.SA](#) [K5HP.SA](#) [5CF.SA](#) [UVO0000100](#) [E5341](#)
[CRBG](#) [A7CP](#) [IT21050](#) [SM108](#) [SM116 SA](#) [248 CF SA](#) [7 SA](#) [E5140](#) [AM4023X](#) [EX2175](#) [361](#) [14AGW.C](#)