

Full Plastic Tweezers

Cost-effective alternative to metal tweezers for sensitive applications and handling scratch sensitive electronic parts, glass and ceramic substrates. Lightweight, strong and sturdy material make them ideal for forensic, electronic and sample preparation applications.

CARBON FIBER (CF) PVDF (SV) WHITE DELRIN (DG)



702A.CF - 702A.SV Tips: straight, flat, round. OAL: 115 mm. ESD safe



705.CF - 705.SV Tips: straight, fine, sharp. OAL: 115mm. ESD safe



707.DG Tips: angled, pointed. OAL: 115 mm



Tips: curved, angled, pointed. OAL: 115mm



702A.DG Tips: straight, flat, round. OAL: 115 mm



707.CF - 707.SV Tips: angled, pointed. OAL: 115 mm. ESD safe



707A.CF - 707A.SV Tips: curved, angled, pointed. OAL: 115mm. ESD safe



Tips: bent, angled, pointed. OAL: 110 mm. ESD safe





Full Plastic Tweezers



708.DG

Tips: bent, angled, pointed. OAL: 110 mm



709.DG

Tips: angled, squared, flat. OAL: 115 mm



K4PICF

Kit of 4 tweezers: 707, 708, 709, 710. ESD safe



K6PICF - K6PISV

Kit of 6 tweezers: 702A, 705, 707, 708, 709, 710.

ESD safe



709.CF - 709.SV

Tips: angled, squared, flat. OAL: 115 mm. ESD safe



710.CF

Tips: angled, squared, flat, trapezoidal shape. OAL: 115 mm. ESD safe



K5PICF - K5PISV

Kit of 5 tweezers: 702A, 707, 708, 709, 710. ESD safe



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ideal-Tek manufacturer:

Other Similar products are found below:

812.01 E5152 BON-102A 4313 SM 5340 35A SA ST-LED A242CF NLP-1 E5234 00.SA.DR 14A.C.DR 15AFW.C 2A.NC
2AXCPR.SA 3XCF.SA 4.SA.DR 5C.SA.DR 8507 8WNY.SA AA.SA.DR ST5-IT-TB K6PICF 0.SA.0 3C.SA.NE.6 3CPR.SA.1
AA.SA.DN.6 AM2111 KCFR 56A.SA PCSA-4 ALCRON MPTSP5 K5SMD.SA 246CFR.SA K5HP.SA 5CF.SA UVO0000100 E5341
CRBG A7CP IT21050 SM108 SM116 SA 248 CF SA 7 SA E5140 AM4023X EX2175 361 14AGW.C