


# ANSI Mineral Insulated Thermocouples with 1 Metre PFA Teflon® Insulated Flat Pair Cable and Tails

Types 'K' with 1 metre lead & tails – stainless steel sheath



- Mineral insulated Thermocouple to ANSI MC96.1
- Type 'K' with 310 stainless steel sheath
- Highly flexible, sheath can be bent/formed to suit many applications and processes
- Insulated hot junction
- Plain pot seal (200°C)
- 1 metre 7/0.2mm PFA Teflon® insulated flat pair cable and tails (colour coded to ANSI MC96.1)

## Specifications

Sensor type:	Type 'K' (Nickel Chromium/Nickel Aluminium)
Construction:	Flexible mineral insulated probe with stainless steel sheath, plain pot seal & 1 metre extension cable
Element/hot junction:	Single element, junction insulated from sheath (offers protection against spurious electrical signals)
Termination:	1 metre 7/0.2mm PFA Teflon® insulated flat pair cable, colour coded in accordance with ANSI MC96.1
Probe temperature range:	Type 'K'      -40°C to +1100°C >1.0mm diameter -40°C to +750°C – 1.0mm diameter and below
Pot seal rating:	200°C

## Order codes:

### Type 'K' – 310 stainless steel sheath:

Good corrosion & oxidation resistance to suit a wide range of processes, satisfactorily operates in sulphur bearing atmospheres

Typical applications include brick & cement kilns, glass industry, heat treatment & annealing furnaces, power stations, flues, heat exchangers etc.

<b>T/C Type</b>	<b>Probe Dia. (mm)</b>	<b>Probe Length (mm)</b>	<b>Cable jacket</b>	<b>Tails: +pos/-neg</b>	<b>order code</b>
K	1.0	150	Yellow	Yellow/White	<b>XF-1024-FAR</b>
K	1.0	250	Yellow	Yellow/White	<b>XF-1027-FAR</b>
K	1.0	500	Yellow	Yellow/White	<b>XF-1025-FAR</b>
K	1.5	150	Yellow	Yellow/White	<b>XF-1026-FAR</b>
K	1.5	250	Yellow	Yellow/White	<b>XF-1029-FAR</b>
K	1.5	500	Yellow	Yellow/White	<b>XF-1030-FAR</b>
K	3.0	150	Yellow	Yellow/White	<b>XF-1028-FAR</b>
K	3.0	500	Yellow	Yellow/White	<b>XF-1031-FAR</b>
K	6.0	150	Yellow	Yellow/White	<b>XF-1032-FAR</b>

# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Labfacility manufacturer](#):*

Other Similar products are found below :

[XF-1268-FAR](#) [CT-Z4-PFA-K-2](#) [MD-ISK-S45-250-P5-IEC](#) [MC-ISK-S60-300-KNS-I](#) [MB-ISK-I10-1000-MP](#) [WT-304-ANSI X 100M](#) [IM-B-PCB](#)  
[Z2-J-3-MP](#) [XF-945-FAR](#) [XF-946-FAR](#) [XF-947-FAR](#) [XF-949-FAR](#) [XF-955-FAR](#) [XF-960-FAR](#) [XF-962-FAR](#) [XF-966-FAR](#) [XF-989-FAR](#) [XF-](#)  
[1074-FAR](#) [XF-1089-FAR](#) [XF-1116-FAR](#) [XF-1172-FAR](#) [XF-1171-FAR](#) [XF-1222-FAR](#) [XF-1238-FAR](#) [XF-1190-FAR](#) [XF-1109-FAR](#) [XF-1110-](#)  
[FAR](#) [XF-1140-FAR](#) [XF-1111-FAR](#) [XF-1112-FAR](#) [XF-1136-FAR](#) [XF-1149-FAR](#) [XF-1150-FAR](#) [XF-1151-FAR](#) [XF-1146-FAR](#) [XF-1249-FAR](#) [XF-](#)  
[1113-FAR](#) [XF-1178-FAR](#) [XF-1184-FAR](#) [XF-1235-FAR](#) [XF-1251-FAR](#) [XF-1254-FAR](#) [XF-1265-FAR](#) [XF-1266-FAR](#) [XF-1274-FAR](#) [XF-1277-](#)  
[FAR](#) [XF-1281-FAR](#) [XF-1283-FAR](#) [XF-1293-FAR](#) [XF-1300-FAR](#)