

# The UltraZed-EG™ Starter Kit

The UltraZed-EG™ Starter Kit consists of the UltraZed-EG System-on-Module (SOM) and IO Carrier Card bundled to provide a complete system for prototyping and evaluating systems based on the Xilinx powerful Zynq® UltraScale+™ MPSoC device family.

## ULTRAZED-EG SOM

UltraZed-EG SOM is a highly flexible, rugged, System-On-Module (SOM) based on the Xilinx Zynq® UltraScale+™ MPSoC. Designed in a small form factor, the UltraZed-EG SOM packages all the necessary functions such as system memory, Ethernet, USB, and configuration memory needed for an embedded processing system. The UltraZed-EG provides easy access to 180 user I/O pins, 26 PS MIO pins, and 4 high-speed PS GTR transceivers along with 4 GTR reference clock inputs through three I/O connectors on the backside of the module.

Available with the Zynq UltraScale+ MPSoC **XCZU3EG-SFVA625** device, the UltraZed-EG SOM enables designers to build high-performance systems with confidence and ease. By simply plugging the off-the-shelf UltraZed-EG SOM into an application specific carrier card such as the Avnet IO Carrier Card, system bring-up and debug time can be cut in half, while overall system cost can be reduced by 20% or more versus a standard chip-down design.

For more information, please refer to the UltraZed-EG SOM Product Brief on the [www.ultrazed.org](http://www.ultrazed.org) website.


## ULTRAZED IO CARRIER CARD

The UltraZed IO Carrier Card supports the UltraZed-EG System-on-Module (SOM), providing easy access to the full 180 PLV user I/O, 26 PS MIO, and 4 PS GTR transceivers available from the UltraZed-EG SOM via three Micro Headers. Two 140-pin Micro Headers on the carrier card mate with the UltraZed-EG SOM, connecting 180 of the UltraZed-EG Programmable Logic (PL) I/O to 12 Digilent Pmod™ compatible interfaces, Arduino Shield, LVDS Touch Panel interface, push button switches, DIP switches, LEDs, Xilinx SYSMON, and clock oscillator.

The UltraZed IO Carrier Card also uses a 100-pin Micro Header to gain access to the UltraZed-EG SOM Processing System (PS) MIO and GTR transceiver pins as well as USB 2.0 and Gigabit Ethernet interfaces. The UltraZed-EG SOM PS MIO and GTR pins are used on the IO Carrier Card to implement the microSD card, PMOD, USB 2.0/3.0, Gigabit Ethernet, SATA host, Display Port, dual USB-UART, user LED and switch, and MAC Address device interfaces.

For more information, please refer to the UltraZed IO Carrier Card Product Brief on the [www.ultrazed.org](http://www.ultrazed.org) website.

To purchase this kit, visit [www.ultrazed.org/product/ultrazed-EG](http://www.ultrazed.org/product/ultrazed-EG)



## KIT INCLUDES

- UltraZed-EG SOM
- UltraZed IO Carrier Card
- 12V AC/DC Power Supply
- Quick Getting Started Card
- microUSB Cable
- UltraZed-EG SOM Mounting Hardware
- microSD Card 8GB
- RJ45 Cable

## TARGET APPLICATIONS

- General UltraZed-EG evaluation and prototyping
- Embedded system-on-module (SOM) applications
- Test & measurement
- Motor control
- Industrial automation

## FEATURED MANUFACTURERS



## PARTS

Part Number	Description	Resale
AES-ZU3EG-1-SK-G	UltraZed-EG Starter Kit	

## RELATED PARTS

Part Number	Description	Resale
AES-ZU3EG-1-SOM-G	UltraZed-EG SOM	
AES-ZU-IOCC-G	UltraZed IO Carrier Card	

Countries Available for Purchase: Americas, EMEA, Asia, Japan

## CONTACT INFORMATION

**North America**  
2211 S 47<sup>th</sup> Street  
Phoenix, Arizona 85034  
United States of America  
eval.kits@avnet.com  
1-800-585-1602

**Europe**  
Gruber Str. 60c  
85586 Poing  
Germany  
marketing@silica.com  
+49-8121-77702

**Japan**  
Yebisu Garden Place Tower, 23F  
4-20-3 Ebisu, Shibuya-ku  
Tokyo 150-6023 Japan  
eval-kits-jp@avnet.com  
+81-(0)3-5792-8210

**Asia**  
151 Lorong Chuan  
#06-03 New Tech Park  
Singapore 556741  
XilinxAPAC@avnet.com  
+65-6580-6000

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Avn Engineering](#) manufacturer:*

Other Similar products are found below :

[AES-PMOD-TPM20-SLB9670-G](#) [AES-FM-S14](#) [AES-MINI-ITX-7Z100-SYS-G](#) [AES-KCU-JESD-G](#) [102-03](#) [AES-FM-S18](#) [AES-ATT-M14A2A-IOT-SK-AWS-G](#) [105-01](#) [105-011](#) [AES-MINI-ITX-7Z045-BAS-G](#) [103-01](#) [102-02](#) [103-02](#) [AES-SLP-12V5A-G](#) [101-03](#) [AES-ZUEV-CC-G](#) [AES-MINI-ITX-7Z100-G](#) [AES-MBCC-IO-G](#) [AES-EVB-BCM4343W-G](#) [AES-MINI-ITX-7Z045-SYS-G](#) [AES-FMC-HDMI-CAM-G](#) [AES-FXA120W-F-M400](#) [AES-Z7MB-7Z010-SBC-I-G](#) [AES-FMC-MC4-AR0231AT-G](#) [AES-ATT-M18Q2FG-SK-G](#) [AES-ZUIOCC-G](#) [AES-ZU7EV-1-SOM-G](#) [AES-CAM-ON-P1300C-G](#) [AES-MS-MT3620-M-G](#) [AES-S32V-NXP-G](#) [AES-A7MB-7A35T-G](#) [AES-FMC-ISMNET2-G](#) [AES-Z7EV-7Z020-G](#) [AES-ZU7EV-1-SK-G](#) [AES-MMP-BB2-G](#) [AES-ULTRA96-V2-I-G](#) [VT-SK-002-A01](#) [AES-ATT-IMA3-IOT-STM32L4-SK-G](#) [L02-027-1000-Z-ZZZZ\\_V2](#) [AES-BG96-IOT-SK2-PROMO](#) [AES-ZBDB-ADPT-G](#) [AES-MINI-ITX-7Z045-G-466](#) [AES-SHLD-BLEWF-G](#) [AES-Z7PZ-7Z010-SOM-G/REV-E](#) [AES-PMOD-MUR-1DX-G](#) [AES-ACC-U96-ME-MEZ](#) [AES-ZU7EV-1-SOM-I-G](#) [AES-ACC-MAAX-CAM1](#) [AES-Z7MB-7Z010-SOM-G/REV-G](#) [AES-MBCC-BRK-G](#)