

# LC-HQ BTW pigtail



## Features

- Shortest installation length
- New design with outstanding mechanical and thermal stability
- Boots with ideal bending properties
- End-face polishing is better visible with coloured boots
- Patented (US 8.931.963)
- Only available as assembled pigtail
- Available as single and sets
- Packing is optimized for logistical aspects
- Cable easy-strip
- Licensed LC connector

## Technical data

Specification	Value
Cable diameter (Ø)	0,9 mm
Design acc. to IEC 61754-20 and TIA 604-10-A	compliant
Thermal and mechanical tests acc. to IEC 61753-1	fulfilled
Operating temperature	-40 to +85 °C
Durability	min. 1000 matings
Material	flame retardant acc. to UL94V-0
Halogen free	yes
Chemical resistance	good
RoHS guidelines 2011/65/EU	compliant

The LC HQ BTW pigtail is a completely re-designed connector, which offers outstanding mechanical and thermal characteristic. This connector has one of the shortest rigid length.

## Optical values

Type	Measurement method (IL/RL)	IL (dB)	RL (dB)
SM UPC	IL: IEC 61300-3-4 method B	≤ 0.30	≥ 50
SM APC	RL: IEC 61300-3-6	≤ 0.30	≥ 65
MM OM1/OM2/OM3	IL: IEC 61300-3-34 method B	≤ 0.25	≥ 35
MM OM4	RL: IEC 61300-3-6	≤ 0.15	≥ 35

### Singlemode UPC, LC-HQ BTW pigtail



Length (m)	Item no.	Description	Cable	Colors	
				Connector	Boot
2	84130960	PT01_LCUS_0000_SM09E_02.0_S0	0.9 mm yellow G.652D	black	blue
	84148655	PS12_LCUS_0000_SM09E_02.0_S0	0.9 mm 12 colors G.652D		
	84150493	PS24_LCUS_0000_SM09E_02.0_S0	0.9 mm 2 × 12 colors G.652D		

### Singlemode APC, LC-HQ BTW pigtail



Length (m)	Item no.	Description	Cable	Colors	
				Connector	Boot
2	84130959	PT01_LCAS_0000_SM09E_02.0_S0	0.9 mm yellow G.652D	black	green
	84148656	PS12_LCAS_0000_SM09E_02.0_S0	0.9 mm 12 colors G.652D		
	84150494	PS24_LCAS_0000_SM09E_02.0_S0	0.9 mm 2 × 12 colors G.652D		

### Multimode OM1, LC-HQ BTW pigtail



Length (m)	Item no.	Description	Cable	Colors	
				Connector	Boot
2	84151042	PT01_ICMS_0000_O109E_02.0_M0	0.9 mm blue MM G50 (OM1)	black	beige
	85010341	PS12_ICMS_0000_O109E_02.0_M0	0.9 mm 12 colors MM G50 (OM1)		

### Multimode OM2, LC-HQ BTW pigtail



Length (m)	Item no.	Description	Cable	Colors	
				Connector	Boot
2	84151043	PT01_LCMS_0000_O209E_02.0_M0	0.9 mm orange MM G50 (OM2)	black	beige
	84151046	PS12_LCMS_0000_O209E_02.0_M0	0.9 mm 12 colors MM G50 (OM2)		

### Multimode OM3, LC-HQ BTW pigtail



Length (m)	Item no.	Description	Cable	Colors	
				Connector	Boot
2	84151044	PT01_LCMS_0000_O309E_02.0_M0	0.9 mm aqua MM G50 (OM3)	black	aqua
	84151047	PS12_LCMS_0000_O309E_02.0_M0	0.9 mm 12 colors MM G50 (OM3)		

### Multimode OM4, LC-HQ BTW pigtail



Length (m)	Item no.	Description	Cable	Colors	
				Connector	Boot
2	84151045	PT01_LCMS_0000_O409E_02.0_I0	0.9 mm heather violet MM G50 (OM4)	black	heather violet
	84151048	PS12_LCMS_0000_O409E_02.0_I0	0.9 mm 12 colors MM G50 (OM4)		

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Huber & Suhner](#) manufacturer:*

Other Similar products are found below :

[3402.17.A](#) [31 MMBX-SMA-50-1/111 NE](#) [74Z-0-23-17](#) [65 SMA-50-0-1/111 NE](#) [32 MMBX-50-0-6 / 111 NE](#) [Mini141 K-16](#) [7404.17.0003](#)  
[33\\_N-SMA-50-51/1--\\_UE](#) [76\\_Z-0-2-1](#) [Minibend L-13](#) [Microbend MTR-11](#) [16\\_N-50-3-103/133\\_NE](#) [Microbend R-4.5](#) [74\\_Z-0-0-53](#)  
[85\\_SMC-50-0-1/133\\_NE](#) [31\\_PC35-50-0-2/199\\_NE](#) [65\\_BNC-50-0-2/133\\_NE](#) [1399.17.0125](#) [76\\_Z-0-4-1](#) [80346275](#) [11\\_C-50-7-6/133\\_NE](#)  
[6620\\_SMA-50-2/199\\_NE](#) [Minibend R-5.5](#) [11\\_SMB-50-2-41/111\\_NE](#) [Mini141 K-8](#) [74\\_Z-0-0-246](#) [22\\_BNC-50-0-5/133\\_NE](#) [6500\\_N-50-](#)  
[1/199\\_NE](#) [6560.17.AA](#) [3401.17.0033](#) [11\\_N-50-2-1/133\\_NE](#) [3401.00.0022](#) [74\\_Z-0-0-142](#) [11\\_QLA-01-2-8/122\\_NE](#) [34\\_BNC-50-0-6/100\\_NE](#)  
[74\\_Z-0-0-59](#) [Minibend R-6.5](#) [21\\_N-75-4-8/133\\_NE](#) [24\\_BNC-75-2-1/133\\_NE](#) [24\\_H4-50-3-1/133\\_NE](#) [Minibend-14](#) [31\\_SHV-50-0-1/133\\_NE](#)  
[23\\_SK-50-0-52/199\\_NE](#) [74\\_Z-0-0-214](#) [23\\_BNC-50-0-2/133\\_NE](#) [74\\_Z-0-0-60](#) [33\\_SK-PC24-50-1/199\\_NE](#) [24\\_N-50-7-8/133\\_NE](#) [74\\_Z-0-0-](#)  
[157](#) [6810\\_N-50-1/1--\\_NE](#)