

## PCRS\_LCUX\_LCUX\_A221T\_XX.X\_SS

### Description

Duplex patch cord, LC uniboot push-pull XD to LC uniboot push-pull XD, UPC, duplex round 2.1mm\_yellow, SM G.657.A2, A-B / B-A



Features	Features
- High mechanical stability	
- Colour coded boot for good visibility also in mated condition	

### Technical Data

#### General Data

Description	Values
General Typ	Duplex LC patch cord
Operation temperature (in Work)	-45 up to 85
Polarity	A-B / B-A straight polarity (standard)
RoHS compliant 2001/65/EU	Yes
REACH compliant	Yes

#### Connector left

Description	Values
Connector typ	LC-XD duplex Uniboot
Polish	PC
Color Housing	Black
Color Clip	Blue
Color Boot	Black / Black
Design connector acc. To	IEC 61754-20, TIA 604-10-A
Performance class H+S	S
Return Loss	>50 dB
Durability	1000
Tensile load	70 N
Tensile load acc. To GR-326-COR	Fullfiled

#### Connector right


Description	Values
Connector typ	LC-XD duplex Uniboot
Polish	PC
Color Housing	Black
Color Clip	Blue
Design connector acc. To	IEC 61754-20, TIA 604-10-A
Performance class H+S	1S
Return Loss	>50
Durability	1000
Tensile load	70 N
Tensile load acc. To GR-326-COR	Fullfiled

#### Cable

Description	Values
Cable typ	Riser Cable

## PCRS\_LCUX\_LCUX\_A221T\_XX.X\_SS

Fiber count	2
Fiber	2 x 0.6mm
Fiber typ	E9/125-SM G.657.A2
Outer diameter	2.1 mm
Outer jacket material	Jacket material according to UL 94V-0
Outer jacket color	Yellow



### Ordering information

Attenuation (m)	Item number	Description
1.0	85016597	PCRS_LCUX_LCUX_A221T_01.0_SS
1.5	85023034	PCRS_LCUX_LCUX_A221T_01.5_SS
2.0	85016599	PCRS_LCUX_LCUX_A221T_02.0_SS
2.5	85025973	PCRS_LCUX_LCUX_A221T_02.5_SS
3.0	85016600	PCRS_LCUX_LCUX_A221T_03.0_SS
3.5	85020818	PCRS_LCUX_LCUX_A221T_03.5_SS
4.0	85019951	PCRS_LCUX_LCUX_A221T_04.0_SS
4.5	85025974	PCRS_LCUX_LCUX_A221T_04.5_SS
5.0	85016601	PCRS_LCUX_LCUX_A221T_05.0_SS
5.5	85025975	PCRS_LCUX_LCUX_A221T_05.5_SS
6.0	85020819	PCRS_LCUX_LCUX_A221T_06.0_SS
7.0	85020820	PCRS_LCUX_LCUX_A221T_07.0_SS
10.0	85016602	PCRS_LCUX_LCUX_A221T_10.0_SS
15.0	85020821	PCRS_LCUX_LCUX_A221T_15.0_SS
20.0	85020822	PCRS_LCUX_LCUX_A221T_20.0_SS
25.0	85025976	PCRS_LCUX_LCUX_A221T_25.0_SS
30.0	85025977	PCRS_LCUX_LCUX_A221T_30.0_SS

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Huber & Suhner](#) manufacturer:*

Other Similar products are found below :

[3402.17.A](#) [31 MMBX-SMA-50-1/111 NE](#) [74Z-0-23-17](#) [65 SMA-50-0-1/111 NE](#) [32 MMBX-50-0-6 / 111 NE](#) [Mini141 K-16](#) [7404.17.0003](#)  
[33\\_N-SMA-50-51/1--\\_UE](#) [76\\_Z-0-2-1](#) [Minibend L-13](#) [Microbend MTR-11](#) [16\\_N-50-3-103/133\\_NE](#) [Microbend R-4.5](#) [74\\_Z-0-0-53](#)  
[85\\_SMC-50-0-1/133\\_NE](#) [31\\_PC35-50-0-2/199\\_NE](#) [65\\_BNC-50-0-2/133\\_NE](#) [1399.17.0125](#) [76\\_Z-0-4-1](#) [80346275](#) [11\\_C-50-7-6/133\\_NE](#)  
[6620\\_SMA-50-2/199\\_NE](#) [Minibend R-5.5](#) [11\\_SMB-50-2-41/111\\_NE](#) [Mini141 K-8](#) [74\\_Z-0-0-246](#) [22\\_BNC-50-0-5/133\\_NE](#) [6500\\_N-50-](#)  
[1/199\\_NE](#) [6560.17.AA](#) [3401.17.0033](#) [11\\_N-50-2-1/133\\_NE](#) [3401.00.0022](#) [74\\_Z-0-0-142](#) [11\\_QLA-01-2-8/122\\_NE](#) [34\\_BNC-50-0-6/100\\_NE](#)  
[74\\_Z-0-0-59](#) [Minibend R-6.5](#) [21\\_N-75-4-8/133\\_NE](#) [24\\_BNC-75-2-1/133\\_NE](#) [24\\_H4-50-3-1/133\\_NE](#) [Minibend-14](#) [31\\_SHV-50-0-1/133\\_NE](#)  
[23\\_SK-50-0-52/199\\_NE](#) [74\\_Z-0-0-214](#) [23\\_BNC-50-0-2/133\\_NE](#) [74\\_Z-0-0-60](#) [33\\_SK-PC24-50-1/199\\_NE](#) [24\\_N-50-7-8/133\\_NE](#) [74\\_Z-0-0-](#)  
[157](#) [6810\\_N-50-1/1--\\_NE](#)