

## PCRS\_LCMX\_LCMX\_O321T\_XX.X\_MM

### Description

Duplex patch cord, LC uniboot push-pull XD to LC uniboot push-pull XD, MM, duplex round 2.1mm\_XX.X\_turquoise, OM3 BendOptimized, A-B / B-A



Features	Features
- High mechanical stability	
- Colour coded boot for good visibility also in mated condition	

### Technical Data

#### General Data

Description	Values
General Typ	Duplex LC patch cord
Operation temperature (in Work)	-45 up to 85
Polarity	A-B / B-A straight polarity (standard)
RoHS compliant 2001/65/EU	Yes
REACH compliant	Yes

#### Connector left


Description	Values
Connector typ	LC-XD duplex Uniboot
Polish	PC
Color Housing	Black
Color Clip	Aqua
Color Boot	Black
Design connector acc. To	IEC 61754-20, TIA 604-10-A
Performance class H+S	M
Return Loss	>35 dB
Durability	1000
Tensile load	70 N
Tensile load acc. To GR-326-COR	Fullfiled

Connector typ	LC-XD duplex Uniboot
Performance class H+S	1M
Tensile load	70 N
Tensile load acc. To GR-326-COR	Fullfiled

#### Cable

Description	Values
Cable typ	Riser Cable
Fiber count	2
Fiber	2 x 0.6mm
Fiber typ	G50/125-OM3 BendOptimized
Outer diameter	2.1 mm
Outer jacket material	Jacket material according to UL 94V-0
Outer jacket color	Aqua

## PCRS\_LCMX\_LCMX\_O321T\_XX.X\_MM



### Ordering information

Attenuation (m)	Item number	Description
1.0	85022126	PCRS_LCMX_LCMX_O321T_01.0_MM
1.5	85025978	PCRS_LCMX_LCMX_O321T_01.5_MM
2.0	85022127	PCRS_LCMX_LCMX_O321T_02.0_MM
2.5	85025979	PCRS_LCMX_LCMX_O321T_02.5_MM
3.0	85022128	PCRS_LCMX_LCMX_O321T_03.0_MM
3.5	85022130	PCRS_LCMX_LCMX_O321T_03.5_MM
4.0	85025980	PCRS_LCMX_LCMX_O321T_04.0_MM
4.5	85025981	PCRS_LCMX_LCMX_O321T_04.5_MM
5.0	85022131	PCRS_LCMX_LCMX_O321T_05.0_MM
5.5	85025982	PCRS_LCMX_LCMX_O321T_05.5_MM
6.0	85022132	PCRS_LCMX_LCMX_O321T_06.0_MM
7.0	85022133	PCRS_LCMX_LCMX_O321T_07.0_MM
10.0	85022134	PCRS_LCMX_LCMX_O321T_10.0_MM
15.0	85022135	PCRS_LCMX_LCMX_O321T_15.0_MM
20.0	85022136	PCRS_LCMX_LCMX_O321T_20.0_MM
25.0	85025983	PCRS_LCMX_LCMX_O321T_25.0_MM
30.0	85025984	PCRS_LCMX_LCMX_O321T_30.0_MM

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Huber & Suhner](#) manufacturer:*

Other Similar products are found below :

[3402.17.A](#) [31 MMBX-SMA-50-1/111 NE](#) [74Z-0-23-17](#) [65 SMA-50-0-1/111 NE](#) [32 MMBX-50-0-6 / 111 NE](#) [Mini141 K-16](#) [7404.17.0003](#)  
[33\\_N-SMA-50-51/1--\\_UE](#) [76\\_Z-0-2-1](#) [Minibend L-13](#) [Microbend MTR-11](#) [16\\_N-50-3-103/133\\_NE](#) [Microbend R-4.5](#) [74\\_Z-0-0-53](#)  
[85\\_SMC-50-0-1/133\\_NE](#) [31\\_PC35-50-0-2/199\\_NE](#) [65\\_BNC-50-0-2/133\\_NE](#) [1399.17.0125](#) [76\\_Z-0-4-1](#) [80346275](#) [11\\_C-50-7-6/133\\_NE](#)  
[6620\\_SMA-50-2/199\\_NE](#) [Minibend R-5.5](#) [11\\_SMB-50-2-41/111\\_NE](#) [Mini141 K-8](#) [74\\_Z-0-0-246](#) [22\\_BNC-50-0-5/133\\_NE](#) [6500\\_N-50-](#)  
[1/199\\_NE](#) [6560.17.AA](#) [3401.17.0033](#) [11\\_N-50-2-1/133\\_NE](#) [3401.00.0022](#) [74\\_Z-0-0-142](#) [11\\_QLA-01-2-8/122\\_NE](#) [34\\_BNC-50-0-6/100\\_NE](#)  
[74\\_Z-0-0-59](#) [Minibend R-6.5](#) [21\\_N-75-4-8/133\\_NE](#) [24\\_BNC-75-2-1/133\\_NE](#) [24\\_H4-50-3-1/133\\_NE](#) [Minibend-14](#) [31\\_SHV-50-0-1/133\\_NE](#)  
[23\\_SK-50-0-52/199\\_NE](#) [74\\_Z-0-0-214](#) [23\\_BNC-50-0-2/133\\_NE](#) [74\\_Z-0-0-60](#) [33\\_SK-PC24-50-1/199\\_NE](#) [24\\_N-50-7-8/133\\_NE](#) [74\\_Z-0-0-](#)  
[157](#) [6810\\_N-50-1/1--\\_NE](#)