D35/27.FF



Products Low Voltage Products and Systems Connection Devices Terminal Blocks SNA Series

General Information

Extended Product Type: D35/27.FF

 Product ID:
 1SNA190001R2000

 EAN:
 3472591900019

Catalog Description: D35/27.FF Stud Terminal Block - Feed-through - Grey

Long Description: - Rated cross section up to 300 mm2 / 1000 Kcmil, IP20 protection cover, - Holding foot on


DIN 3 rail with two position for easy mounting, lug mounting in accordance with NF C 20-13

0 and DIN 46234, various marking options, rail or base mounting.

Additional Information

ABB Industrial IT Suite:	Control IT
Ambient Air Temperature:	Operation -55 +110 °C
	Storage -55 +110 °C
Ambient Temperature:	-5 +40 °C
Color:	Grey
Connecting Capacity Main Circuit UL/CSA:	Stud / Rigid 1x 1 AWG
Connecting Capacity UL/CSA:	Stranded 1 AWG
Connecting Capacity Main Circuit:	Stud / Flexible 1x 2.5 35 mm² Stud / Rigid 1x 2.5 50 mm²
Connection Type:	Stud
Country of Origin:	France (FR)
Customs Tariff Number:	85369010
Data Sheet, Technical Information:	1SNC160019C0202
Declaration of Conformity - CE:	1SND225010U1000
EAC Certificate:	1SND161009A1100
EAN:	3472591900019
ETIM 4:	EC000897 - Feed-through terminal block
ETIM 5:	EC000897 - Feed-through terminal block
ETIM 6:	EC000897 - Feed-through terminal block
Environmental Information:	1SND220043E1002
Flammability According to UL94:	V0
Function:	Feed-through
IIT Publishing Status:	Level 0 - Information enabled
Industrial IT Certification Level:	0
Instructions and Manuals:	1SNC160019C0202
Insulation Material:	Polyamide
Invoice Description:	D35/27.FF Stud Terminal Block - Feed-through - Grey
Maximum Operating Voltage UL/CSA:	Main Circuit 600 V
Minimum Order Quantity:	10 piece
Mounting on DIN Rail:	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Number of Levels:	1
Object Classification Code:	X
Order Multiple:	10 piece
Package Level 1 EAN:	3472591900019
Package Level 1 Gross Weight:	1.3 kg
Package Level 1 Height:	110 mm

Package Level 1 Length:	258 mm
Package Level 1 Units:	10 piece
Package Level 1 Width:	120 mm
Package Level 2 Height:	300 mm
Package Level 2 Length:	500 mm
Package Level 2 Units:	80 piece
Package Level 2 Width:	300 mm
Package Level 3 Units:	1920 piece
Pollution Degree:	3
Product Main Type:	D35/27.FF
Product Name:	Terminal Block
Product Net Depth:	75 mm
Product Net Height:	113 mm
Product Net Weight:	130 g
Product Net Width:	27 mm
Product Packing Type:	Вох
Rated Cross-Section:	35 mm²
Rated Current (I _n):	Main Circuit 125 A
Rated Short-time Withstand Current (I_{cw}):	for 1 s 8000 A
Rated Voltage (U _r):	1000 V
RoHS Date:	20140212
RoHS Information:	1SND230022F0204
RoHS Status:	Following EU Directive 2011/65/EC
Selling Unit of Measure:	piece
Short Description:	grey Power Terminal Blocks D35/27.FF 2 studs M6
Spacing:	27 mm
Sub-Function 3:	2 connections
Tightening Torque:	Cable Lug 6 N·m Central Bolt 12 N·m
cUL Certificate:	1SND165001A0201



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for TE CONNECTIVITY manufacturer:

Other Similar products are found below:

D38999/24FJ4AN 1-2000677-8 SMD100-2 D38999/20WJ43BD 4-176756-8 983-6SE22-12S7-L D38999/24ZE35PN DJT10F17-26HN 5
1437490-9 7022X3H 983-6SE18-14P9-L AFD50-16-23SN-6116-LC 603995-1 D38999/24WF32JE D38999/24WF32SE-LC DTS24W19
32HE D38999/20WD19SB-LC 842723N001 213904-1 C1177A AFD51-18-32PW-6116-LC D38999/24FD19PD D38999/24FD19PD-LC

D38999/24FF32BA D38999/26WH21PB-LC D38999/20FH21PE D38999/20FH21PE-LC D38999/24FD19PD DTS20F23-21PE

D38999/20FH21PB-LC D38999/26FJ35PE D38999/32Z15N DTS26W9-35JB-LC D38999/26JJ29JN 102976-7 D38999/20FJ4SB-LC 1
2322421-6 D38999/20FJ24SB-LC MS3474L12-10P-LC MS3474L12-10PW-LC MS27467T21F16P-LC D50184-000 WINTOTAL-6-END
USER-LICENCE 164-8033-08 DTS26W17-99HA MS27468T17F26H DJT14F17-26HN DJT14F17-26HB AFD58-24-61PY-1A 983-6SE18
14S7-L