## D300/55.FF



Products Low Voltage Products and Systems Connection Devices Terminal Blocks SNA Series

General Information

Extended Product Type: D300/55.FF

 Product ID:
 1SNA190005R2400

 EAN:
 3472591900057

Catalog Description: D300/55.FF Stud Terminal Block - Feed-through - Grey

Long Description: - Rated cross section up to 300 mm2 / 1000 Kcmil, IP20 protection cover, - Holding foot on


DIN 3 rail with two position for easy mounting, lug mounting in accordance with NF C 20-13

0 and DIN 46234, various marking options, rail or base mounting.

## Additional Information

Ambient Air Temperature:  Operation -55 +110 °C Storage -55 +110 °C  Ambient Temperature:  -5 +40 °C  Color:  Grey  Connecting Capacity UL/CSA: Stranded 1000 AWG  Connecting Capacity Main Circuit: Stud / Rigid 1x 6 300 mm²  Connection Type: Stud  Country of Origin: France (FR)  Customs Tariff Number: 85369010	
Color: Grey  Connecting Capacity UL/CSA: Stranded 1000 AWG  Connecting Capacity Main Circuit: Stud / Rigid 1x 6 300 mm²  Connection Type: Stud  Country of Origin: France (FR)	
Connecting Capacity UL/CSA: Stranded 1000 AWG  Connecting Capacity Main Circuit: Stud / Rigid 1x 6 300 mm²  Connection Type: Stud  Country of Origin: France (FR)	
Connecting Capacity Main Circuit: Stud / Rigid 1x 6 300 mm²  Connection Type: Stud  Country of Origin: France (FR)	
Connection Type: Stud  Country of Origin: France (FR)	
Country of Origin: France (FR)	
Customs Tariff Number: 85369010	
Data Sheet, Technical Information: 1SNC160019C0202	
Declaration of Conformity - CE: 1SND225010U1000	
EAC Certificate: 1SND161009A1100	
<b>EAN:</b> 3472591900057	
ETIM 4: EC000897 - Feed-through terminal blo	ock
ETIM 5: EC000897 - Feed-through terminal blo	ock
ETIM 6: EC000897 - Feed-through terminal blo	ock
Environmental Information: 1SND220043E1002	
Flammability According to UL94: V0	
Function: Feed-through	
IIT Publishing Status: Level 0 - Information enabled	
Industrial IT Certification Level: 0	
Instructions and Manuals: 1SNC160019C0202	
Insulation Material: Polyamide	
Invoice Description: D300/55.FF Stud Terminal Block - Fee	ed-through - Grey
Maximum Operating Voltage UL/CSA: Main Circuit 600 V	
Minimum Order Quantity: 1 piece	
Mounting on DIN Rail: TH35-7.5 (35 x 7.5 mm Mounting Rail) TH35-15 (35 x 15 mm Mounting Rail) a	
Number of Levels: 1	
Object Classification Code: X	
Order Multiple: 1 piece	
Package Level 1 EAN: 3472591900057	
Package Level 1 Gross Weight: 0.775 kg	
Package Level 1 Height: 57 mm	
Package Level 1 Length: 130 mm	
Package Level 1 Units: 1 piece	

Package Level 1 Width:	163 mm
Package Level 2 Gross Weight:	15.950 kg
Package Level 2 Height:	150 mm
Package Level 2 Length:	500 mm
Package Level 2 Units:	20 piece
Package Level 2 Width:	300 mm
Package Level 3 Units:	480 piece
Pollution Degree:	3
Product Main Type:	D300/55.FF
Product Name:	Terminal Block
Product Net Depth:	99 mm
Product Net Height:	163 mm
Product Net Weight:	775 g
Product Net Width:	55 mm
Product Packing Type:	Box
Rated Cross-Section:	300 mm²
Rated Current (I <sub>n</sub> ):	Main Circuit 520 A
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 8000 A
Rated Voltage (U <sub>r</sub> ):	1000 V
RoHS Date:	20140212
RoHS Information:	1SND230022F0204
RoHS Status:	Following EU Directive 2011/65/EC
Selling Unit of Measure:	piece
Short Description:	grey Power Terminal Blocks D300/55.FF 2 studs M16
Spacing:	55 mm
Sub-Function 3:	2 connections
Tightening Torque:	Cable Lug 50 N·m Central Bolt 12 N·m



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for TE CONNECTIVITY manufacturer:

Other Similar products are found below:

D38999/24FJ4AN 1-2000677-8 SMD100-2 D38999/20WJ43BD 4-176756-8 983-6SE22-12S7-L D38999/24ZE35PN DJT10F17-26HN 5
1437490-9 7022X3H 983-6SE18-14P9-L AFD50-16-23SN-6116-LC 603995-1 D38999/24WF32JE D38999/24WF32SE-LC DTS24W19
32HE D38999/20WD19SB-LC 842723N001 213904-1 C1177A AFD51-18-32PW-6116-LC D38999/24FD19PD D38999/24FD19PD-LC

D38999/24FF32BA D38999/26WH21PB-LC D38999/20FH21PE D38999/20FH21PE-LC D38999/24FD19PD DTS20F23-21PE

D38999/20FH21PB-LC D38999/26FJ35PE D38999/32Z15N DTS26W9-35JB-LC D38999/26JJ29JN 102976-7 D38999/20FJ4SB-LC 1
2322421-6 D38999/20FJ24SB-LC MS3474L12-10P-LC MS3474L12-10PW-LC MS27467T21F16P-LC D50184-000 WINTOTAL-6-END
USER-LICENCE 164-8033-08 DTS26W17-99HA MS27468T17F26H DJT14F17-26HN DJT14F17-26HB AFD58-24-61PY-1A 983-6SE18
14S7-L