

General Information

Extended Product Type:	SC-JB8-2
Product ID:	1SNK900652R0000
EAN:	3472599872967
Catalog Description:	SC-JB8-2 Short circuit bridges - Yellow
Long Description:	- Allow safe short-circuiting of Current Transformers circuits, - Insulated, - Fully operated by screwdriver, - Short circuited fixed position secured thanks to AJS9 tightening, - Adapted hook shape maintains the bridge on the terminal block in the non short-circuited position, - The orange version can be used as fixed jumpers.

Additional Information

ABB Industrial IT Suite:	Control IT
Ambient Air Temperature:	Operation -55 ... +110 °C Storage -55 ... +110 °C
Ambient Temperature:	-5 ... +40 °C
Color:	Yellow
Country of Origin:	France (FR)
Customs Tariff Number:	85389099
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
EAN:	3472599872967
Flammability According to UL94:	V0
Function:	Short Circuit Bridges
IIT Publishing Status:	Level 0 - Information enabled
Industrial IT Certification Level:	0
Instructions and Manuals:	1SNK160027C0201
Insulation Material:	Polyamide
Invoice Description:	SC-JB8-2 Short circuit bridges - Yellow
Minimum Order Quantity:	25 piece
Mounting on DIN Rail:	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 TH15-5.5 (15 x 5.5 mm Mounting Rail) acc. to IEC 60715
Object Classification Code:	X
Order Multiple:	25 piece
Package Level 1 EAN:	3472599872967
Package Level 1 Gross Weight:	0.05 kg
Package Level 1 Height:	20 mm
Package Level 1 Length:	170 mm
Package Level 1 Units:	25 piece
Package Level 1 Width:	125 mm
Package Level 2 Gross Weight:	1.000 kg
Package Level 2 Height:	130 mm
Package Level 2 Length:	227 mm
Package Level 2 Units:	500 piece
Package Level 2 Width:	175 mm
Package Level 3 Units:	24000 piece
Product Main Type:	SC-JB8
Product Name:	Short Circuit Bridge

Product Name:	Short Circuit Bridge
Product Net Depth:	13.9 mm
Product Net Height:	24.6 mm
Product Net Weight:	2 g
Product Net Width:	8 mm
Product Packing Type:	Bag
Rated Current (I_n):	Main Circuit 5 A
Recommended Screw Driver:	3.5 mm
RoHS Date:	18 08 2005
RoHS Information:	1SND230528F0200
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Spacing:	8 mm
Suitable For:	D6/8.ST.RS ZS10-PE-R1 ZS10-R1 ZS10-ST ZS10-ST-T4



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [TE CONNECTIVITY](#) manufacturer:

Other Similar products are found below :

[D38999/24FJ4AN](#) [1-2000677-8](#) [SMD100-2](#) [D38999/20WJ43BD](#) [4-176756-8](#) [983-6SE22-12S7-L](#) [D38999/24ZE35PN](#) [DJT10F17-26HN](#) [5-1437490-9](#) [7022X3H](#) [983-6SE18-14P9-L](#) [AFD50-16-23SN-6116-LC](#) [603995-1](#) [D38999/24WF32JE](#) [D38999/24WF32SE-LC](#) [DTS24W19-32HE](#) [D38999/20WD19SB-LC](#) [842723N001](#) [213904-1](#) [C1177A](#) [AFD51-18-32PW-6116-LC](#) [D38999/24FD19PD](#) [D38999/24FD19PD-LC](#) [D38999/24FF32BA](#) [D38999/26WH21PB-LC](#) [D38999/20FH21PE](#) [D38999/20FH21PE-LC](#) [D38999/24FH21PN](#) [DTS20F23-21PE](#) [D38999/20FH21PB-LC](#) [D38999/26FJ35PE](#) [D38999/32Z15N](#) [DTS26W9-35JB-LC](#) [D38999/26JJ29JN](#) [102976-7](#) [D38999/20FJ4SB-LC](#) [1-2322421-6](#) [D38999/20FJ24SB-LC](#) [MS3474L12-10P-LC](#) [MS3474L12-10PW-LC](#) [MS27467T21F16P-LC](#) [D50184-000](#) [WINTOTAL-6-END-USER-LICENCE](#) [164-8033-08](#) [DTS26W17-99HA](#) [MS27468T17F26H](#) [DJT14F17-26HN](#) [DJT14F17-26HB](#) [AFD58-24-61PY-1A](#) [983-6SE18-14S7-L](#)