

CPR2 – 3m coiled cord, RJ45 to RJ45, plug (black)



3m coiled cord in black RJ45 to RJ45 plug (CPR2)


The CPR2 is an 8 way coiled lead offering a flexible, extendable option for connecting RJ45/8p8c sockets.

Features

- 8p8c 3m RJ45 plug to RJ45 plug coiled black cord
- Wired 1 to 1

Specifications

- Colour: black
- Length: 3m approx. (extended), including 50mm tails
- Material:
 - Cable:
 - Cores: 26AWG/0.40mm stranded copper
 - Sheath: PVC
 - Plug:
 - Housing: PC, UL94V
 - Contacts: Hard gold over nickel over phosphor bronze
- 10M Ω insulation resistance
- 20m Ω maximum contact resistance
- 1000Vrms AC60Hz Dielectric withstanding voltage



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tuk](#) manufacturer:

Other Similar products are found below :

[ADQ88](#) [KOLSMDX](#) [PXCAT6S8XL2](#) [SKH1](#) [PXSPDY6#100](#) [PSPDY5#100](#) [PXSPDY6#10](#) [SP5RD](#) [FTT](#) [SKFBKDPM](#) [SACK3S-24](#)
[OT45BK](#) [SKFYW](#) [PSDL-6#20](#) [WJOL](#) [FJP2](#) [KH4](#) [KRCAWHBKDPM](#) [SPDL5BK](#) [TRCSPDY3](#) [PSDL-5#100](#) [SKFGN](#) [SP3RD](#) [SLJBKDPM](#)
[SEKEIPM](#) [FJKPT](#) [KCUAA2BKDPM](#) [SP5GN](#) [MGOP6](#) [TPOET](#) [PXSPDY5#10](#) [WJSG](#) [SILWH](#) [SP3YW](#) [SACK2WHPM](#) [T2079](#)
[FACK2BKDPM](#) [KOCSMDPM](#) [SP5YW](#) [SGPZ10BK](#) [ADF](#) [SEKEI-45WH](#) [TRCSPDYBP](#) [SP5GYB](#) [SKH4](#) [SGKH2](#) [SKFWHPM](#) [KOCSM](#)
[SKH2](#) [SP10RD](#)