


# NSYCCOTHOF

ClimaSys CC - simple thermostat 250V - range of temperature 0...60°C - NO - °F



## Main

|                           |                   |
|---------------------------|-------------------|
| Range                     | ClimaSys          |
| Product name              | ClimaSys CC       |
| Product or component type | Simple thermostat |
| Temperature setting range | 0...60 °C         |
| Information displayed     | Temperature in °F |

## Complementary

|                                       |   |
|---------------------------------------|---|
| Input voltage                         | 250 V   |
| Sensor type                           | Bimetal   |
| Contacts type and composition         | NO  |
| Contact resistance                    | < 10 mOhm   |
| Service life in cycles                | >= 100000 cycles  |
| Maximum switching capacity            | 10 A 250 V AC resistive<br>15 A 120 V AC resistive<br>30 W DC<br>2 A 120...250 V AC inductive pf: 0.6 |
| Electrical connection                 | 4 terminals 2.5 mm <sup>2</sup>   |
| Mounting mode                         | Clipped   |
| Height                                | External : 68 mm  |
| Width                                 | External : 33 mm  |
| Depth                                 | External : 44 mm  |
| Product weight                        | 40 g  |
| Mounting location                     | On mounting plate<br>35 mm DIN rail<br>Spacial upright<br>Cross rails                                 |
| Ambient air temperature for operation | -20...80 °C   |
| IP degree of protection               | IP20  |
| Hysteresis                            | 7 %   |

|                        |   |
|------------------------|---|
| Number of outputs      | 1 output(s) ventilation function                    |
| Material               | PC  |
| Colour                 | Light grey  |
| Flame retardance       | Self-extinguishing conforming to UL94 (material V0) |
| Product certifications | UL  |

### Offer Sustainability

|                          |   |
|--------------------------|---|
| Sustainable offer status | Not Green Premium product   |
| RoHS (date code: YYWW)   | Compliant - since 0940 - Schneider Electric declaration of conformity<br><a href="#">Schneider Electric declaration of conformity</a> |
| REACH                    | Reference not containing SVHC above the threshold<br><a href="#">Reference not containing SVHC above the threshold</a>                |

### Contractual warranty

|                 |           |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Schneider manufacturer](#):*

Other Similar products are found below :

[HMIGTO2310](#) [GS1AE21](#) [METSEPM8240](#) [LC1DT25B7](#) [LU9M1](#) [7D](#) [7S](#) [7XA1](#) [8501RS44V24](#) [8501RSD14P14V51](#) [8501XM4](#)  
[8501XO20V03Y414](#) [9001KXRK](#) [9001SKR9P35RH25](#) [9001SKT35L31](#) [9003K2C003GA](#) [9007AA1](#) [9007BA1](#) [9007C54D](#) [9007C62A2](#)  
[9007C68T5](#) [9007CA11](#) [9007FA3](#) [9007HA4](#) [9007HA6](#) [9007KA1](#) [9007KB11](#) [9007MS01S0206](#) [9007MS10S0100](#) [9012GAR4](#) [9012GAW2](#)  
[9012GBW1](#) [9012GDW5E3](#) [9012GFW1](#) [9012GNG1](#) [9012GNG3](#) [9012GNG6](#) [9013FHG39J69](#) [9013GHG2J30](#) [9050JCK2F30V14](#) [GZ1E02](#)  
[A9F07125](#) [ATS01N222RT](#) [ATV12H018F1](#) [RSL1PRJU](#) [9001KA35](#) [9001KA3G](#) [9001KR1GH5](#) [9001KXSDC](#) [9007C52A2](#)