

Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Blue, 25-ft.

MODEL NUMBER: N201-025-BL



Description

With Tripp Lite's new category 6 molded patch cables you can stay ahead of the game by using this high-speed cable to distribute data, voice and video. These cables deliver stable performance up to 550MHz. Each comes UL verified meets EIA/TIA Cat6 TIA/EIA-568-B-2.1 draft 9 standards. Constructed with high-quality copper wire and a staggered-pin plug design, near-end crosstalk levels are kept to a minimum. Designed for use in category 6, category 5e and category 5 applications. Cat6 cables are available in a variety of colors with a snagless boot preventing cable snags.

Features

- Meets category 6 cabling standards
- Premium cabling for category 6, category 5e and category 5 applications
- Length: 25-ft. Color: blue. Connectors: RJ45 male.
- Drastically reduce impedance and structural return loss compared to standard 100MHz wire
- High-quality copper wire and a staggered-pin plug design to keep near-end crosstalk levels to a minimum
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair stranded UTP
- Deliver stable performance up to 550MHz/1 Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 6 draft 11)
- Available in other colors and lengths

Specifications

SELECTOR

Highlights

- Meets Category 6 cabling standards
- Drastically reduce impedance and structural return loss compared to standard 100MHz wire
- High-quality copper wire and a shortened body plug design
- Feature molded connectors with integral strain relief
- Snagless boots protect the locking tabs on the RJ45 connectors from being damaged during installation

System Requirements

- For 1000 Base-T (1Gbps Ethernet), 10/100 Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring TYPE 3 applications as well as EIA/TIA applications.

Package Includes

- 25-ft. Cat6 Blue Gigabit Patch Cord Snagless Molded



Selector Type	CABLES
General Info	
Product Group	NETWORK CABLES
TAA Compliant	No
OVERVIEW	
Intended Application	Computer Networking
Style	Cat6/6e/6a
Model Type	Snagless
Cable Types	CAT6
Cable Type	Cat6
INPUT	
Cable Length (ft.)	25
Cable Length (m)	7.62
UPC ASSIGNMENT	
Unit Carton UPC#	037332099983
PHYSICAL	
Color	Blue
CONNECTIONS	
Connector A	RJ45 (MALE)
Connector B	RJ45 (MALE)
CERTIFICATIONS	
Certifications	RoHS-Compliant
Approvals	IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801, and ETL.
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tripp Lite manufacturer](#):

Other Similar products are found below :

[79-519](#) [79-537](#) [PR40](#) [PV-1200FC/230](#) [PV-400FC](#) [PV550](#) [152-0199](#) [152-1380](#) [152-2404](#)
[P500-025](#) [P560-025](#) [RT-2](#) [3040](#) [SU1000XLA](#) [SU1500RTXL2U](#) [SU2200RTXL2UA](#) [PV150](#)
[PV3000](#) [RBC11A](#) [BC-1200](#) [INTERNET-OFFICE-280](#) [3251](#) [UL7408-6](#) [ULHC4-15](#) [DG115-](#)
[SR](#) [N002-007-WH](#) [OMNISMART350HG](#) [P005-010-14LA](#) [P040-010](#) [P060-006](#) [P502-025](#)
[UR050-006-DNB](#) [UR050-003-WH](#) [P006-015](#) [LC1800](#) [CK-8455-L2](#) [SMART-1400-RM](#)
[PS3612](#) [P118-000](#) [ISOBAR12](#) [ULTRA](#) [NSU-G24C2P08](#) [P568-050-EZ](#) [U324-003-KJ](#)
[PV2400FC](#) [RS-0615-R](#) [SUINT1000RTXL2U](#) [3310](#) [SUINT1000LCD2U](#) [DCPU1](#)
[DWT3270X](#)