

# Health and Safety Information Sheet

## Advance PE Coated Cloth Tapes

### Issue: 4

Information prepared: May 2015



#### Section 1

#### Identification

Product name: Polythene Coated Cloth Pressure-Sensitive Adhesive Tape

Contact name and address: Advance Tapes International Limited  
Westmoreland Avenue  
Thurmaston  
UK  
LE4 8PH

Telephone: +44 (0)116 251 0191      Opening hours (Mon – Fri): 08:30 – 17:00

CAS/EINECS No: N/A

Physical form: Polythene Coated Cloth tape on a roll

#### Section 2

#### Hazard Identification

EU Classification: Tapes are classified as 'Articles' under REACH and therefore are not required to meet the requirements of Annex I of regulation EU 453/2010. This document is provided for information only.

EU Symbol: Not required

EU Risk Phrases: None

EU Safety Phrases: None

#### Section 3

#### Composition

Polythene coated fabric coated with a pressure sensitive adhesive containing resins and elastomers.

#### Section 4

#### First Aid measures

In cases of accidental ingestion, eye contact, persistent skin irritation, or other, seek medical advice.

General: Ingredients which may themselves present a toxic hazard do not normally constitute a hazard when incorporated into the product. Tape is not a hazard in normal circumstances.

Mouth: The tape should not be used in applications such as toys, where ingestion is possible.

Eye: Avoid eye contact, which may result in mechanical abrasion damage.

Skin: May cause irritation to persons with sensitive skins. The tape should not be used in applications where prolonged skin contact is possible e.g. medical plasters, bandages or hand protection tape.

#### Section 5

#### Fire Fighting measures

Extinguishing media: Cool with water spray, use any suitable extinguishing media.

Special precautions: The product will burn in a general fire to produce toxic fumes e.g. carbon monoxide. Breathing apparatus may be required.

# Health and Safety Information Sheet

## Advance PE Coated Cloth Tapes

### Issue: 4

Information prepared: May 2015



---

#### Section 6 Accidental release measures

Sweep up and place in suitable containers for disposal.

#### Section 7 Handling and storage

Prolonged storage should be avoided to minimise oxidation. Store the tape at recommended temperatures and protect from dust, moisture, direct sunlight, corrosive and solvent fumes. Storage life is one year from date of despatch from manufacturer for technical properties. Wide widths (greater than 300mm) or adverse storage conditions may reduce shelf life.

#### Section 8 Exposure controls and personal protection

No specific personal protective equipment is required, although a good standard of personal hygiene should be maintained. Wash hands after use and especially before handling food. The tapes have not been formulated and tested for prolonged skin contact and should not be used as a medical plaster or as a hand protection tape. People with sensitive skin or those concerned about skin abrasion should take suitable precautions e.g. proprietary barrier cream or gloves.

#### Section 9 Physical and chemical properties

Solid roll of adhesive tape in various colours.

#### Section 10 Stability and reactivity

Chemical stability:	Stable
Conditions to avoid:	Direct heat or sunlight
Chemicals to avoid:	Strong oxidising agents
Hazardous decomposition products:	Toxic fumes such as carbon monoxide may be produced when burnt.

#### Section 11 Toxicological information

The product is not classifiable on the basis of physico-chemical or health effects.

#### Section 12 Ecological information

The product is not classifiable as harmful to the environment. Biodegradation is expected to be poor, due to the product's low water solubility.

#### Section 13 Disposal consideration

Dispose of as combustible non-toxic landfill to local regulations. Do not incinerate without suitable fume scrubbing equipment on stacks.

#### Section 14 Transport information

Non-hazardous, not classified under IMDG or ADR regulations.

#### Section 15 Regulatory information

No specific safety, health and environmental regulations/legislation are associated with these products.

#### Section 16 Other information

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular property. Refer to the current issue of the Technical Data Sheet for recommendations as to tape use.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Advance Tapes manufacturer](#):*

Other Similar products are found below :

[AT7 BLACK 33M X 25MM](#) [AT163 SILVER 50M X 50MM](#) [AT8 BLACK 33M X 50MM](#) [AT541 33M X 12MM](#) [AT2000 BLACK 18M X 50MM](#) [AT2000 BLACK/YELLOW 18M X 50MM](#) [AT525 COPPER 33M X 10MM](#) [AT7 BROWN 33M X 25MM](#) [AT10 BLACK 33M X 50MM](#) [AT200 WHITE 50M X 50MM](#) [AT8 BLUE 33M X 50MM](#) [AT8 GREEN 33M X 50MM](#) [AT159 BLUE 50M X 25MM](#) [AT202 WHITE 50M X 50MM](#) [AT2000 YELLOW 18M X 50MM](#) [AT2000 BLACK 18M X 100MM](#) [AT525 COPPER 33M X 50MM](#) [AT159 GREEN 50M X 50MM](#) [AT4002 WHITE 55M X 25MM](#) [AT9 SILVER 33M X 50MM](#) [AT160 BLUE 50M X 50MM](#) [AT3400 BLACK 20M X 19MM](#) [AT4001 WHITE 55M X 25MM](#) [AT30 BLACK 33M X 50MM](#) [AT132 WHITE 50M X 50MM](#) [AT4004 YELLOW 66M X 25MM](#) [AT159 BLACK 50M X 50MM](#) [AT160 WHITE 50M X 50MM](#) [AT8 RED 33M X 50MM](#) [AT85 BLACK 10M X 50MM](#) [AT42 ORANGE 33M X 50MM](#) [AT7 ASSORTED COLOURS 33M X 19M](#) [AT160 YELLOW 50M X 50MM](#) [AT8H RED / WHITE 33M X 50MM](#) [AT544 33M X 19MM](#) [AT544 33M X 25MM](#) [AT526 COPPER 33M X 19MM](#) [AT308 CREAM 25M X 50MM](#) [AT7 VIOLET 33M X 25MM](#) [AT202 BLACK 50M X 50MM](#) [AT30 CLEAR 33M X 50MM](#) [AT44 BLACK 33M X 100MM](#) [AT85 BLACK 10M X 19MM](#) [AT159 WHITE 50M X 25MM](#) [AT175 GREEN 50M X 50MM](#) [AT159 YELLOW 50M X 50MM](#) [AT79 BLACK 10M X 19MM](#) [AT7 GREEN 33M X 25MM](#) [AT7 RED 33M X 19MM](#) [AT27 TRANSPARENT 33M X 25MM](#)